



GOVERNMENT OF WEST BENGAL  
DEPARTMENT OF MUNICIPAL AFFAIRS  
WRITERS' BUILDINGS, KOLKATA.

No. 636/MA/C-10/38-40/2009

Dated, Kolkata the 4<sup>th</sup> Sept., 2014.

From : The Special Secretary to Government of West Bengal

To : The Director, SUDA,  
State Urban Development Agency,  
ILGUS Bhavan, HC- Block,  
Salt Lake, Kolkata - 700 106

PO(H)  
→  
2  
9/9/14

Subject: Proposal for release of fund for procurement of equipments for  
Matrisadan-O-Sishumongal Prathistan under Konnagar Municipality.

Sir,

I am directed to refer to your letter vide No. SUDA- Health/124/08/146 dated 06.08.2014 on the subject stated above and to request you to obtain view of the Deptt. of Health & Family Welfare regarding technical specification, utility of the procurement etc. and the same may please be sent to this Department for proper examination of the matter.

Yours faithfully,

  
Special Secretary

# OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR

73, G.T. ROAD (W), KONNAGAR (Pin. 712235), HOOGHLY, West Bengal

*Sri. Bappaditya Chatterjee*  
**Chairman**

Office : 2674-0210/2123/9598/7376  
Ambulance : 2674-7545  
Hospital : 2674-7740  
Fax : 2674-0210 (Office)

No. PWD/14/SUDA/1137..

Date 16.09.2014.....

To

The Special Secretary to Government of West Bengal.

Sub :- Proposal of release of fund for procurement of equipments for

Matrisadan - O - Sishu Mangal Pratisthan under Konnagar Municipality.

Ref. No. - 636/MA/C - 10/3S - 40/2009 dated, Kolkata the 4<sup>th</sup> Sept. 2014.

Sir,

As per your above mention reference number sending the technical specification (Document attached) and utility of the procurement (copy attached) for further process and please take necessary action as soon as possible and obliged.

Copy to :- The Director, SUDA,

State Urban Development Agency,

ILGUS Bhavan, HC - Block

Salt Lake, Kolkata - 700106

Chairman

Konnagar municipality

Chairman  
Konnagar Municipality

Chairman

Konnagar Municipality.

Chairman  
Konnagar Municipality





# Konnagar Matrisadan-O-Sishu Mangal Pratisthan

(Managed by Konnagar Municipality)  
1, C. S. Mukherjee Street, Konnagar (Hooghly)  
Phone : 2674-7740

Ref. No. 636/MA/C – 10/3S – 40/2009 dated, Kolkata the 4<sup>th</sup> Sept. 2014 Date.....16.09.2014.

To,

The Chairman.

Konnagar Municipality.

Konnagar, Hooghly.

Sub :- Utility of the procurement of the semi auto clinical chemistry analyzer, Portable cum mobile x – ray machine., Combined blood gas electrolytes analyzer.

## 1. Semi auto clinical chemistry analyzer.

- a. Pregnant mother.....
- i) Liver function test.
  - ii) Blood sugar test.
  - iii) Urea, Creatinine.
  - iv) Other Bio – chemical test.
- b. New born.....
- i) Serum bilirubin.
  - ii) Blood sugar.
  - iii) C – Reactive protein.
  - iv) Prothrombin time.

## 2) Portable cum mobile x – ray machine.

- a. Pregnant mother.....
- i) Post operative respiratory distress.
  - ii) Post operative septicemia.
- b. New born.....
- i) Respiratory distress due to me conium aspiration pneumonia, pneumothorax etc.
  - ii) Cyanosis due to congenital heart disease.
  - iii) pre – term delivery with complications.

Continue page 2.....

*Asah*



# Konnagar Matrisadan-O-Sishu Mangal Pratisthan

(Managed by Konnagar Municipality)  
1, C. S. Mukherjee Street, Konnagar (Hooghly)  
Phone : 2674-7740

Ref. No. ....

Page – 2

Date.....

### 3. Combined blood gas electrolytes analyzer.

- a. Pregnant mother.....
- i) Pre – Eclampsia, Eclampsia.
  - ii) Post operative complication.
  - iii) Shock in case of APH and PPH etc.
- b. New born .....
- i) In born metabolic disorder.
  - ii) severe respiratory distress with metabolic disorder.
  - iii) Clinical features of hypercapnia, hypoxia.
  - iv) Pre – term delivery with shock.
  - v) Inborn sepsis.

*P. K. Saha*  
16.2.14

Dr. P. K. Saha.

Administrator

*P. K. Saha*  
Chairman  
Konnagar Municipality

Konnagar Matrisadan – O – Sishu Mangal Pratisthan

Dr. P. K. Saha, MBBS  
Administrator  
Konnagar Matrisadan-o-  
Sishu Mangal Pratisthan

To  
as. Secy  
for  
Bat-pur opinion.

*[Signature]*  
11/9/14

GOVERNMENT OF WEST BENGAL  
DEPARTMENT OF MUNICIPAL AFFAIRS  
WRITERS' BUILDINGS, KOLKATA.

To  
Maly Chatterjee  
for  
cum up.

*[Signature]*  
11/9/14

No. 636/MA/C-10/3S-40/2009

Dated, Kolkata the 4<sup>th</sup> Sept., 2014.

From : The Special Secretary to Government of West Bengal

To : The Director, SUDA,  
State Urban Development Agency,  
ILGUS Bhavan, HC- Block,  
Salt Lake, Kolkata - 700 106

Subject: Proposal for release of fund for procurement of equipments for  
Matrisadan-O-Sishumongal Prathistan under Konnagar Municipality.

Sir,

I am directed to refer to your letter vide No. SUDA- Health/124/UR/146 dated 06.08.2014 on the subject stated above and to request you to obtain view of the Deptt. of Health & Family Welfare regarding technical specification, utility of the procurement etc. and the same may please be sent to this Department for proper examination of the matter.

Yours faithfully,

*[Signature]*

Special Secretary

No. 636/1/MA/C-10/3S-40/2009

Dated, Kolkata the 4<sup>th</sup> Sept., 2014.

✓ Copy forwarded for information to the Chairman, Konnagar Municipality,  
73, G. I. Road (West), Konnagar, Hooghly.

*[Signature]*  
Special Secretary



**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL**

**Sri Bappaditya Chatterjee**  
**Chairman**

Ref. No. :- PWD/14/Health/477

Date :- 09.06.2014

To  
The Director, SUDA  
ILGUS BHABAN, H.C. Block,  
Sector-III, Bidhannagar,  
Kolkata-700 106


**Sub: - Request for Release the fund for Procurement of Various Medical Equipments in Konnagar Matrisadan-O-Sishu Mongal Pratishthan under Konnagar Municipality**

Sir,

We have essentially need to procure 1 (One) no. of Clinical Chemical Analyzer, 1 (One) no. of Blood Gas System, 1 (One) no. of Mobile X-Ray Machine for Konnagar Matrisadan-O-Sishu Mongal Pratishthan under Konnagar Municipality. The main objective for Procuring the said Medical Equipments is to deliver health service in uninterrupted and eco-friendly environment. The estimated costs for procuring the same Medical Equipments are Rs. 9,50,000/- (Nine Lakhs Fifty Thousand). I am submitting herewith the Detailed Project Report (DPR) for Procurement of said Medical Equipments.

So now I would request to you please sanction and release the same amount (i.e. Rs. 9,50,000/-) for procuring the above mentioned Medical Equipments.

Thanking you,

  
Chairman  
Konnagar Municipality  
Konnagar Municipality

Encl:-

- 1) Detailed Project Report (DPR) for procurement of Various Medical Equipments in Konnagar Matrisadan-O-Sishu Mongal Pratishthan under Konnagar Municipality

Phone Office: 2674-0210, 2674-2123  
Phone Hospital: 2674-7740  
E-Mail: konnagar.municipality@gmail.com

Fax: 033-2674-0210  
Phone Ambulance & Water Works: 2674-7545  
Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)

- 9 JUN 2014

  
Chairman  
Konnagar Municipality

**Detailed Project Report**  
**For**  
**Procurement of Various Medical Equipments**  
**in**  
**Konnagar Matrisadan – O – Sishu MONGal**  
**Prathisthan**



*Konnagar Municipality*  
*73, G.T. Road, Konnagar, Hooghly*  
*West Bengal*  
*June, 2014*



## Konnagar Municipality

Estd. in the Year 1944

  
Chairman  
Konnagar Municipality



Detailed Project Report (DPR)

On

Support to Health Sector

**Konnagar Municipality**

Budget Head: Incentive Fund

Sub component: Support to Health Sector

Procurement of

1. One no. Clinical Chemistry analyzer
2. 01 (One) no Blood Gas System
3. 01 (One) No Mobile X-Ray Machine

For

Konnagar Matrisadan-o-Sishumongal Pratisthan



Chairman  
Konnagar Municipality

## CONTENTS

- Part A: Organizational Profile
- Part B: About the Fact and Implementation Schedule
- Part C: Tentative technical specification of the asset
- Part D: Financial Estimates

  
Chairman  
Konnagar Municipality

  
Chairman  
Konnagar Municipality

PART "A": ORGANISATIONAL PROFILE

|   |  |   |
|---|--|---|
| <i>Name of the ULB: KONNAGAR MUNICIPALITY</i>   |  |   |
| <i>Name of the key persons (only 2) for the project :</i><br>1. <i>Mr. Manoj Saha</i><br>2. <i>Maloy Chatterjee</i> | <i>Designation: Sub-Assistant Engineer</i> |   |
|   | <i>Tel No.: 033-2674-2123/0210</i>         |   |
| <i>Any network partner to be involved:</i>  | <i>Yes</i>                                 | <input checked="" type="checkbox"/> <i>No</i> |

  
Chairman  
Konnagar Municipality



**PART B: About the fact and Implementation methodology**

**Duration of the Project: 1 month**

**Executive Summary:**

Konnagar Matrisadan-o-Sishumongal Pratisthan is very old health service provider under the jurisdiction of Konnagar Municipality, especially in the field of Maternity services and very recent well equipped I.C.C.U.

The core objective behind procurement of such asset is to deliver health service in uninterrupted and eco-friendly environment.

**Objectives:**

**For Clinical Chemistry Analyzer :**

- Due to Huge uses of old system are not yet been support to patient as well as in order to smooth running of I.C.C.U based Konnagar Matrisadan-o-Sishumongal Pratisthan, especially during Pathology Session.
- In order to eliminate the abovementioned trouble during the period and to comply the directives of Dr. Referance, procurement of new Clinically Chemistry Analyzer is highly required, technical specification is attached herewith.

**For Blood Gas System & Mobile X-Ray for I.C.U:**

- Newly in order to smooth running of I.C.U emergency management for the patient those who are absolute admit in under Incentive Care Unit based Konnagar Matrisadan-o-Sishumongal Pratisthan, especially during Pathology Session.
- In order to eliminate the abovementioned trouble during the period and to comply the directives of Dr. Referance, procurement of new Blood Gas System is highly required, technical specification is attached herewith.

**Target group (including number of beneficiaries):**

**For Clinical Chemistry Analyzer/ Blood Group System /Mobile X-Ray :**

- Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality will highly be benefited after procuring of the same.
- Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality will highly be benefited after procuring of the same.
- Blood Gas System is the cost-effective solution for smaller laboratories tasked with the challenged of performing fast – turn around Critical Care tests for clinicians. The system operation supports low to medium through put on and easy to use analyzer that's ready to generate accurate, on-demand results when clinicians need them, with a minimum of operator involvement.

  
Chairman  
Konnagar Municipality

  
Chairman  
Konnagar Municipality

**Part C: Tentative Technical specification of the asset**

|    | Activity                                 | Sub-Activity  | Responsibility                                 | Timeline   |    |
|----|--|---|--|------------|----|
|    |  |   | ULB  | Q3         | Q4 |
| 1. | Programme Initiation                     | Govt. Order (G.O.) for procurement of the asset   | P.W.D and Health wing of Konnagar Municipality | June, 2014 |    |
|    |  | Application of Standard and prescribed Procurement norms (N-I-Q, Work order etc.)   | P.W.D and Health wing of Konnagar Municipality | July, 2014 |    |
|    |  | However, the authority keeps every right to reject or cancel the least quotation without assigning the reason thereof.  | Chairman, Konnagar Municipality                | July, 2014 |    |
| 2. | Execution of procurement work            | Procurement will be based on weighted average score of technical, financial and vendors credibility in the public sector in the ratio of (40:30:30) respectively. | P.W.D and Health wing of Konnagar Municipality | July, 2014 |    |
| 3. | Installation of the asset for put to use | After procurement of the same, installation will be done at location AND U.C will be submitted to C.M.U   | P.W.D and Health wing of Konnagar Municipality | July, 2014 |    |
|    |  | A.M.C with selected vendor for regular maintenance  | P.W.D and Health wing of Konnagar Municipality | July, 2014 |    |

  
 Chairman  
 Konnagar Municipality

**For Clinical Chemistry Analyzer :**

|                              |   |                             |
|------------------------------|---|-----------------------------|
| <b>Optical Module :</b>      | a) Static Photometer with photometric range (340-700)   |                             |
|                              | b) 8 interference filter 340,405,450,505,546,578,600 and 670 nm   |                             |
|                              | c) Silicon photo diode detectors  |                             |
|                              | d) Photometric range from 0 to 2.5 OD   |                             |
|                              | E) Quartz halozen lamp of 12 volt, 20 W   |                             |
| <b>Measuring Module :</b>    | Unique Triple Cuvette System <ul style="list-style-type: none"> <li>• 18<math>\mu</math>l Flow cell</li> <li>• 10 mm Square Cuvette</li> <li>• 6 mm Round glass Tube with Adaptor</li> <li>• Peltier temperature control 25° C, 30° C, 37° C and off</li> <li>• Peristaltic pump</li> <li>• Minimum aspiration volume 200 <math>\mu</math>l.</li> </ul> |                             |
| <b>Analysis Mode :</b>       | 1- Point linear   | Rate A non-linear           |
|                              | 2-Point linear  | 1-Point sample blank linear |
|                              | 1-Point non linear  | 1-Point sample blank linear |
|                              | 2-Point non linear  | Absorbance                  |
|                              | Rate a linear   | Coagulation                 |
| <b>Memory :</b>              | 200 User Defined test programme<br>1000 test result<br>Reagent Blank<br>2 level QC  |                             |
| <b>Result Recall :</b>       | Collated reports by date, ID or both  |                             |
| <b>Built – in QC :</b>       | Daily and Monthly monitoring for 2 level levy – jennig QC Graphs.   |                             |
| <b>Display :</b>             | High Resolution Graphics LCD with backlight.<br>View Area : 120 x 92 mm   |                             |
| <b>Key board :</b>           | 41 Multifunction Keys and 6 dynamic keys  |                             |
| <b>Printer :</b>             | In built High resolution Graphic Thermal Printer  |                             |
| <b>Interface :</b>           | RS-232 C Serial Port<br>Parallel port<br>Port for external keyboard   |                             |
| <b>Power :</b>               | External Universal SMPS adaptor<br>18V DC 100 W, 90 – 264 V, 50/60 Hz.  |                             |
| <b>Size (mm) and weight</b>  | 205 (H) x 450 (W) x 300 (D), Approx 7 Kgs.  |                             |
| <b>Optional Accessories:</b> | External 16 position Dry Block Incubator<br>External Battery Back – up Unit   |                             |

  
**Chairman**  
**Konnagar Municipality**

  
**Chairman**  
**Konnagar Municipality**

*For Blood Gas System :*

|   |   |
|---|---|
| <i>Fast, accurate results support critical treatment decision</i> | <i>Actionable patient test results are available in approximately 60 Sec.</i>   |
|   | <i>Analyze whole blood and dialysis fluid</i>   |
|   | <i>Small sample size (50µl-95µl) suitable for most patients</i>   |
|   | <i>Comprehensive quality control (QC) materials help verify system performance.</i>   |
| <i>System operation minimizes user interventions</i>              | <ul style="list-style-type: none"> <li>• <i>Simply lift the sample probe door to began testing</i></li> <li>• <i>Probe aspirates sample from syringes, capillaries and QC ampoules automatically without the need for adapters</i></li> <li>• <i>Automatic detections of short samples shifts analyzer into micro sample mode, with no operator involvement required.</i></li> <li>• <i>Automatic calibration routines and wash sequences</i></li> </ul>  |
| <i>Flexible data review, reporting, and storage</i>               | <ul style="list-style-type: none"> <li>• <i>Results can be viewed on screen, output to the on board printer, or electronically transmitted to Alis/His</i></li> <li>• <i>Document QC performance with ophysing generation of levey - Jennings reports</i></li> <li>• <i>Print summery calibration QC reports for inspection purposes.</i></li> <li>• <i>Convenient on board storage of upto 250 patients test records, and upto 90 results for each level of QC.</i></li> <li>• <i>Versatile connectivity options.</i></li> </ul> |
| <i>Analyze patient easily, via the READY screen</i>               | <ul style="list-style-type: none"> <li>• <i>Intuitive color touch screen user interface teachers large, easy to reads system icons that display analyzer status and applications.</i></li> <li>• <i>One touch icon selection of sampling mode (Syringe, Capillary, Dialysate fluid, QC) from the main READY screen.</i></li> <li>• <i>Easy navigation to all routine functions from the READY Screen.</i></li> </ul>  |


*Chairman  
Konnagar Municipality*

Part D:

Financial Estimate for Clinical Chemistry Analyzer:

- Estimated price for Clinical Chemistry Analyzer is Rs. 2, 50,000/- (Two Lac Fifty Thousand) Approx. which is inclusive of all applicable taxes and other incidental charges including installation.
- Estimated price for Blood Gas System is Rs. 5, 50,000/- (Rupees Five Two Lac Fifty Thousand) only approximate which is inclusive of all applicable taxes and other incidental charges including installation.
- Estimate price for mobile X-Ray is Rs. 1,50,000/- (Rupees One Lac Fifty Thousand) only Approximate which is inclusive of all applicable taxes and other incidental charges including installation.

  
Chairman  
Konnagar Municipality

  
Chairman  
Konnagar Municipality





**M. E. X'RAY (INDIA) PRIVATE LIMITED**

Diamond Harbour Road, P.O. Joka, Opp. 2467 Tele. Exch. 711150, Hanshatkuna  
24 Parganas (S), Kolkata - 700104, West Bengal, India.  
Phone: +91 33 2467 0132, Fax: +91 33 2467 0133, e-mail: mexray@dataone.in

Ref. No.: ME/10/14-15/AB

Date: 9<sup>th</sup> June, 2014

The Chairman,  
Konnagar Municipality,  
Hooghly, West Bengal

**SERIAL NO.: 1**

**PRODUCT DESCRIPTION**

**MODEL: ME 5085**  
**MANUFACTURER: M.E. X-RAY (INDIA) PVT. LTD.**  
**BRAND: ME**

**50mA FULL WAVE RECTIFIED PORTABLE CUM MOBILE X-RAY MACHINE**

Ratings:  
50mA at 50, 55, 60 KVP for .08- 5 sec.  
40mA at 65, 70, 75 KVP for .08- 5 sec.  
30mA at 80, 85 KVP for .08- 5 sec.

Features:  
CONSOLE: KVP Selector to select KVP and Pre-Calibrated mA from 50 KVP to 85 KVP through step switch.

Incoming line voltage compensator through COARSE and FINE control switches . Solid state electronic timer in 24 steps range from 0.08-5 sec.

Exposure initiation through hand/ push switch.



DIGITAL DISPLAY: Digital Display of Voltage and mAs.

X-RAY TUBE HEAD: Self contained X-Ray Tube Head with Stationary Anode Tube Insert, with Light Centering Device.

X-RAY TUBE STAND: Two section Tube Column. Tube Carriage incorporated with Worm and Worm wheel mechanism ensures positive locking and smooth up and down drive. Two section base mounted with special type Castor Wheels.

**UNIT PRICE: \*\*\*\*\* Rs. 1,30,000.00**  
**(RUPESS ONE LAC THIRTY THOUSAND ONLY)**

M.E.X-Ray India Pvt. Ltd.

**Aniruddha Basu**  
**Dy. General Manager**  
**+91 98303 91141**



SERIAL NO.: II

PRODUCT DESCRIPTION

MODEL: ME 0610

MANUFACTURER: M.E. X-RAY (INDIA) PVT. LTD.

BRAND: ME

60 mA FULL WAVE RECTIFIED PORTABLE CUM MOBILE X-RAY MACHINE.

RADIOGRAPHY OUTPUT:

60 mA at 45, 50, 55, 60 KVP for 5 Sec.  
40 mA at 65, 70, 75, 80 KVP for 5 Sec.  
20 mA at 85, 90 KVP for 5 Sec.

XRAY CONSOLE:

KVP SELECTOR:

KVP Control: Non shorting type Ceramic based Rotary Switch, to pre select KVP in per step in range of 45 to 90 KVP.

LINE VOLTAGE COMPENSATOR:

Non shorting type Ceramic based COARSE and FINE control Rotary Switch to adjust Incoming line voltage from 180 V to 250V.

ELECTRONIC TIMER :

Solid State exposure Timer in 24 Steps. Electro Magnetic Exposure Contactor.

X-RAY TUBE UNIT:

Self Contained X-Ray Tube Head with Stationary Anode Tube Insert, optical focal spot 2.8mm x 2.8mm.

LIGHT CENTERING DEVICE

DIGITAL DISPLAY:

Digital Display of Voltage and mA

X-RAY TUBE STAND:

Two section Tube Column. Tube Carriage incorporated with Worm and Worm wheel mechanism ensures positive locking and smooth up and down drive. Single section base mounted with special type Castor Wheels.

UNIT PRICE: \*\*\*\*\* **Rs. 1,45,000.00** \*\*\*\*\*  
(RUPESS ONE LAC FORTY FIVE THOUSAND ONLY)

M.E.X-Ray India Pvt. Ltd.

  
  
Aniruddha Basu  
Dy. General Manager  
+91 98303 91141


3. Payment: The purchaser shall make payment as follows; 25% advance along with firm order and the balance before delivery. The purchaser shall make payments as per the agreed terms of payment. If for any reason payment is delayed beyond the stipulated date of payment, interest @2% p.m. will be charged on the amount overdue during the delayed period. If for any reason payment is not forthcoming within the agreed time, supplier on his own discretion without giving intimation to the purchaser can call back the consignment and adjust the costs incurred in the transaction from the advance paid.
4. Warranty: The equipment offered is covered by warranty under proper use for faulty material or workmanship for 15 months from date of delivery or 12 months from the date of installation, whichever is earlier. The warranty however not extends to the Vacuumatic items & H.V. Components. Parts which deteriorate due to wear and tear, consumables or any such parts not specifically covered under this warranty shall be outside the scope of this warranty.
5. Validity of offer: The offer is valid for acceptance for a period of 30 days and subject to the supplier's confirmation thereafter. Offer would be considered as accepted on receipt, by the supplier, of technically and commercially clear order along with dispatch instructions in writing. In case of bank sanction of loan amount a clear-cut dispatch instruction must be provided from the lending bank.
6. Cancellation: The purchaser may cancel the order by giving written notice to the supplier. In such an event the purchaser shall be liable to pay to the supplier a minimum of 20% of the contract value towards cancellation charges. The supplier shall without prejudice to any other rights, have the right to adjust the advance paid by the purchaser towards this contract or any other amounts belonging to the purchaser lying with the supplier for any reason whatsoever.
7. Delivery: Unless otherwise specified the supplier shall deliver the equipment ordered within ten weeks from the date of receipt of technically and commercially clear order. The supplier shall in good faith make every effort to deliver the equipment within the agreed delivery period. In case of statutory requirement of state government road permit should be provided whenever delivery is sought by road transport. The supplier shall however be not liable for delay in transportation or delivery for any reason whatsoever and claims for direct and/ or indirect damages due to late delivery/ non-delivery or for any other reason whatsoever supplier will not accept.
8. Installation/ Assembly - Demonstration: The purchaser shall provide a suitable site, carry out preliminaries connected with the installation, civil and structural alterations required for installing the equipment at his own cost. The purchaser shall also provide proper power supply inside the X-ray room (speciation to be confirmed in advance from us). Purchaser to comply with requirement of Atomic Energy Regulatory Board (AERB) Guidelines for setting up of new Diagnostic X-ray Installation. Supplier shall carry out installation of equipment free of charge.
9. Force Majeure: The supplier's offer is strictly subject to Force Majeure and any other causes beyond supplier's reasonable control.
10. Legal Disputes: Subject to jurisdiction in courts in Kolkata
11. General Conditions of Supply: These general conditions form an integral part of the offer and the offer shall be read and understood in conjunction with the General Conditions of Supply. The General Conditions of Supply shall be applicable and prevail, unless otherwise accepted by the supplier in writing.

M.E.X-Ray India Pvt. Ltd.

  
  
**Aniruddha Basu**  
**Dy. General Manager**  
**+91 98303 91141**

4

gem with ITV



SA / MD 2000 / (H)

ess:

- 10-couling counter
- fixed stand
- V-type luberhead
- English Stationary
- 1/2 Tube
- Double tube operation
- or driven table
- extra grade
- e- intensifier
- Ker balanced bulky
- mouth positioning
- vally/Motor driven
- nator with light beam
- Film Device with
- ascant screen
- ba combine with
- range of X-Ray Generators

**C-arm Image Intensifier**

**MEXICOM 2000**




- Features:
- High / Line frequency generator
  - Fully counter-balanced 'C'
  - Imported supreme grade image intensifier
  - Dual workstations on ergonomic monitor tray
  - Options for range of Memory systems
  - High resolution CCD Camera

**C-arm Compatible O.T. table**

**MECOTT 5A**

- Features:
- Fully motorized
  - Modular design
  - Having extensive maneuverability
  - X-ray permeable table top
  - Integral anti-static foam pad
  - User friendly cable route
  - Compatible with various types of attachment



**M.E. X-Ray (India) Pvt. Ltd.**  
Committed to excellence

**Imaging**  
at it's  
**BEST**

- M.E. X-Ray: Smart Choice**
- Superb product quality
  - Steadily sustained performance
  - Valuable Clinical benefits
  - Great value for money
  - Proactive back-up service
  - Extended financial benefits




**M.E. X-Ray: Smart Credentials**

- First company to get BIS license in this product category
- Products approved by AERB-BARC for radiation safety.
- ISO 9001: 2008 certified quality manufacturing set-up.
- System installers in premier institutions of the country.
- First company in Eastern India to have independently developed C-arm Image Intensifier.
- First company in this part of the world to independently develop Orthopantomogram (Panoramic X-ray)

**Contact Us:**  
Head Office: 1, Vardaan Ghosi, Station Road, Sector-17, Gurgaon, Haryana-122002, India.  
Branch Office: 201/111, 2nd Floor, Sector-17, Gurgaon, Haryana-122002, India.  
Phone: 011-111-2401111 / 011-2401112  
Fax: 011-2401113  
E-mail: [info@mexray.com](mailto:info@mexray.com)

**M.E. X-Ray (India) Pvt. Ltd.**  
Committed to excellence



**Xcelent Imaging**

**Our Center is at Home.**  
Different Scopes.  
Different Diagnostic Horizons.  
We have a solution for Everything.

**AERB**  
Approved  
**MAAC**  
Approved  
GOVERNMENT OF INDIA

**Panoramic X-ray System**

M.E. X-Ray India Pvt. Ltd. pioneers the development of the first Orthopantomogram (Panoramic X-ray System) using indigenous technology in this part of the world.


**PANTOMEX 2000**



- Features:
- Microprocessor Controlled with Wide Range of Applications
  - Digital display of parameters with attractive panel
  - Auto KV Booster facility to eradicate spare impression from being superimposed over image
  - Three point head support system with laser beams for correct and efficient patient positioning
  - Self Diagnostic System with Auto Guidance for 100% Error Reduction.

**ME 8015: High Frequency X-Ray Generator**

- Features:
- High Frequency output upto 400 kHz
  - KV output range: 30/40/50/60/70/80
  - Operating Modes: KV/mA / Time
  - Anatomical Programming
  - Compatible with DR/CR and Analogous RAD & RF Systems
  - Maximum Radiography KVP 150
  - Radi or RadFluoro Operation
  - Self detecting Service Software



**Charman**  
**Kumar Manojkumar**

# CHEM-7

**the next-generation  
clinical chemistry analyzer**



56 Direct Access Keys

Monitoring of Q.C.

Unique Triple Cuvette System

Low Reagent Consumption

Compact Design

Battery Backup Unit

Direct Printer / Keyboard Connectivity

*[Signature]*  
Chairman  
Mannheim

# TRANSASIA

Transasia Bio-Medicals Ltd., 518 Kamalalaya Centre, 156A, Lenin Sarani, Kolkata-700 013  
Tel: 033-22153898/22157839 Fax: 033-22158035 Email: ez@transasia.co.in

**Ref.No:** TBM/EZ/176/14-15

**Dated:** 26.05.2014

**To,**  
**The Chairman,**  
**Konnagar Municipality,**  
**73, G.T. Road ( West ),Konnagar,**  
**Hooghly.**

**Sub: Offer**

Dear Sir,

At the outset we wish to thank you for giving us an opportunity to explore a business opportunity with your esteemed organization. Its a great pleasure to introduce to you our instruments that should allow you to significantly increase the productivity and performance in your laboratory.

We at Transasia Bio-Medicals Ltd. believe these instruments will be very helpful in serving customers. We are more than willing to assist you in explaining about the features and advantages and our representatives will make themselves available for any further information.

In view of the same, please find attached herewith our quotation along with other enclosures for your kind perusal.

We have a strong service network across the country and would welcome the opportunity to work together with you on a long term basis.

For any queries please feel free to revert.

We want to see you succeed and when you succeed, we succeed.

Yours faithfully,  
For TRANSASIA BIO-MEDICALS LTD.

*Manas Nag*  
Manas Nag  
Dy. Regional Sales Manager  
Mobile: 9331407345

Enclosures:

1. Quotation letter
2. Terms and Conditions

www.transasia.co.in

HO : Transasia House,8 Chandivali Studio Road,Andheri(E),Mumbai - 400 072.Tel:+91 22 40309000 Fax:+91 22 28573030

*[Signature]*  
Chairman  
Konnagar Municipality  
Erba

# TRANSASIA

Transasia Bio-Medicals Ltd., 518 Kamatalaya Centre, 156A, Lenin Sarani, Kolkata-700 013  
Tel: 033-22153898/22157839 Fax: 033-22158035 Email: ez@transasia.co.in

## OFFER

Ref.No: TBM/EZ/176/14-15

Dated: 26.05.2014

To,  
The Chairman,  
Konnagar Municipality,  
73, G.T. Road ( West ),Konnagar,  
Hooghly.

With reference to your request, please find the quotation for your perusal.

| Sr No.                         | Item Code No. | Description  | Qty. | Unit Price  | Total Price (Rs.) |
|--------------------------------|---------------|--|------|-------------|-------------------|
| 1.                             |               | <b>Semi Automated Clinical Chemistry Analyser,<br/>Model: Chem 7.</b><br><br><u>Along with all standard accessories.</u> | 01   | 2,20,000.00 | 2,20,000.00       |
| or TRANSASIA BIO-MEDICALS LTD. |               |  |      |             |                   |
| Marketing/Technical Dept.      |               |  |      |             |                   |

OVERLEAF FOR TERMS & CONDITIONS

  
Chairman  
Konnagar Municipality  
Erba

w. transasia.co.in

Transasia House, 8 Chandivali Studio Road, Andheri(E), Mumbai - 400 072. Tel: +91 22 4009000 Fax: +91 22 28573030


## TERMS AND CONDITIONS

1. **TITLE AND PAYMENT**
  - a. All payments shall be made in advance in favour of '**Bhaduri Traders**' only by Cheque/ Demand Draft or Pay Order.
  - b. Cash payment shall not be entertained nor any receipt be issued to that effect. Transasia Bio-Medicals Limited (TBM) shall not be responsible for any cash transaction
  - c. Any delay beyond the stipulated/agreed credit period shall attract interest at the rate of 18% p.a.
  - d. Till all payments are received, TBM shall be the owner of the instrument and shall be at liberty to repossess the instrument from the client's premises without assigning any notice or reason thereof.
  - e. Where any cheque is issued by any third party other than the invoiced party, that third party shall be deemed to be a co-borrower / co-purchaser for all legal purposes on the ground that such cheques are issued on the above terms.
2. **WARRANTY**
  - a. The warranty of the instrument stands for a period of 12 months
  - b. In the event of instrument being attended to by any unauthorized person/agency, the warranty stands void and cancelled.
3. **DELIVERY & RISKS**
  - a. In case of any delay in delivery, the party shall immediately intimate in writing, the Customer Service Department (CSD) at the Head Office of TBM to that effect by means of a Registered A.D. Letter
  - b. Once the goods are delivered, the onus of safe guarding the instrument/ reagents shall be on the buyer
  - c. TBM insures the instrument/ reagents during transit only and upon delivery, the responsibility shall be on the buyer
  - d. TBM may arrange for Calibration Certificate at the request and cost of the Customer
4. **CANCELLATION / RETURN**
  - a. Instrument order once placed cannot be cancelled under normal circumstances. In case the cancellation request is accepted, a minimum cancellation charge of 10% of the order value and such other charges incurred by TBM towards taxes, cess, levy, shipping bill, etc. will be deducted from the advance received and where the recovery of charges are in excess of the advance received, the buyer shall pay the difference to TBM Reagents once sold will not be taken back
5. **TAXES**

All types of taxes, charges and levies shall be to the buyer's account and the buyer shall submit the necessary documents for the clearance. Waybill/Road Permit will be provided by customer.
6. **JURISDICTION**

All goods sold are subject to Mumbai Jurisdiction.
7. **FORCE MAJEURE**

TBM shall not be held responsible for non-fulfilment of the delivery of goods due to any of the force majeure events like war, floods, earthquakes, strikes, epidemics or riots.

*Surekha Nag*  
  
Chairman  
Kamagar Municipality

  
Erba



SIEMENS

Siemens Healthcare Diagnostics, a global leader in clinical diagnosis, provides healthcare professionals in hospitals, reference and physician office laboratories and point-of-care settings with the vital information required to accurately diagnose, treat, and monitor patients. Our innovative portfolio of performance-driven solutions and personalized customer care combine to streamline workflow, enhance operational efficiency, and support improved patient outcomes.

RAPIDima, RAPIDlab, Ready Sensor, and all associated marks are trademarks of Siemens Healthcare Diagnostics Inc. All other trademarks and brands are the property of their respective owners.

Product availability may vary from country to country and is subject to varying regulatory requirements. Please contact your local representative for availability.

Order No. A91DX-POC-120367-5C1-4AD/05-2012 | All rights reserved  
© 2012 Siemens Healthcare Diagnostics Inc.

Global Siemens Headquarters  
Siemens AG  
Wittelsbacherplatz 2  
80333 München  
Germany

  
Chairman  
Konigsgarten Municipal

[www.siemens.com/diagnostics](http://www.siemens.com/diagnostics)

Global Division  
Siemens Healthcare Diagnostics Inc.  
511 Benedict Avenue  
Tarrytown, NY 10591-5005  
USA  
[www.siemens.com/diagnostics](http://www.siemens.com/diagnostics)

Global Siemens Healthcare  
Headquarters  
Siemens AG  
Healthcare Sector  
Henkestrasse 127  
91052 Erlangen  
Germany  
Telephone: +49 91 31 84-0  
[www.siemens.com/healthcare](http://www.siemens.com/healthcare)

[www.siemens.com/diagnostics](http://www.siemens.com/diagnostics)

Run critical care tests reliably and economically in low-volume settings  
RAPIDlab® 348EX Blood Gas System

Answers for life.

# Get trusted results for critical analytes with ease, efficiency and economy

The RAPIDLab 348EX Blood Gas System\* from Siemens Healthcare Diagnostics is the cost-effective solution for smaller laboratories tasked with the challenge of performing fast-turnaround critical care tests for busy clinicians. The system operation supports low to medium throughput on an easy-to-use analyzer that's ready to generate accurate, on-demand results when clinicians need them, with a minimum of operator involvement.

## Fast, accurate results support critical treatment decisions

- Actionable patient test results are available in approximately 60 seconds
- Analyze whole blood and dialysate fluid
- Small sample size (50 µl-95 µl) suitable for most patients
- Comprehensive Quality Control (QC) materials help verify system performance



## System operation minimizes user interventions

- Simply lift the sample probe door to begin testing
- Probe aspirates sample from syringes, capillaries and QC ampoules automatically, without the need for adapters
- Automatic detection of short samples shifts analyzer into microsample mode, with no operator involvement required
- Automatic calibration routines and wash sequences



## RAPIDLab 348EX Blood Gas System Test Menu

- Whole Blood
- pH, pCO<sub>2</sub>, pO<sub>2</sub>
- Na<sup>+</sup>, K<sup>+</sup>, Ca<sup>++</sup>/TCI
- Hematocrit
- Dialysate
- pH, pCO<sub>2</sub>
- Na<sup>+</sup>, K<sup>+</sup>, Ca<sup>++</sup>
- HCO<sub>3</sub><sup>-</sup>, ctCO

## Flexible data review, reporting, and storage

- Results can be viewed on-screen, output to the onboard printer, or electronically transmitted to LIS/HIS
- Document QC performance with offline generation of Levey-Jennings reports
- Print summary calibration and QC reports for inspection purposes
- Convenient onboard storage of up to 250 patient test records, and up to 90 results for each level of QC



## Versatile connectivity options

- Connect seamlessly with Siemens' RAPIDComm<sup>™</sup> Data Management System
- USB port simplifies data uploads/downloads
- Capture patient results, QC and calibration data with no manual data handling



## Affordable, on-demand performance from a compact design

- Economically priced – low cost of acquisition
- Low operating costs – cost of reagents and consumables will not vary significantly, even if patient workload increases
- Small footprint saves valuable bench space in smaller labs and other testing locations



\*Available for sale only in select countries.


*Signature*  
**Chairman**  
**Kannagar Municipality**

# Maximizing productivity and operator efficiency in the low-volume laboratory

The RAPIDLab 348EX analyzer combines proven Siemens blood gas technology with a range of next-generation system enhancements designed to streamline and simplify day-to-day operations and workflow.


## Analyze patient samples easily, via the READY screen

- Intuitive color touch screen user interface features large, easy-to-read system icons that display analyzer status and application
- One-touch icon selection of sampling mode (syringe, capillary, dialysate fluid, QC) from the main READY screen
- Easy navigation to all routine functions from the READY screen



## Ensure data integrity and increase workflow efficiency

- Safe, secure patient/operator ID entry via barcode scanner
- Optional setting for always-on, single-handed scanning
- Scanner conveniently mounts on either side of the analyzer



- ### More system uptime to support on-demand test requests
- Time-tested Ready Sensor<sup>®</sup> electrodes have a proven track record of performance and long use-life
  - Minimal maintenance requirements further extend system uptime
  - Test and report only those parameters ordered by the clinician



### Fast access to sensors, reagents, and waste


- Measurement chamber houses all sensors and is designed for easy access and replacement
- All reagents are located on the front panel of the analyzer, enabling easy level monitoring and reagent replacement
- Clear plastic bottles and blue-colored solutions allow at-a-glance checks of fill volumes



Chairman  
Kannagar Municipality

# Maximize efficiency with the RAPIDComm Data Management System

When analyzers in remote, decentralized settings are supported by the RAPIDComm Data Management System, point-of-care coordinators can oversee the entire testing process from a central location.



- Configure, monitor and control multiple networked RAPIDLab 348EX analyzers
- Troubleshoot analyzers, standardize test protocols, authorize and certify operators, and enforce QC checks
- Generate customized reports for accreditation inspections
- Ensure testing and regulatory compliance, and significantly improve risk management
- Connect multiple Siemens point-of-care analyzers – including blood gas, urine chemistry, and diabetes care systems – through a single interface to the LIS/HIS

## An integrated portfolio of critical care solutions

Critical care solutions from Siemens can streamline the monitoring and analysis of critical blood gas results throughout all areas of your institution, saving vital time when every minute counts.

They provide rapid, reliable blood gas information across the entire spectrum of critical care settings, from central locations to multiple remote labs and point-of-care sites.

Superior customer support coupled with decades of innovative products and services that address your critical care challenges completes our offering. That's why healthcare providers have installed more than 100,000 of our blood gas analyzers, worldwide.



For more information visit [www.siemens.com/diagnostics](http://www.siemens.com/diagnostics)

*Chairman*  
Municipal

# The reliable choice for cost-effective critical care testing in low-volume settings

| System Description                                | Critical care blood gas analyzer   |
|---|--|
| <b>Overview</b>                                   |  |
| <b>Analytes</b>                                   | <b>Range of Operation</b>  |
| pH  | 6.001–8.000  |
| pCO <sub>2</sub>                                  | 5.0–250.0  |
| pO <sub>2</sub>                                   | 0.0–749.0  |
| Na <sup>+</sup>                                   | 80–200   |
| K <sup>+</sup>                                    | 0.50–9.99  |
| Ca <sup>++</sup>                                  | 0.20–5.00  |
| Cl <sup>-</sup>                                   | 40–160   |
| Hct   | 12–75  |
| <b>Calculated Parameters</b>                      | <b>Reporting Range</b>   |
| O <sub>2</sub> SAT                                | 0.0–100.0  |
| O <sub>2</sub> CT                                 | 0.0–40.0   |
| HCO <sub>3</sub> <sup>-</sup> est                 | 0.0–60.0   |
| HCO <sub>3</sub> <sup>-</sup> tit                 | 0.0–60.0   |
| ctCO <sub>2</sub>                                 | 0.0–60.0   |
| BE <sub>o</sub>                                   | -29.9–29.9   |
| BE <sub>ecf</sub>                                 | -29.9–29.9   |
| pO <sub>2</sub> (a-a)                             | 0.0–749.0  |
| pO <sub>2</sub> (a-l)                             | 0.0–1.00   |
| pO <sub>2</sub> (fO <sub>2</sub> )                | 0.00–5.00  |
| Ca <sup>++</sup> (7.4)                            | 0.20–5.00  |
| Anion gap   | -60.0–60.0   |
| pH(T)   | 6.001–8.000  |
| H <sup>+</sup> (T)                                | 10.0–997.0   |
| pCO <sub>2</sub> (T)                              | 5.0–250.0  |
| pO <sub>2</sub> (T)                               | 0.0–749.0  |
| pO <sub>2</sub> (a-l)(T)                          | 0.0–749.0  |
| pO <sub>2</sub> (a-l)(A)(T)                       | 0.00–1.00  |
| ctHb (est)  | 2.0–25.0   |
| <b>Sample Volume</b>                              | <b>Syringe:</b> 95 µL  |
|   | <b>Capillary:</b> 95 µL  |
|   | <b>Microsample:</b> 50 µL  |
| <b>Sample Type</b>                                | <b>Whole blood</b>   |
|   | <b>Dialysate fluid</b>   |
| <b>Analysis Time</b>                              | Approximately 60 seconds to result   |
| <b>Calibration</b>                                | Automatic or on demand   |
| <b>Input Parameters</b>                           |  |
| Temperature                                       | 10.0°C–43.9°C  |
| Hemoglobin  | 2.0–25.0 g/dL  |
| F.O. <sub>2</sub>                                 | 15.0%–100.0%   |
| <b>Patient/Operator IDs</b>                       | Up to 16 characters (alphanumeric)   |
| <b>Sample location</b>                            | Radial, brachial, femoral, cord, arterial line (with RAPIDComm Data Management System)                                   |
| <b>Display Interface</b>                          | Intuitive, icon-based color touch screen   |
| <b>Onboard Computer</b>                           |  |
| <b>Storage Capacity/Memory</b>                    | Up to 250 patient test records<br>Up to 90 results for each level of QC  |
| <b>Data Export</b>                                | Via integrated USB port/floppy drive to PC, or direct to LIS/HIS or RAPIDComm Data Management System                     |
| <b>Connectivity Options/Peripheral Interfaces</b> |  |
| <b>Serial</b>                                     | RS232, LSI, US2, US3 protocol  |
| <b>Bi-Directional</b>                             | Can be set up for monitoring/control and connectivity with the RAPIDComm Data Management System                          |
| <b>USB Port</b>                                   | Standard USB 2.0   |
| <b>Barcode Reader</b>                             | Standard USB 2.0   |
| <b>General</b>                                    |  |
| <b>Dimensions (without bar-code scanner)</b>      | 38.2 (h) x 38.5 (w) x 35.3 (d) cm<br>15.0 (h) x 15.2 (w) x 13.9 (d) inches   |
| <b>Weight</b>                                     | 9.4 kg (20.7 lbs)  |
| <b>Power Requirements</b>                         | <b>Voltage:</b> 100V (85–110V)<br>120V (102–132V)<br>220V (187–242V)<br>240V (204–264V)<br>80 VA                         |
|   | <b>Frequency:</b> 50/60 Hz   |
| <b>Environmental</b>                              | <b>Temperature:</b> 15°C to 32°C   |
|   | <b>Humidity:</b> 5%–85%, non-condensing  |
| <b>Barometric pressure:</b>                       | 400–825 mmHg   |
| <b>Approvals</b>                                  | UL, CSA, IEC, EN-61010,<br>CE Marked with full CB Scheme and all National Deviations.<br>Complies with the IVD directive |

# Technical Specifications

## Optical Module

- Static photometer with photometric range (340-700)
- 8 interference filters 340,405, 450, 505, 546, 578, 600 and 670 nm
- Silicon photodiode detectors
- Photometric Range from 0 to 2.5 OD
- Quartz Halogen Lamp of 12V, 20W

## Measuring Module

- Unique Triple Cuvette System
  - 18  $\mu$ l Flow cell
  - 10 mm Square Cuvette
  - 6 mm Round Glass Tube with Adaptor
- Peltier Temperature Control: 25°C, 30°C, 37°C and Off
- Peristaltic Pump
- Minimum Aspiration Volume 200  $\mu$ l

## Analysis Modes

- 1-point linear
- 2-point linear
- 1-point non-linear
- 2-point non-linear
- Rate A linear
- Rate A non-linear
- 1-point sample blank linear
- 1-point sample blank non-linear
- Absorbance
- Coagulation

## Memory

- 200 User Defined Test Programs
- 1000 Test Result
- Reagent Blank
- 2 Level QC

## Result Recall

- Collated Reports by date, ID or both

## Built-in QC

- Daily and Monthly monitoring for 2 level Levy-Jenning QC Graphs

## Display

- High Resolution Graphics LCD with backlight.
- View Area: 120 x 92 mm

## Keyboard

- 41 Multifunction Keys and 6 dynamic keys

## Printer

- In Built High Resolution Graphic Thermal Printer

## Interface

- RS-232C Serial Port
- Parallel Port
- Port for External Keyboard

## Power

- External Universal SMPS adapter
- 18V DC, 100W, 90-264 V, 50/60 Hz.

## Size(mm) and Weight

- 205 (H) x 450 (W) x 300(D), Approx. 7 Kgs.


## Optional Accessories

- External 16 Position Dry Block Incubator
- External Battery Back-up Unit

Specifications are subject to change without prior notification.  
Accessories shown are not part of the standard accessories



Multiple Calibration Modes



16 Position Dry Block Incubator



Battery Backup Unit



PC Keyboard Interface



Direct Patient Result Reporting



Transasia Bio-Medicals Ltd.  
A15777 ISO 13485 & ISO 9001




## ERBA diagnostics Mannheim GmbH

Mallaustrasse 69-73, 68219 Mannheim / Germany  
 • Tel.: (+49) 0621 8799770 • Fax: (+49) 0621 8799688  
 • Email: sales@erbamannheim.com • Website: www.erbamannheim.com

## Transasia Bio-Medicals Ltd.

Transasia House, 8 Chandivali Studio Road, Mumbai - 400 072, INDIA  
 • Tel.: (+91) 022-4030 9000 • Fax: (+91) 022-2857 3030  
 • Email: transasia@transasia.co.in • Website: www.transasia.co.in



Konnagar Municipality <konnagar.municipality@gmail.com>

To Maly Chatterjee  
20/6/14

## Roche Diagnostics Product details

1 message

Chatterjee, Nirmalya <nirmalya.chatterjee@roche.com>  
To: konnagarmunicipality@gmail.com

Thu, Jun 19, 2014 at 9:09 PM

To  
Konnagar Municipality  
Konnagar

RECEIVED  
Contents not Verified  
Konnagar Municipality  
No. Admn/13/1118  
Sig. & Date B. Bon  
21.6.14

Dear Sir

This is in reference of our discussion regarding Combine Blood Gas electrolyte analyzer. As discussed , please find the quotation , literature and features in attached file. Also we will provide one lactate meter from Roche Diagnostics and one bilirubin meter for other company free of cost along with the machine. Also , please find attached the literature and features of lactate meter in attached file.lactate meter .

Please call in the mobile number for any query.

Regards,

**Nirmalya Chatterjee**  
Mob - 9836073735






Roche Diagnostics India Pvt. Ltd.  
4C, Akash Towers

781, Anandapur  
Kolkata - 700107, India

Mobile: +91 9836073735

mailto:nirmalya.chatterjee@roche.com  
www.roche-diagnostics.co.in

### 5 attachments

-  **Konnagar Municipality.doc**  
37K
-  **BG New.pdf**  
666K
-  **BGE Specs.doc**  
23K
-  **Accutrend.pdf**  
1431K
-  **Specifications of Accutrend.doc**  
31K

  
Nirmalya Chatterjee  
Konnagar Municipality

Final Quotation for Combine Blood Gas Electrolyte Analyzer

To  
**Konnagar Municipality**  
**Konnagar**

| S. No. | Description  | QTY | Amount      |
|--------|--|-----|-------------|
| 1.     | <p><b>Cobas Blood Gas Analyzer – Model b121 - BGE</b></p> <p>Latest, fully automatic, Microprocessor controlled Blood Gas and Electrolyte Analyser having the following features:</p> <ul style="list-style-type: none"> <li>• <b>Measured Parameters:</b><br/>pH, PCO<sub>2</sub>, PO<sub>2</sub>, Na, K, Cl, Ca., Hct</li> <li>• <b>Calculated Parameters: Upto 30.</b></li> <li>• True Liquid calibration (FMS Based)</li> <li>• Sample volume - 70<math>\mu</math> ltr</li> <li>• Measurement time - &lt; 45 sec.</li> <li>• Sample throughput – 40/hr</li> <li>• Fully automatic liquid calibration of all parameters at a fixed or user defined intervals.</li> <li>• Miniature type maintenance free electrode.</li> <li>• Bar code reader.</li> <li>• Built in colour LCD 6" touch screen monitor.</li> <li>• Built in thermal paper printer</li> <li>• Built in PC with flash memory and PCMCIA card</li> </ul> | 01  | 5,20,000.00 |

  
 Chairman  
 Konnagar Municipality

|                           |  |        |                    |
|---------------------------|--|--------|--------------------|
| 2                         | With all Standard Accessories and starter kit of reagents as per the following:- |        |                    |
|                           | • BP2081 – Reference electrode   | 01     |                    |
|                           | • BP1733 – PCO2 electrode  | 01     |                    |
|                           | • BP 1735 - pH electrode   | 01     |                    |
|                           | • BP 2613 – Measuring Chamber Contact  | 01     |                    |
|                           | • BP 2686 – Accessories Box of OMNI-C  | 01     |                    |
|                           | • BP 2661 - Cal. Solution C1   | 01     |                    |
|                           | • BP 2662 – Cal. Solution C2   | 01     |                    |
|                           | • BP 2655 – Fluid Pack C3  | 01     |                    |
|                           | <b>Total</b>   | Rupees | <b>5,20,000.00</b> |
|                           | <b>VAT</b>   | @5%    | <b>Included</b>    |
| <b>Grand Total Amount</b> |  |        |                    |
| <b>5,20,000.00</b>        |  |        |                    |

( Rupees Five Lacs Twenty Thousand only)

**Terms and Conditions**

1. Tax : Included.
2. Payment : As hospital terms..
3. Delivery Period : Within 7 days of receiving order and advance..
4. Warranty : 1 Year from the date of Installation.
5. Installation : Free of Cost at site.

For  
Roche Diagnostics India Pvt Ltd

Nirmalya Chatterjee  
Area Sales Manager – NPT  
Mob - 9836073735

  
Chairman  
Kannagar Municipality




# cobas b 121 <BGE> POC System

*Efficiency through economic operation*



## Ease of use

- Flexible, individually adjustable parameter configuration
- Easy to use and requires little operator intervention
- Both capillary and syringe sampling modes
- User definable display
- Intuitive understandable graphical icons



## Speed

- Core critical care testing results within 50 sec.
- High throughput of 30 samples/hr.
- Facilitates immediate medical decision making



*Chairman*  
*Kannagar Munnappattu*  
**cobas**<sup>®</sup>  
Life needs answers

# Cobas b 121 <BGE> POC System

## Product specifications

### MEASURED PARAMETERS

| Blood Gas parameters        | Total specified range |
|-----------------------------|-----------------------|
| pH                          | 6.0 - 8.0             |
| pCO <sub>2</sub>            | 4.0 - 200.0 mmHg      |
| pO <sub>2</sub>             | 0.0 - 800.0 mmHg      |
| Electrolyte parameters      |                       |
| Sodium (Na <sup>+</sup> )   | 20.0 - 250.0 mmol/L   |
| Potassium (K <sup>+</sup> ) | 0.2 - 20.0 mmol/L     |
| Chloride (Cl <sup>-</sup> ) | 20.0 - 250.0 mmol/L   |
| Calcium (Ca <sup>2+</sup> ) | 0.1 - 4.0 mmol/L      |
| Hemoglobin parameters       |                       |
| Hematocrit (Hct)            | 10.0 - 80.0 %         |

### CALCULATED PARAMETERS

H<sup>+</sup>, cHCO<sub>3</sub><sup>-</sup>, ctCO<sub>2</sub>(P), ctCO<sub>2</sub>(B), BE, BE<sub>act</sub>, BE<sub>cor</sub>, BB, ctO<sub>2</sub>, pH<sub>int</sub>, cHCO<sub>2</sub>, PAO<sub>2</sub>, RI, nCa<sup>2+</sup>, SO<sub>2</sub> (c), AaDO<sub>2</sub>, a/AO<sub>2</sub>, AG, MCHC, Osm, Hct (c), P/F Index, Qs/Qt, Qt, avDO<sub>2</sub>, OER, P<sub>50</sub>, PAO<sub>2</sub><sup>1</sup>, RI<sup>1</sup>, AaDO<sub>2</sub><sup>1</sup>, a/AO<sub>2</sub><sup>1</sup>, pH<sup>1</sup>, PCO<sub>2</sub><sup>1</sup>, PO<sub>2</sub><sup>1</sup>, H<sup>1</sup>

### OPERATING PARAMETERS

|  |                     |
|--|---------------------|
| Typical sample volume [μL]               | < 80 μL             |
| Volume limitation by sample sensor [μL]  | 68 μL               |
| Time to display                          | < 50 sec            |
| Sample throughput                        | 30/h                |
| Temperature controlled measuring chamber | 37±0.2 °C (BG, ISE) |

### SAMPLE TYPES

Whole blood, Serum, Plasma, Dialysate, QC Material/Aqueous

### SAMPLE CONTAINERS

Capillary, syringe, Roche MICROSAMPLER, ampoule adapters

### CALIBRATION

|                     | Intervals                                       |
|---------------------|---|
| System calibration  | every 24 hours (programmable 8, 12 or 24 hours) |
| 1 point-calibration | every 30 minutes (alternatively 1 hour)         |
| 2 point-calibration | every 12 hours (programmable 4, 8 or 12 hours)  |
| Warm-up             | Power on with calibration 30 min approx.        |
| Warm-up             | Power fail < 1 min < 2 min                      |

### DATA PROCESSING

|                 |  |
|-----------------|--|
| Power PC        | With standard Ethernet interface                       |
| Monitor         | Built in flat color LCD 5.7 inch screen (touch screen) |
| Thermal printer | Built in 58 mm, graphic capability                     |
| Barcode scanner | Standard accessory                                     |

### ELECTRICAL REQUIREMENTS

|                                  |   |
|----------------------------------|---|
| Power rating                     | 100 - 240 VAC (+6 %/ - 10 % permission to tolerance), 150 W, 50/60 Hz autoselecting |
| Ambient temperature              | +15 to +33 °C (59 to 91.4 °F)   |
| Relative humidity, not condensed | +15 ≤ T ≤ 31 °C: 20 - 95 %, 31 < T ≤ 33 °C: 20 - 90 %                               |

### TEST CERTIFICATES

|               |                                    |
|---------------|------------------------------------|
| FDA           | 510 (k)                            |
| UL            | UL3101-1                           |
| CE-Conformity | IVD-Directive 98/79/EC (EN61326-1) |

### DIMENSIONS/WEIGHT

|        | Instrument only               |
|--------|-------------------------------|
| Width  | 35.4 cm (13.94 in.)           |
| Height | 46.7 cm (18.39 in.)           |
| Depth  | 41.0 cm (16.15 in.)           |
| Weight | 23.0 kg ( 48.4 lbs) in carton |

COBAS, COBAS B, COMBITROL  
Roche MICROSAMPLER and LIFE NEEDS ANSWERS are trademarks of Roche.

©2011 Roche

Roche Diagnostics India Pvt. Ltd.  
Plot No. 114, Road No. 15  
MIDC, Andheri (East)  
Mumbai - 400 093  
Tel: +91 (22) 6697 4900  
Fax: +91 (22) 6697 4909  
E-mail: india.npl.in1@roche.com



**cobas b 121 <BGE> POC system**  
*Confidence through performance*

  
Chairman  
Municipal



**cobas**<sup>®</sup>  
*Life needs answers*



**cobas b 121 <BGE> POC system**  
*Confidence through performance*

*[Handwritten signature]*




**cobas<sup>®</sup>**  
*Life needs answers*

# Cobas b 121 <BGE> POC System

*Delivering the answers you need*

## Blood Gases

pH, pCO<sub>2</sub>, pO<sub>2</sub>,  
Hct




## Electrolytes

(Serum & Whole blood)

Na<sup>+</sup>, K<sup>+</sup>, Cl<sup>-</sup>, Ca<sup>2+</sup>

### Efficiency

- Consolidation of blood gases and electrolytes
- Validated for serum electrolyte samples
- On board storage of patient data, QC data and calibration data for up to 60 days
- Liquid calibration instead of using gas tanks
- High - volume, reusable reagent containers
- Economy mode helps save calibration solution



### Reliability


- Durable and long - life, maintenance - free sensors
- Sample volume of 60 µl provides results out of small sample
- 3 levels of COMBITROL TS+ controls for QC
- Minimal maintenance, hence maximum uptime

*Seena*  
**Chairman**  
**Mamagar Municipality**

### Specification of Combine Blood Gas Electrolyte Analyzer

1. Should measure pH, pCo<sub>2</sub>, pO<sub>2</sub> , Na + , K+ , Ca + , Cl , Hct
2. Should have automatic calibration. Should be liquid calibration based system.
3. Should not be a cartridge or cassette based system.
4. Should have high volume reagent container.
5. Should require low sample volume ( less than 60 microlitres)
6. It should have maintenance free electrodes.
7. It should have large colour screen with graphic user interface and easy to understand icons.
8. It should have on board data management system and can store upto 50,000 patient data.
9. Should have on board reagent level display system.
10. Should be able to accept both syringe and capillary samples. The measurement should start automatically.
11. Should have in built low noise printer with auto cutter.

  
Chairman  
Kannagar Municipality



- ▶ **Quick and convenient, Accutrend Plus puts the measurement of CVD risk factors in the palm of your hand.**

Using conventional methods, such as sending blood samples to a laboratory, is not always convenient. For instance, it will usually mean the patient having to return for the results, taking up valuable time and there is no guarantee that they will come back.

With Accutrend Plus you have a convenient and effective way for detecting and monitoring risk factors that lets you provide the patient with an on the spot result. Where necessary you can make recommendations regarding lifestyle changes or treatment and arrange follow up appointments for monitoring.

- ▶ **Early detection is key**  
CVD is associated with, and often results from, atherosclerosis. If allowed to progress the consequence may be myocardial infarction, stroke and possibly death. The best way of reducing the burden of the disease is primary prevention and early detection.

- ▶ **Regular monitoring makes a difference**  
A significant number of patients in primary care are dyslipidemic and therefore at higher risk of cardiovascular disease. In addition, many patients with lipid disorders are either treated insufficiently or not treated at all. Point of care lipid testing can substantially improve recognition as well as management of dyslipidemic patients in primary care.<sup>(7)</sup>

  
Chairman  
Kannagar Municipality


## Appearances can be deceptive

It is a hard fact – 56.3% of people suffering from dyslipidemia have not been diagnosed.<sup>(1)</sup> This is alarming considering that conventional risk factors account for around three quarters of all cardiovascular diseases (CVD).<sup>(2)</sup>

Characterised by abnormal levels of cholesterol and triglycerides (TGs), dyslipidemia currently affects more than 350 million people in the USA, Europe and Japan.<sup>(3)</sup> But because it is a modifiable risk factor, this number could be improved given simple, reliable screening.

Accutrend Plus gives you a fast, effective way of screening patients for CVD risk factors with immediate results.

### ► Nearly one in three deaths is due to CVD



► **Cardiovascular disease (CVD) is the leading cause of death and disability in industrialised countries<sup>(2-6)</sup> and the incidence is continually increasing.<sup>(2)</sup>**

#### Simple monitoring, rapid results

Total cholesterol, triglycerides and blood glucose levels can be used to identify those patients at risk of CVD. Regular monitoring of these parameters provides important information about disease progression.

That is where Accutrend Plus can help you. Because Accutrend Plus lets you measure the key parameters of cardiovascular disease on the spot. Safely, reliably and easily.



## Detecting the risk on the spot

Accutrend Plus from Roche is a flexible, hand-held point of care device for the three key parameters – total cholesterol, triglycerides and glucose. A cost effective, all-in-one device that provides excellent assay performance when compared with standard laboratory tests.\* You can also store up to 100 different measurements with date, time and high-low flags.

\*Roche 2007, data are available on request



### Step Three:

Close the device and wait for your results. When the measurement is complete, values are displayed and high or low values indicated.

### Built-in safety for accurate results

Accutrend Plus lets you apply blood onto the strip inside or outside the meter. For example, when conducting multiple tests where cross contamination might be an issue, you can apply blood outside the device.

With its built-in automatic performance and meter self-testing, Accutrend Plus conducts multiple safety checks to prevent against potential errors and malfunction, so you can rely on accurate results.

Code strips with positive strip lot identification and parameter recognition are used to calibrate the device – an added safety feature, which ensures system performance level is maintained.

The test strips can be easily stored at room temperature.

The result: high precision and accuracy across the full measuring range.

  
Charities  
Karnagar Municipality

► **Three simple steps, accurate results**

**Step One:**

Switch the instrument on and insert a test strip. A flashing arrow tells you to open the device to apply the blood sample.



**Step Two:**

Use the lancing device, collect capillary blood and apply this directly onto the strip (alternatively, you can apply blood onto the test strip outside the device and then reinsert the strip).



► **Metabolic syndrome increases the risk of developing CVD<sup>(11)</sup>**

Metabolic syndrome increases the risk of CVD and type 2 diabetes. The worldwide prevalence is rising due to increasing obesity and sedentary life styles.<sup>(11)</sup> Metabolic syndrome is estimated to be present in 24% of the US adult population<sup>(12)</sup> and 15% for the same group in Europe.<sup>(13)</sup>

Diagnostic criteria for metabolic syndrome (any 3 out of 5 criteria constitute diagnosis):

- Triglycerides  
≥1.7 mmol/l (150 mg/dl)
- Fasting blood glucose  
≥5.55 mmol/l (100 mg/dl)
- Elevated waist circumference  
≥102 cm in men,  
≥88 cm in women
- Blood pressure  
≥130/85 mm Hg
- Reduced HDL ("good")  
cholesterol<sup>(11)</sup>

## Accutrend Plus – Test Parameters

### Accutrend Plus

| Test          | Measuring Ranges |           | Measuring Time | Sample Material  | Sample Volumes | Operating Conditions                                     |
|---------------|------------------|-----------|----------------|--|----------------|--|
|               | mg/dl            | mmol/l    |                |  |                |  |
| Glucose       | 20-600           | 1.1-33.3  | 12 sec         | - Fresh capillary blood  | 15-50 µl       | 18°-32°C   |
| Cholesterol   | 150-300          | 3.88-7.76 | 180 sec        | - Fresh capillary blood<br>- Use of heparin-coated pipettes possible | 15-40 µl       | 18°-30°C   |
| Triglycerides | 70-600           | 0.80-6.86 | max 174 sec    | - Fresh capillary blood<br>- Use of heparin-coated pipettes possible | 10-40 µl       | 18°-30°C   |
| Lactate       | 0.8-22 mmol/l    |           | 60 sec         | - Fresh capillary blood<br>- Use of heparin-coated pipettes possible | 15-50 µl       | 5°-35° or 15°-35°C depending on concentration of analyte |

  
Chairman  
Konnagar Municipality

# Key values to detect and monitor CVD

Patients with CVD typically have high total cholesterol in their blood. The first step in both primary and secondary preventative cholesterol-lowering therapy is assessment of the patient's risk status. <sup>(8-10)</sup>

## Values for serum total cholesterol

| Category        | mmol/l  | mg/dl   |
|-----------------|---------|---------|
| Desirable       | < 200   | < 5.1   |
| Borderline high | 200-239 | 5.1-6.1 |
| Very high       | ≥ 240   | ≥ 6.2   |

## Values for fasting serum triglycerides

| Category        | mmol/l  | mg/dl     |
|-----------------|---------|-----------|
| Normal          | < 150   | < 1.69    |
| Borderline high | 150-199 | 1.69-2.24 |
| High            | 200-499 | 2.25-5.61 |
| Very high       | ≥ 500   | ≥ 5.62    |

## Fasting blood glucose

\*on more than one testing occasion

| Blood glucose                           | mg/dl   | mmol/l  |
|---|---------|---------|
| Normal glucose tolerance                | 70-99   | 3.9-5.5 |
| Impaired fasting glucose (pre-diabetes) | 100-125 | 5.6-6.9 |
| Very high                               | ≥ 126*  | > 7.0*  |

## Target values for total cholesterol levels

Once cholesterol targets are achieved it is best to assess levels at least annually.

\*minimum standard of care for all high-risk people

| Category        | mmol/l | mg/dl |
|-----------------|--------|-------|
| Optimal         | 160    | 4.1   |
| Audit standard* | 200    | 5.1   |

## Target values for fasting serum triglycerides

Triglycerides ≥ 1.7 mmol/l (150 mg/dl) are a sign of metabolic syndrome.

| Category | mmol/l | mg/dl |
|----------|--------|-------|
| Normal   | < 150  | < 1.7 |

## Target values for fasting blood glucose

| Organization                                      | mg/dl  | mmol/l  |
|---|--------|---------|
| American College of Endocrinology <sup>(11)</sup> | < 110  | < 6.1   |
| American Diabetic Association <sup>(12)</sup>     | 90-130 | 5.0-7.2 |

■ Lactate Meter - Compact in size –flexible, hand-held point of care device for performing Glucose, Lactate, Triglyceride and Total Cholesterol.

■ Always ready to use

■ High accuracy and precision across the whole measuring range for all parameters

■ Automatic performance and meter checks

■ Result in less than 3 minutes

■ Battery operated

■ Convenient measurement of the parameters from one single drop of capillary blood

■ Test strips can be stored at room temperature

■ Battery operated.

■ This Device is WHO recognised

  
**Chairman**  
**Manager Municipality**

**SUDA**

# STATE URBAN DEVELOPMENT AGENCY

**HEALTH WING**

**"ILGUS BHAVAN"**

**H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

**Ref No. SUDA-Health/124/08/146**

**Date 06.08.2014**

**From : Director, SUDA**

**To : Sri B.C. Patra  
Special Secretary  
Department of Municipal Affairs  
Writers' Building.**

**Sub. : Proposal of the Chairman, Konnagar Municipality for release of fund towards procurement of equipments for Matrisadan-O-Sishumangal Prathistan..**

**Sir,**

Placed herewith communication of the Chairman, Konnagar Municipality vide no. PWD/14/Health/477 dt. 09.06.2014. The Chairman has requested for release of fund for procurement of (a) one clinical chemical analyser, (b) one blood gas system, (c) one mobile X-ray machine for Matrisadan-O-Sishumangal Prathistan. The said matrisadan has been set up before implementation of UPHCS by the Municipality itself. There is no fund provision for such procurement under Urban Primary Health Care Services. Furthermore, technical specification of the equipment submitted by the Chairman may be scrutinized by the concerned experts which is not available with Health Wing, SUDA.

You may take up the matter with DHFW for obtaining their views regarding technical specification as well as utility of the said equipments for processing release of fund, if you deemed necessary.

Thanking you.

Yours faithfully,

**Encl. : As stated.**

  
Director, SUDA



**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL**

**Sri Bappaditya Chatterjee**  
**Chairman**

4614  
- 9 JUN 2014

**Ref. No. :- PWD/14/Health/477**

**Date :- 09.06.2014**

To  
The Director, SUDA  
ILGUS BHABAN, H.C. Block,  
Sector-III, Bidhannagar,  
Kolkata-700 106

PO (K)  
R  
19/6/14

**Sub: - Request for Release the fund for Procurement of Various Medical Equipments in Konnagar Matrisadan-O-Sishu Mongal Pratishthan under Konnagar Municipality**

Sir,  
We have essentially need to procure 1 (One) no. of Clinical Chemical Analyzer, 1 (One) no. of Blood Gas System, 1 (One) no. of Mobile X-Ray Machine for Konnagar Matrisadan-O-Sishu Mongal Pratishthan under Konnagar Municipality. The main objective for Procuring the said Medical Equipments is to deliver health service in uninterrupted and eco-friendly environment. The estimated costs for procuring the same Medical Equipments are Rs. 9,50,000/- (Nine Lakhs Fifty Thousand). I am submitting herewith the Detailed Project Report (DPR) for Procurement of said Medical Equipments.

So now I would request to you please sanction and release the same amount (i.e. Rs. 9,50,000/-) for procuring the above mentioned Medical Equipments.

Thanking you,

Chairman

Konnagar Municipality  
Chairman

Konnagar Municipality  
Chairman

Encl:-

- 1) Detailed Project Report (DPR) for procurement of Various Medical Equipments in Konnagar Matrisadan-O-Sishu Mongal Pratishthan under Konnagar Municipality

Phone Office: 2674-0210, 2674-2123

Fax: 033-2674-0210


Phone Hospital: 2674-7740

Phone Ambulance & Water Works: 2674-7545

E-Mail: [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com)

Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)

**Detailed Project Report**  
**For**  
**Procurement of Various Medical Equipments**  
**in**  
**Konnagar Matrisadan – O – Sishu MONGal**  
**Prathisthan**



*Konnagar Municipality*  
*73, G.T. Road, Konnagar, Hooghly*  
*West Bengal*  
*June, 2014*





## **Konnagar Municipality**

**Estd.in the Year 1944**

# Detailed Project Report (DPR)

On

Support to Health Sector

*Konnagar Municipality*

*Budget Head: Incentive Fund*

*Sub component: Support to Health Sector*

Procurement of

1. One no. Clinical Chemistry analyzer
2. 01 (One) no Blood Gas System
3. 01 (One) No Mobile X-Ray Machine

For

Konnagar Matrisadan-o-Sishumongal Pratisthan

  
Chairman  
Konnagar Municipality

## CONTENTS


- Part A: Organizational Profile**
- Part B: About the Fact and Implementation Schedule**
- Part C: Tentative technical specification of the asset**
- Part D: Financial Estimates**



Chairman  
Konnagar Municipality

PART "A": ORGANISATIONAL PROFILE

|   |  |   |
|---|--|---|
| <i>Name of the ULB: KONNAGAR MUNICIPALITY</i>   |  |   |
| <i>Name of the key persons (only 2) for the project :</i><br>1. <i>Mr. Manoj Saha</i><br>2. <i>Maloy Chatterjee</i> | <i>Designation: Sub-Assistant Engineer</i> |   |
|   | <i>Tel No.: 033-2674-2123/0210</i>         |   |
| <i>Any network partner to be involved:</i>  | <i>Yes</i>                                 | <input checked="" type="checkbox"/> <i>No</i> |

  
Chairman  
Konnagar Municipality

## ***PART B: About the fact and Implementation methodology***

***Duration of the Project: 1 month***

### ***Executive Summary:***

*Konnagar Matrisadan-o-Sishumongal Pratisthan is very old health service provider under the jurisdiction of Konnagar Municipality, especially in the field of Maternity services and very recent well equipped I.C.C.U. The core objective behind procurement of such asset is to deliver health service in uninterrupted and eco-friendly environment.*

### ***Objectives:***

#### ***For Clinical Chemistry Analyzer :***

- Due to Huge uses of old system are not yet been support to patient as well as in order to smooth running of I.C.C.U based Konnagar Matrisadan-o-Sishumongal Pratisthan, especially during Pathology Session.*
- In order to eliminate the abovementioned trouble during the period and to comply the directives of Dr. Referance, procurement of new Clinically Chemistry Analyzer is highly required, technical specification is attached herewith.*


#### ***For Blood Gas System & Mobile X-Ray for I.C.U:***

- Newly in order to smooth running of I.C.U emergency management for the patient those who are absolute admit in under Incentive Care Unit based Konnagar Matrisadan-o-Sishumongal Pratisthan, especially during Pathology Session.*
- In order to eliminate the abovementioned trouble during the period and to comply the directives of Dr. Referance, procurement of new Blood Gas System is highly required, technical specification is attached herewith.*

### ***Target group (including number of beneficiaries):***

#### ***For Clinical Chemistry Analyzer/ Blood Group System /Mobile X-Ray :***

- Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality will highly be benefited after procuring of the same.*
- Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality will highly be benefited after procuring of the same.*
- Blood Gas System is the cost-effective solution for smaller laboratories tasked with the challenged of performing fast – turn around Critical Care tests for clinicians. The system operation supports low to medium through put on and easy to use analyzer that's ready to generate accurate, on-demand results when clinicians need them, with a minimum of operator involvement.*

  
Chairman  
Konnagar Municipality

**Part C: Tentative Technical specification of the asset**

| Activity                                    | Sub-Activity  | Responsibility                                 | Timeline   |    |
|---|---|--|------------|----|
|   |   | ULB  | Q3         | Q4 |
| Procurement                                 | Govt. Order (G.O.) for procurement of the asset   | P.W.D and Health wing of Konnagar Municipality | June, 2014 |    |
|   | Application of Standard and prescribed Procurement norms (N-I-Q, Work order etc.)   | P.W.D and Health wing of Konnagar Municipality | July.2014  |    |
|   | However, the authority keeps every right to reject or cancel the least quotation without assigning the reason thereof.  | Chairman, Konnagar Municipality                | July.2014  |    |
| Execution of procurement work               | Procurement will be based on weighted average score of technical, financial and vendors credibility in the public sector in the ratio of (40:30:30) respectively. | P.W.D and Health wing of Konnagar Municipality | July.2014  |    |
| 3. Installation of the asset for put to use | After procurement of the same, installation will be done at location AND U.C will be submitted to C.M.U   | P.W.D and Health wing of Konnagar Municipality | July.2014  |    |
|   | A.M.C with selected vendor for regular maintenance  | P.W.D and Health wing of Konnagar Municipality | July.2014  |    |

  
 Chairman  
 Konnagar Municipality

**For Clinical Chemistry Analyzer :**

|                              |   |                             |
|------------------------------|---|-----------------------------|
| <b>Optical Module :</b>      | a) Static Photometer with photometric range (340-700)   |                             |
|                              | b) 8 interference filter 340,405,450,505,546,578,600 and 670 nm   |                             |
|                              | c) Silicon photo diode detectors  |                             |
|                              | d) Photometric range from 0 to 2.5 OD   |                             |
|                              | E) Quartz halozen lamp of 12 volt, 20 W   |                             |
| <b>Measuring Module :</b>    | Unique Triple Cuvette System <ul style="list-style-type: none"> <li>• 18<math>\mu</math>l Flow cell</li> <li>• 10 mm Square Cuvette</li> <li>• 6 mm Round glass Tube with Adaptor</li> <li>• Peltier temperature control 25° C, 30° C, 37° C and off</li> <li>• Peristaltic pump</li> <li>• Minimum aspiration volume 200 <math>\mu</math>l.</li> </ul> |                             |
| <b>Analysis Mode :</b>       | 1- Point linear   | Rate A non-linear           |
|                              | 2-Point linear  | 1-Point sample blank linear |
|                              | 1-Point non linear  | 1-Point sample blank linear |
|                              | 2-Point non linear  | Absorbance                  |
|                              | Rate a linear   | Coagulation                 |
| <b>Memory :</b>              | 200 User Defined test programme<br>1000 test result<br>Reagent Blank<br>2 level QC  |                             |
| <b>Result Recall :</b>       | Collated reports by date, ID or both  |                             |
| <b>Built – in QC :</b>       | Daily and Monthly monitoring for 2 level levy – jennings QC Graphs.   |                             |
| <b>Display :</b>             | High Resolution Graphics LCD with backlight.<br>View Area : 120 x 92 mm   |                             |
| <b>Key board :</b>           | 41 Multifunction Keys and 6 dynamic keys  |                             |
| <b>Printer :</b>             | In built High resolution Graphic Thermal Printer  |                             |
| <b>Interface :</b>           | RS-232 C Serial Port<br>Parallel port<br>Port for external keyboard   |                             |
| <b>Power :</b>               | External Universal SMPS adaptor<br>18V DC 100 W, 90 – 264 V, 50/60 Hz.  |                             |
| <b>Size (mm) and weight</b>  | 205 (H) x 450 (W) x 300 (D), Approx 7 Kgs.  |                             |
| <b>Optional Accessories:</b> | External 16 position Dry Block Incubator<br>External Battery Back – up Unit   |                             |

  
 Chairman  
 Konnagar Municipality

*Blood Gas System :*

|  |   |
|--|---|
| <p><i>Fast, accurate results support critical treatment decision</i></p> | <p>Actionable patient test results are available in approximately 60 Sec.</p>   |
|  | <p>Analyze whole blood and dialysis fluid</p>   |
|  | <p>Small sample size (50µl-95µl) suitable for most patients</p>   |
|  | <p>Comprehensive quality control (QC) materials help verify system performance.</p>   |
| <p><i>System operation minimizes user inventions</i></p>                 | <ul style="list-style-type: none"> <li>• Simply lift the sample probe door to began testing</li> <li>• Probe aspirates sample from syringes, capillaries and QC ampoules automatically without the need for adapters</li> <li>• Automatic detections of short samples shifts analyzer into micro sample mode, with no operator involvement required.</li> <li>• Automatic calibration routines and wash sequences</li> </ul>  |
| <p><i>Flexible data review, reporting, and storage</i></p>               | <ul style="list-style-type: none"> <li>• Results can be viewed on screen, output to the on board printer, or electronically transmitted to Alis/His</li> <li>• Document QC performance with oplying generation of levey – Jennings reports</li> <li>• Print summery calibration QC reports for inspection purposes.</li> <li>• Convenient on board storage of upto 250 patients test records, and upto 90 results for each level of QC.</li> <li>• Versatile connectivity options.</li> </ul> |
| <p><i>Analyze patient easily, via the READY screen</i></p>               | <ul style="list-style-type: none"> <li>• Intuitive color touch screen user interface teachers large, easy to reads system icons that display analyzer status and applications.</li> <li>• One touch icon selection of sampling mode (Syringe, Capillary, Dialysate fluid, QC) from the main READY screen.</li> <li>• Easy navigation to all routine functions from the READY Screen.</li> </ul>   |


  
 \_\_\_\_\_  
 Chairman  
 Konnagar Municipality



Part D:

Financial Estimate for Clinical Chemistry Analyzer.

- Estimated price for Clinical Chemistry Analyzer is Rs. 2, 50,000/- (Two Lac Fifty Thousand) Approx. which is inclusive of all applicable taxes and other incidental charges including installation.
- Estimated price for Blood Gas System is Rs. 5, 50,000/- (Rupees Five Two Lac Fifty Thousand) only approximate which is inclusive of all applicable taxes and other incidental charges including installation.
- Estimate price for mobile X-Ray is Rs. 1,50,000/- (Rupees One Lac Fifty Thousand) only Approximate which is inclusive of all applicable taxes and other incidental charges including installation.



Chairman  
Konnagar Municipality

**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73 G.T ROAD (WEST), KONNAGAR , HOOGHLY, WEST BENGAL.**

**Sri. Bappaditya Chatterjee,**  
**Chairman.**

Ref. No: PWD/14/Health / 2084

Date: 17 / 01 / 2013

To  
The Director,  
SUDA,  
ILGUS Bhavan, H.C.Block,  
Salt Lake, Sector – III,  
Kolkata – 700106.



PO (4)  
T  
ref/117

Sub: Procurement of Upper Endoscopy Machine for Konnagar Matrisadan – o – Sishumongal Pratisthan under our Municipality.

Dear Sir,

This refers to our previous office memo no: PWD/14/Health/1242, dt: 24/09/12 and MA Deptt. Writers Buildings memo no: 1076/MA/C-10/3S-40/2009, DT: 09/11/12 in respect of our proposal for purchase of the Upper Endoscopy Machine for our esteemed Matrisadan; Upon your correspondences with MA Deptt. it has been come to our knowledge that, you are searching of different manufacturers rate for the said machine and in this regards we have collected some manufacturers rate viz. **LAZER Instrumentation Pvt. Ltd, SKOLL Merchandisc Pvt. Ltd, Surgitek, Shree Yash Trading Co. & Vishal Surgical Equip. Co. Pvt. Ltd.** The said five sets of offer are being attached with this letter; You are earnestly requested to verify the rates and forward your recommendation in this regards to the concerned authority in obtaining the fund within a short time.

  
Chairman  
Konnagar Municipality

Ref. No. PWD / 14 / Health/ 2084

Date: 17 / 01 / 2013

Copy for information to:

- (1) Shri B.C.Patra, Jt. Secretary to Govt. of W.B, MA Deptt, 3<sup>rd</sup>. Floor, F Block, Writers Bldg, Kolkata-1.
- (2) The Medical Officer, Matrisadan-o-Sishumongal Pratisthan, Konnagar, Hooghly.
- (3) Office file.

~~Chairman  
Konnagar Municipality~~

Phone Office: 2674-0210, 2674-2123, 2674-2760

Fax: 033 – 2674 – 0210.

Phone (Hospital): 2674 – 7740. (Ambulance & Water Works): 2674 – 7545.

E.Mail: [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com) Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)

# SKOLL MERCHANDISE PRIVATE LIMITED

Ref: SKL-0035 Date: 13.09.2012

The Chairman  
Office of The Municipal Councillor  
Kon Nagar Municipality Hospital  
Kon Nagar, Hooghly - 712235

## PROPOSAL FOR GASTROSCOPE SURGERY SET,

BRAND : SHAANXI AIPU MEDICAL EQUIPMENTS CO. LTD., CHINA

| <u>Sl. No.</u>   | <u>Product Code</u>                          | <u>Unit</u> | <u>Rate / Unit</u> | <u>Total / Unit</u>  |
|--|--|-------------|--------------------|----------------------|
| 1  | SH123 - Video Gastroscope                    | 1Set        | 40,00,000.00       | 40,00,000.00         |
| 2  | SH125 - High End camera for Upper GI Surgery |             |                    |                      |
| 3  | SH225 - 19 Inch Monitor                      |             |                    |                      |
| 4  | SH230 - Light Source for Upper GI Surgery    |             |                    |                      |
| 5  | SH231 - Suction Unit for Upper GI Surgery    |             |                    |                      |
| <b>Total Value of the above quoted Set : Rupees forty lakhs only</b> |  |             |                    | <b>Rs.4000000.00</b> |

### Business Terms:

Delivery: We will deliver the above goods within 10 weeks from the Date of purchase order.

Payment: 95 % advance and balance 5% on delivery.

Warranty: 1 Year from the date of successful installation.

Training: Onsite training will be provided if required.

*Contd. next.....*

7, GANESH CHANDRA AVENUE, KOLKATA - 700013

☎ : ~ 65330482 ~ EMAIL : SKOLLMERCHANDISE@YAHOO.COM

*Chairman*  
Kon Nagar Municipality

*13/9/12*  
Kon Nagar Municipality

# SKOLL MERCHANDISE PRIVATE LIMITED

*Proposal contd.....*

Custom Duty: Custom Duty is included in the quoted rates.

CST: Central Sales Tax will be charged extra.

Validity: Our offer will remain valid for 15 days.

For Skoll Merchandise Pvt. Ltd.

  
Authorized Signatory

SGTK-KN23 Date: 14.09.2012

The Chairman  
Office of The Municipal Councillor  
Kon Nagar Municipality Hospital  
Kon Nagar, Hooghly - 712235

PROPOSAL FOR GASTROSCOPE SURGERY SET,

BRAND : SHAANXI AIPU MEDICAL EQUIPMENTS CO. LTD., CHINA

| <u>Sl. No.</u> | <u>Product Code</u>                     | <u>Unit</u> | <u>Rate / Unit</u> | <u>Total / Unit</u> |
|----------------|---|-------------|--------------------|---------------------|
| 1              | Video Gastroscope                       | 1           | 42,00,000.00       | 42,00,000.00        |
| 2              | High End camera for Upper GI<br>Surgery |             |                    |                     |
| 3              | 19 Inch Monitor                         |             |                    |                     |
| 4              | Light Source for Upper GI<br>Surgery    |             |                    |                     |
| 5              | Suction Unit for Upper GI<br>Surgery    |             |                    |                     |

Total Value of the above quoted Set : Rupees forty two lakhs only

Rs.4200000.00

**Business Terms:**

Delivery: We will deliver the above goods within 10 weeks from the Date of purchase order.

Payment: 95 % advance and balance 5% on delivery.

Warranty: 1 Year from the date of successful installation.

Training: Onsite training will be provided if required.

Distributors for :

Contd. next.....



**ARROW** U.S.A.  
INTERNATIONAL  
Chairman  
Konnagar Municipality

**LMA** U.K.  
The Laryngeal Mask Company Limited

# Surgitek

IMPORTERS & DEALERS IN SURGICAL INSTRUMENTS AND EQUIPMENTS

5-8-518/14 R-16 & 17, Jagdish Market, Abids,  
Hyderabad - 500 001. Phone : 2320 4657  
E-mail : surgitek\_102@rediffmail.com

*Proposal contd.....*

Custom Duty: Custom Duty is included in the quoted rates.

CST: Central Sales Tax will be charged extra.

Validity: Our offer will remain valid for 15 days.

For Surgitek



Authorized Signatory

----- Distributors for : -----

**ARROW** U.S.A.  
INTERNATIONAL

**LMA** U.K.  
The Laryngeal Mask Company Limited

**LAZER****LAZER INSTRUMENTATION  
PRIVATE LIMITED**

No. 4, CHOKKALINGAM NAGAR, (BEHIND D.M.S. BUILDING)  
CHENNAI - 600 086 INDIA. © 044-24321617, 24321618  
FAX : x x 91-44-24321617 E-Mail : lazer@md4.vsnl.net.in  
Ref: LZ-1212 Date: 19.09.2012

The Chairman  
Office of The Municipal Councillor  
Kon Nagar Municipality Hospital  
Kon Nagar, Hooghly - 712235

**PROPOSAL FOR GASTROSCOPE SURGERY SET,****BRAND : GUANGZHOU MAYA EQUIPMENT CO., LTD, CHINA**

| <u>Sl. No.</u> | <u>Product Code</u>                              | <u>Unit</u> | <u>Rate / Unit</u> | <u>Total / Unit</u> |
|----------------|--|-------------|--------------------|---------------------|
| 1              | GHZ224 - Video<br>Gastroscope                    | 1Set        | 37,00,000.00       | 37,00,000.00        |
| 2              | GHZ456 - High End camera<br>for Upper GI Surgery |             |                    |                     |
| 3              | GHZ256 - 19 Inch Monitor                         |             |                    |                     |
| 4              | GHZ295 - Light Source<br>for Upper GI Surgery    |             |                    |                     |
| 5              | GHZ22 - Suction Unit for<br>Upper GI Surgery     |             |                    |                     |

Total Value of the above quoted Set : Rupees thirty seven Rs.3700000.00  
lakh

**Business Terms:**

Delivery: We will deliver the above goods within 10 weeks from the  
Date of purchase order.

Payment: 95 % advance and balance 5% on delivery.

Warranty: 1 Year from the date of successful installation.

Training: Onsite training will be provided if required.

Contd. next.....



OLYMPUS

LAZER



SURGIDENT



*[Signature]*  
17/11/12  
Chairman  
Kon Nagar Municipality

**LAZER**

**LAZER INSTRUMENTATION  
PRIVATE LIMITED**

No. 4, CHOKKALINGAM NAGAR, (BEHIND D.M.S. BUILDING)  
CHENNAI - 600 086 INDIA. ☎ 044-24321617, 24321618  
FAX : x x 91-44-24321617 E-Mail : lazer@md4.vsnl.net.in

Proposal contd.....

Custom Duty: Custom Duty is included in the quoted rates.

CST: Central Sales Tax will be charged extra.

Validity: Our offer will remain valid for 15 days.

For Lazer Instrumentation Pvt. Ltd.

Authorized Signatory



OLYMPUS

**LAZER**

STERI CLEAN

SURGIDENT





# Shree Yash Trading Co.

Admn. Office : 1/12, Rowland Road, Kolkata - 700 020 Phone : 2476-7800 Fax : 2476-4283  
Regd. Office : 3A, Chowringhee Place, 31, Chowringhee Market, Kolkata - 700 013 Phone : 2228-3788

Ref: SY/9001 Date: 17.09.2012

The Chairman  
Office of The Municipal Councillor  
Kon Nagar Municipality Hospital  
Kon Nagar, Hooghly - 712235



Sub: Business Proposal for Gastroscope Surgery Set, Make : Huger, China

Sir,

With reference to the above, we are pleased to offer the following:-

| Sl. No.  | Product Code                                 | Unit | Rate / Unit  | Total / Unit         |
|--|--|------|--------------|----------------------|
| 1  | HDGS123 - Video Gastroscope                  | 1    | 14,08,000.00 | 14,08,000.00         |
| 2  | HDCMG - High End camera for Upper GI Surgery | 1    | 10,87,900.00 | 10,87,900.00         |
| 3  | HDMNT - 19 Inch Monitor                      | 1    | 399,740.00   | 399,740.00           |
| 4  | HDXN12 - Light Source for Upper GI Surgery   | 1    | 385,550.00   | 385,550.00           |
| 5  | HDSU - Suction Unit for Upper GI Surgery     | 1    | 168,300.00   | 168,300.00           |
| <b>Total Value of the above quoted Set (As mentioned in the next column) :</b> |  |      |              | <b>Rs.3449490.00</b> |

## Business Terms:

**Delivery:** We will deliver the above goods within 10 weeks from the date of purchase order.

**Payment:** 75 % advance and balance 25% on delivery.

**Warranty:** 1 Year from the date of successful installation.

**Training:** Onsite training will be provided if required.

Contd. next.....

See  
17/1/13

Chairman  
Kon Nagar Municipality

# Shree Yash Trading Co.

Admn. Office : 1/12, Rowland Road, Kolkata - 700 020 Phone : 2476-7800 Fax : 2476-4263  
Regd. Office : 3A, Chowringhee Place, 31, Chowringhee Market, Kolkata - 700 013 Phone : 2228-3788


*Proposal contd.....*

**Custom Duty:** Custom Duty is included in the quoted rates.

**CST:** Central Sales Tax will be charged extra.

**Validity:** Our offer will remain valid for 15 days.

For Shree Yash Trading Co.



Authorized Signatory

# Vishal Surgical Equipment Co. Pvt. Ltd.

"Siddharth", 1st Floor

29, Dr. Rajendra Road, Kolkata - 700 020

Phone : +91 33 2454 3851/ 52, 2486 3755

Telefax : +91 33 2454 3850

E-mail : vishalkl@vishalsurgical.co.in



The Chairman  
Office of The Municipal Councillor  
Kon Nagar Municipality Hospital  
Kon Nagar, Hooghly - 712235

Offer No. : VSEC/2012-13/12930

Date:13/09/2012

Sub: Offer for Upper GI Endoscopy Surgery Set

| Sl. No. | Catalogue No.       | Description   | Make                | Qty | Unit Price (INR) | Total Value (INR) |
|---------|---------------------|---|---------------------|-----|------------------|-------------------|
| 1       | <b>GASTROSCOPE</b>  |   |                     |     |                  |                   |
|         | 13821PKS            | Video Gastroscope SILVER SCOPE® Serie Color system PAL Working channel: Ø 2.8 mm Diameter: 9.3 mm Working length: 1100 mm Bending section: Up: 210° Down: 100° Left/Right: 120°/120° Following Accessories are included: 1x Transport Case 1x ETO Cap 1 x Suction valve 1 x Air-Water Valve 1x Leakage tester 1x Caps for biopsy channel (10 pcs.) 1x Irrigation tube 1x Y irrigation tube 1x Bite protector (single-use) 1x Biopsy forceps (single-use) 1x Cleaning brush (single-use) 1x Valve brush for video endoscopes 1x Cover for transportation of flex. endoscopes | Karl Storz, Germany | 1   | 1,216,000.00     | 1,216,000.00      |
| 2       | <b>UPPER GI CCU</b> |   |                     |     |                  |                   |
|         | 22203011-114        | GI Camera Control Unit, max. resolution 1920 x 1080 Pixel, with integrated ICM (Image Capture Module) and integrated SCB (KARL STORZ Communication Bus), power supply 100 - 240 VAC, 50/60 Hz consisting of: 22203020-114 GI Camera Control Unit 22200077 Videoendoscope Adapter 400 A Mains Cord 20040089 DVI-D Connecting Cable 536 MK BNC/BNC Video Cable 547 S S-Video (Y/C) Connecting Cable 2x 20221070 Connecting Cable, for controlling peripheral units 20090170 SCB Connecting Cable 20040233 Silicone keyboard, german, PS/2 for use with GI video endoscopes    | Karl Storz, Germany | 1   | 939,550.00       | 939,550.00        |

*Handwritten signature and date 13/09/12*

Chairman  
Kon Nagar Municipality



# Vishal Surgical Equipment Co. Pvt. Ltd.

"Siddharth", 1st Floor  
 29, Dr. Rajendra Road, Kolkata - 700 020  
 Phone : +91 33 2454 3851/ 52, 2486 3755  
 Telefax : +91 33 2454 3850  
 E-mail : vishalkl@vishalsurgical.co.in

| Sl. No.   | Catalogue No.             | Description   | Make                | Qty | Unit Price (INR) | Total Value (INR)      |
|---|---------------------------|---|---------------------|-----|------------------|------------------------|
| 3   | <b>19 INCH HD MONITOR</b> |   |                     |     |                  |                        |
|   | 9619NB                    | 19" HD Monitor, Resolution: 1280 x 1024 Video Inputs: DVI, VGA, S-Video, Composite Video Outputs: DVI, S-Video, Composite consisting of: 9619NG Monitor 9626 PS Monitor Power Supply 20040089 DVI-D Connecting Cable 536 MK BNC/BNC Video Cable   | Karl Storz, Germany | 1   | 317,300.00       | 317,300.00             |
|   | 9526SF                    | Stand compatible for Flat Screens 19" 23" 24" 26"   | Karl Storz, Germany | 1   | 27,930.00        | 27,930.00              |
| 4   | <b>XENON LIGHT SOURCE</b> |   |                     |     |                  |                        |
|   | 20132601-1                | KARL STORZ Cold Light Fountain XENON 100, with integrated KARL STORZ SCB, with integrated insufflation pump, for use with KARL STORZ Videoendoscopes, one 100Watt Xenon lamp, Power Supply: 100-240VAC, 50/60Hz consisting of: 20132620-1 Cold light fountain XENON 100 SCB 400A Mains cord 13992BS Water bottle 20100031 Bottle holder 13991SW Rinsing connector for water bottle System requirements for use with SCB-PC: SCB-R-UI-software-release V200900 01-28 and from V200900 01-41, but not usable with V200900 01-40 | Karl Storz, Germany | 1   | 332,975.00       | 332,975.00             |
| 5   | <b>UNIMAT</b>             |   |                     |     |                  |                        |
|   | 25320001                  | Unimat 30, Suction Pump set, power supply: 230 VAC, 50/60 Hz consists of: 25320020 Unimat 30 25320080 Bakterial filter 25320081 Suction bottle, 2l 25320082 Bottle cap with handle 25320083 connecting tube, short 25330084 Patient tube 25320085 Float 400A Power cord 031220-03 mtp promotion pack suction  | Karl Storz, Germany | 1   | 145,350.00       | 145,350.00             |
|   |                           |   |                     |     | CIF Value in INR | 2979105.00             |
|   |                           |   |                     |     | Add: VAT @ 4 %   | 119164.20              |
| <b>TOTAL VALUE IN INR: RUPEES THIRTY LAKH NINETY EIGHT THOUSAND TWO HUNDRED SIXTY NINE ONLY</b> |                           |   |                     |     |                  | <b>Rs.3,098,269.00</b> |

*(Signature)*  
 12/1/13  
 Chairman  
 Kolkata Municipal Corporation

**OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR**  
73, G.T. ROAD (W), KONNAGAR (Pin. 712235), HOOGHLY, West Bengal

*Sri. Bappaditya Chatterjee*  
Chairman

Office : 2674-0210/2123/9598/7376  
Ambulance : 2674-7545  
Hospital : 2674-7740  
Fax : 2674-0210 (Office)

Ref No. UPHCS/SUDA/690

Date 22/5/13

To  
The Director,  
SUDA  
"ILGUS BHAVAN, H-C Block, Sector- III,  
Bidhannagar, Kolkata.....106



Sub : LETTER OF ACKNOWLEDGEMENT

Sir,

I acknowledge with thanks the receipts at Rs. 2,99,800 /-  
(Rupees Two lakh ninety nine thousand eight hundred only) on  
account of Honorarium, Contingency & Puja Exgratia. upto Dec.  
2012 for UPHC vide Deft No. 034349,  
Date : 20. 11. 2012.

Enco : Misc. Receipt No 42796


Date : 23. 11. 2012.

  
Chairman  
Konnagar Municipality  
Konnagar Municipality

D/Draft NO = 034349 dt 20/11/12

Book No. 856

No. 42796



# KONNAGAR MUNICIPALITY

## MISCELLANEOUS RECEIPT

Form No. 39

(Vide rules 105, 121 and 122)

Received To the Project officer, Health Sude

Received from Birhanagar, Calcutta - 700091

Account of Rupees for implementation of Urban Primary Health Care

On account of services (UPHCs) upto December - 2012 for Hon. Pura Ex. Konnagar

The sum of Rupees (in words) Two Lakh Ninety nine thousand eight hundred only

Rs. 2,99,800/-  
Dated 23/11/12 201

P. (Figure)  
[Signature]  
Cashier



[Signature]  
Executive Officer  
Vice - Chairman

**OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR**  
73, G.T. ROAD (W), KONNAGAR (Pin. 712235), HOOGHLY, West Bengal

*Sri. Bappaditya Chatterjee*  
Chairman

Office : 2674-0210/2123/9598/7376  
Ambulance : 2674-7545  
Hospital : 2674-7740  
Fax : 2674-0210 (Office)

Ref No. U PHCS/SUDA/639

Date 22/5/13



To  
The Director,  
SUDA  
"ILGUS BHAVAN, H-C Block, Sector- III,  
Bidhannagar, Kolkata.....106

Sub : LETTER OF ACKNOWLEDGEMENT

Sir,

I acknowledge with thanks the receipts at Rs. 9,00,000 /-  
(Rupees Nine lakh only) on account of Honorarium, Contingency  
& Puja Exgratia. upto Dec. 2012 for UPHC vide Deft No. 034348,  
Date : 20. 11. 2012.

Encl : Misc. Receipt No 42795

Date : 23. 11. 2012.

  
Chairman

Konnagar Municipal  
Konnagar Municipality

D/Draft NO = 034348 dt 20/11/12

Book No

856

No.


42795

# KONNAGAR MUNICIPALITY

## MISCELLANEOUS RECEIPT

Form No. 39

(Vide rules 105, 121 and 122)



Received To the project officer Health, Sudo.

Received from Bidhannagar Calcutta - 700091

Account of Rupees for implementation of Urban primary

On account of Health Care Services (UPHCS) upto December-2012

The sum of Rupees (in words) For Hon. Pura ex A Contingence,

Nine lakh only.

Rs. 9,00,000/- P.

[Signature]  
Cashier



[Signature]  
Executive Officer  
Vice - Chairman

Dated 20/11/12 201



**GOVERNMENT OF WEST BENGAL  
MUNICIPAL AFFAIRS DEPARTMENT  
3<sup>RD</sup> FLOOR, 'F'-BLOCK  
WRITERS' BUILDINGS, KOLKATA-1.**



No. 1076/MA/C-10/3S-40/2009.

Dated Kolkata, the 9<sup>th</sup> Nov., 2012.

From : Shri B. C. Patra,  
Joint Secretary to the Govt. of West Bengal.

To : ✓ The Director,  
SUDA,  
ILGUS Bhavan, H.C. Block,  
Salt Lake, Sector-III,  
Kolkata-700 106.

PO (H)  
D  
18/11/12

**Sub : Procurement of Upper Endoscopy Machine for Konnagar Matrisadan-o-Sishumangal Pratishan under Konnagar Municipality.**

**Ref : Your letter no. SUDA-Health/124/08/209 dt. 17.10.2012.**

Sir,

I am directed to refer to your letter stated above and to request you to kindly examine the proposal for purchase of Upper Endoscopy Machine for Konnagar Matrisadan-o-Sishumangal Pratisthan at length after verifying rates at least from 4/5 national/international manufacturers for the said machine and send the same to this end along with specific recommendation for further examination.

Yours faithfully,

  
Joint Secretary to the Govt. of West Bengal.

**SUDA**

# STATE URBAN DEVELOPMENT AGENCY

HEALTH WING  
"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. ....  
SUDA-Health/124/08/209

Date .....  
17.10.2012

From : Director, SUDA

To : Sri B.C. Patra  
Jt. Secretary  
Department of Municipal Affairs  
Writers' Building



Sub. : Submission of DPR of one no. of Upper Endoscopy Machine.

Sir,

Enclosed kindly find herewith communication of the Chairman, Konnagar Municipality bearing no. PWD./14/Health/1242 dt. 24.09.2012, forwarding Detailed project Report ( DPR) and requesting for release of additional fund towards purchase of Endoscopy Machine for Konnagar Matrisadan-o-Sishumongal Pratisthan. The said DPR is self- explanatory.


This is to mention here that the said Maternity Home has been established by the Municipality at their own.

As there is no such fund available with Health Wing, SUDA, you are requested to look into the matter and consider release of fund from your end..

Thanking you.

Encl. : As stated.

Yours faithfully,

  
Director, SUDA

17.10.2012

SUDA-Health/124/08/209/1(1)  
CC

Chairman, Konnagar Municipality

  
Director, SUDA

10893

PO(H)

62

- 3 OCT 2012

**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR  
73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL**

*Sri Bappaditya Chatterjee*  
**Chairman**

**Phone Office: 2674-0210  
2674-2123**

**Fax: 2674-0210**

**Ref No:** PWD/14/Health/1242

**Date:** 24.09.2012

**To  
The Director,  
SUDA  
ILGUS Bhavan, HC Block  
Bidhannagar  
Kolkata-700106**

**Sub: Submission of DPR of one no. UPPER ENDOSCOPY machine**

Sir,

We are submitting the Detailed Project Report (D.P.R) of ONE NO. UPPER ENDOSCOPY machine for Konnagar Matrisadan-o-Sishumongal Pratisthan after going through the process of requirement analysis and feasibility study.

Please consider the same and do what is necessary in this regard.

Thanking you,  
Yours faithfully,

  
**(Chairman)**  
**Konnagar Municipality**

Konnagar Municipality

60

Detailed Project Report (DPR)

On

Support to Health Sector

*Konnagar Municipality*

Budget Head: *Incentive Fund*

Sub component: *Support to Health Sector*

Procurement


*of*

One no. 'KARL STORZ' made


**UPPER ENDOSCOPY MACHINE**

**for**

**Konnagar Matrisadan-o-Sishumongal Pratishthan**




Esophagus



Duodenum

Stomach

Endoscope



**CONTENTS**

**Part A: Organizational Profile**

**Part B: About the Fact and Implementation Schedule**

**Part C: Tentative technical specification of the asset**

**Part D: Financial Estimates and Cost recovery mechanism**

**PART "A": ORGANISATIONAL PROFILE**

|   |  |  |
|---|--|--|
| <b>Name of the ULB: KONNAGAR MUNICIPALITY</b>   |  |  |
| <b>Name of the key persons:</b><br><br>1) Bappaditya Chatterjee<br><br>2) Dr.Soumen Das | <b>Designation:</b><br><br>1) Chairman, Konnagar Municipality<br><br>2) R.M.O- Konnagar Municipality |  |
|   | <b>Tel No.:</b> 9432078755/033-26742120/7740   |  |
| <b>Any network partner to be involved:</b>  | Yes  | <input checked="" type="checkbox"/> No |

*[Signature]*  
09/10/12  
Health Officer  
KONNAGAR MUNICIPALITY

*[Signature]*  
3/10/12  
Chairman  
Konnagar Municipality



**PART B: About the fact and Implementation methodology**

**Duration of the Project: 1 month**

**Executive Summary:**

Konnagar Matrisadan-o-Sishumongal Pratisthan is very old health service provider under the jurisdiction of Konnagar Municipality, especially in the field of Maternity services. After procurement of few medical/surgical instruments for our ULB these days, like Laparoscopic surgical machine, Digital X-Ray machine, C-Arm machine, Dual Surgical Lamp etc. The core objective behind procurement of such asset is to deliver better health service to the poorer segment of our society especially patients from B.P.L families and slum dwellers at a very nominal subsidised charges.

**Target group (including number of beneficiaries):** Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality will highly be benefited after procuring of the same.


It is projected based on the survey that more than fifty (50) number of patients per month will be benefited for their treatment by using such equipment.

*[Signature]*  
Health Officer  
KONNAGAR MUNICIPALITY

*[Signature]*  
3/10/22  
Chairman  
Konnagar Municipality

|    | Activity                                 | Sub-Activity  | Responsibility                                 | Timeline |    |
|----|--|---|--|----------|----|
|    |  |   | ULB  | Q3       | Q4 |
| 1. | Programme Initiation                     | Govt. Order (G.O.) for procurement of the asset   | P.W.D and Health wing of Konnagar Municipality | Oct.12   |    |
|    |  | Application of Standard and prescribed Procurement norms (N-I-Q, Work order etc.)   | P.W.D and Health wing of Konnagar Municipality | Nov.12   |    |
|    |  | However, the authority keeps every right to reject or cancel the least quotation without assigning the reason thereof.  | Chairman, Konnagar Municipality                | Nov.12   |    |
| 2. | Execution of procurement work            | Procurement will be based on weighted average score of technical, financial and vendors credibility in the public sector in the ratio of (40:30:30) respectively          | P.W.D and Health wing of Konnagar Municipality | Nov.12   |    |
| 3. | Installation of the asset for put to use | After procurement of the same, installation along with required civil and mechanical work will be done at location AND U.C will be submitted to the appropriate authority | P.W.D and Health wing of Konnagar Municipality | Nov.12   |    |
|    |  | A.M.C with selected vendor for regular maintenance  | P.W.D and Health wing of Konnagar Municipality | Dec.13   |    |

52

  
 - Chairman  
 Konnagar Municipality

06/10/12  
 Health Officer,  
 KONNAGAR MUNICIPALITY

### Part C: Brief particulars of the Asset with Technical Specification

➤ *Endoscopy means looking inside and typically refers to looking inside the body for medical reasons using an endoscope, an instrument used to examine the interior of a hollow organ or cavity of the body. Unlike most other medical imaging devices, endoscopes are inserted directly into the organ.*

➤ *When is an endoscopy used?*

*An endoscopy is often used to confirm a diagnosis when other devices, such as an MRI, X-ray, or CT scan are considered inappropriate.*

*An endoscopy is often carried out to find out the degree of problems a known condition may have caused. The endoscopy, in these cases, may significantly contribute towards the doctor's decision on the best treatment for the patient.*

*The following conditions and illnesses are most commonly investigated or diagnosed with an endoscopy:*

- *Breathing disorders*
- *Chronic diarrhea*
- *Incontinence*
- *Internal bleeding*
- *Irritable bowel syndrome*
- *Stomach ulcers*
- *Urinary tract infections*

➤ *Endoscopy can involve*

- o *The gastrointestinal tract (GI tract):*
  - o *oesophagus, stomach and duodenum (esophagogastroduodenoscopy)*
  - o *small intestine (enteroscopy)*
  - o *large intestine/colon (colonoscopy, sigmoidoscopy)*
  - o *Magnification endoscopy*
  - o *bile duct*

*[Signature]*  
 Health Officer  
 KONNAR MUNICIPALITY

*[Signature]*  
 3/10/12  
 Chairman  
 KONNAR MUNICIPALITY

- 50
- o *endoscopic retrograde cholangiopancreatography (ERCP), duodenoscope-assisted cholangiopancreatoscopy, intraoperative cholangioscopy*

➤ *Endoscopy has many uses today*

*An endoscope can be fitted with surgical instruments; it can send pulses or heat and electricity and destroy small tumors or gallstones.*

*Specialized endoscopes have their own names, such as:*

- *Bronchoscopes - they examine the air passages and the lungs.*
- *Colonoscopes - they examine the colon.*
- *Gastrosopes - they examine the small intestine, stomach and esophagus (throat).*
- *Arthroscopes - they examine the joints.*
- *Hysteroscopes - they examine a woman's uterus.*
- *Cystoscopes - they examine the urinary bladder.*

➤ *The main components of an endoscope*

*An endoscope consists of:*

- *A flexible or rigid tube.*
- *A light that illuminates what the doctor wants to examine. The light is delivered via an optical fiber system.*
- *A lens system that transmits an image to the viewer from the fiberscope.*
- *Another channel to allow the entry of medical instruments or manipulators.*

➤ *Endoscopy has little value(UTILITIES) for people with the following conditions:*

- o *Severe coronary artery disease and acute or recent heart attack*
- o *Uncontrolled high or low blood pressure*
- o *Shock*

*3/10/12*  
Health Officer  
KONNAGAS MUNICIPALITY

*3/10/12*  
Chairman  
Konnagas Municipality


- o Massive upper GI bleeding
- o Acute peritonitis (inflammation of certain tissues in your abdomen)
- o Injuries of the cervical spine
- o Perforation of organs of the upper GI tract
- o A history of respiratory distress
- o Severe coagulopathy, a disease in which you continue bleeding because of inadequate clotting in your blood
- o Recent upper GI tract surgery
- o Long-standing and stable inflammatory bowel diseases (except for watching cancers)
- o Chronic irritable bowel syndrome
- o Acute and self-limiting diarrhea
- o Bloody or tarry stools with a clear source of the bleeding
- o Pregnancy in second or third trimester
- o History of severe chronic obstructive pulmonary disease
- o Recent colon surgery or past surgery of your abdomen or pelvis resulting in internal adhesions
- o Acute diverticulitis
- o Tear in a blood vessel in your abdomen
- o Sudden colon inflammation
- o Acute inflammation of the sac that lines your abdomen
- o Noncorrectable coagulopathy, a disease in which you continue bleeding due to inadequate clotting factors in your blood
- o Massive gastrointestinal bleeding

*[Signature]*  
 Health Officer  
 KONNAGAR MUNICIPALITY

*[Signature]*  
 20/10/12  
 Chairman  
 Konnagar Municipality

❖ *Technical Specification*

✓ **Videoscopes:**



*A videoscope, video endoscope, or video probe is a flexible endoscope that features a video chip at its distal end.*

*Thanks to cutting-edge CCD or CMOS technology in conjunction with the outstanding KARL STORZ lens systems, KARL STORZ videoscopes offer crystal clear, true-color imaging. Still images and multi-hour video sequences can be stored on a data carrier without requiring an additional camera.*

*Furthermore, we offer videoscopes with an integrated measuring system that is very precise and easy to use. The area to be examined is marked and can be immediately measured. The resulting measurement image can then be used for additional measurements of height, distance, area, etc. In addition, the measurement images can be edited at any time by inserting text, colored markings, etc.*

*An ergonomic handle designed for one-hand operation ensures ease of use. The short, flexible tip with 4-way deflection enables thorough inspection, even in hard-to-reach spaces. The distal tip is controlled via the new, manual CLICK4MOVE™ control that features several advantages over the conventional joystick control:*

*[Signature]*  
Health Officer  
KONNAGAR MUNICIPALITY

*[Signature]*  
3/10/12  
Chairman  
Konnagar Municipality

*Lag-free reaction without overtravel Direct and accurate control*

*Ultrasensitive control, that is, the direct tip deflection does not involve a motor and allows the user to directly "feel" obstacles or blockages Outer tungsten braiding ensures maximum sheath flexibility as well as the stability required in industrial use. A kink protector prevents damage to the videoscope.*


*Some videoscopes feature an additional working channel for introducing tools for magnetic or conventional grasping. Our videoscopes come in lengths of 1 m to 7.5 m and in diameters of 3.8 mm to 8 mm. You can also special order other designs.*

*KARL STORZ generally maximizes the size of monitors to facilitate the detailed display of the full-size, high quality images as well as the generation of informative findings. The quality of these images is also strongly influenced by the light sources, which are specifically selected for each endoscope and externally connected to the system.*

*[Signature]*  
3/10/12  
Chairman  
Konnagar Municipality

*[Signature]*  
Health Officer  
KONNAGAR MUNICIPALITY

✓ **Borescopes**



Borescopes can be rigid or semirigid. A rigid borescope, also known as rigid endoscope or swing-prism endoscope, is an endoscope that uses a lens system for image transmission.

A semirigid borescope, also known as semirigid endoscope, miniscope, mini endoscope, or needlescope, is an endoscope with a rigid sheath that uses a bundle of optical fibers for image transmission (see flexible endoscopes).

Rigid borescopes are particularly robust and designed for heavy-duty industrial use. With the HOPKINS® II rod lens system, they reliably deliver exceptionally clear, sharp, and bright images.

The so-called swing prism borescope features a swing prism at its tip. Using a control handle, the direction of view can be infinitely adjusted between 0° and 140°. The sheath can be rotated by 400°. The result is the largest field of view available on the market.


Borescope diameters are between 1.6 mm and 10 mm in lens system models and between 1 mm and 1.6 mm in image guide models. For special applications, instruments with working lengths of up to 1.5 m are available.

Health Officer  
09/10/12

3/10/12  
Chairman  
Kannegat Municipality



✓ **Flexoscopes**



*Flexoscopes, or flexible endoscopes, the image is transmitted from the distal to the proximal end through an optical fiber bundle.*


*As their name suggests, flexoscopes are extremely flexible. They enable access to convoluted and irregularly shaped spaces, channels, or pipes that would otherwise be invisible to the human eye, and they are easy to use.*

*KARL STORZ flexoscopes come in diameters between 0.5 mm and 9 mm and feature a robust, smooth outer shell made of plastic or a metal-tungsten braiding. Two-way or four-way deflection translates into a large field of view and ensures ease of use and efficiency when used in combination with a kink protector and an integrated lock. When combined with a powerful external light source, our high quality optical system offers you an outstanding, sharp image that allows you to reliably assess the object to be inspected.*

*[Signature]*  
Health Officer  
KONNAG MUNICIPALITY

*[Signature]*  
3/10/12  
Chairman  
Konnager Municipality

✓ **Light sources**



*A light source, also known as light projector, LED light source, or cold light source, is a separate cold light projector that generates light using powerful lamps; the light then exits at the sheath and illuminates the cavity to be inspected. Lamps include LED, halogen, XENON, Solarc®, and incandescent lamps.*

*In 1960, Dr. Karl Storz invented the cold light source. Since that time, light has been generated outside of the endoscope and transmitted to the tip through high quality fiber-optic light guides to minimize the heat generated at the endoscope.*

*The suitability of a light source depends on the type of endoscope used. Therefore, we offer various light sources at different power levels as well as portable, battery-operated cold light projectors. A range of power levels are available, from 5W LED to 300W Xenon high performance light sources. Bright light is a key determinant of image quality. Our powerful, high quality light sources are therefore a decisive factor in generating informative endoscopic images.*

*[Signature]*  
03/10/12  
Health Officer  
KONNAGAT MUNICIPALITY

*[Signature]*  
3/10/12  
Chairman  
Konnagar Municipality

**Part D:**

Financial Estimates:

Estimated price is Rs.30.98 Lac/-\*\*\* (Thirty Lac ninety eight thousand only) which is inclusive of all applicable taxes and other incidental charges including installation.

\*\*\*\*\* Such estimates includes cost of Camera, light source, water irrigation, monitor, video gastroscop

*Cost recovery initiatives:*

- Initial Procurement cost (Outflow) : Rs.30.98 Lac
- Target Group : 50 Patients p.m
- Estimated user charges : Rs.1000 (Avg)/Case
- Number of periods for cost recovery : 62 months.(5 years 2 months)  
(appx.)

\*\*\* Please find attached detailed component wise cost estimation which is subject to compliance of future applicable procurement norms.

*[Signature]*  
 Health Officer  
 KOBBERGUR MUNICIPALITY

*[Signature]*  
 3/10/12  
 Chairman  
 Kobbegur Municipality

# Vishal Surgical Equipment Co. Pvt. Ltd.

"Siddharth", 1st Floor

29, Dr. Rajendra Road, Kolkata - 700 020

Phone: +91 33 2454 3851/ 52, 2486 3755

Telefax: +91 33 2454 3850

E-mail: vishalkl@vishalsurgical.co.in




The Chairman  
Office of The Municipal Councillor  
Kon Nagar Municipality Hospital  
Kon Nagar, Hooghly - 712235

Offer No. : VSEC/2012-13/12930

Date: 13/09/2012

Sub: Offer for Upper GI Endoscopy Surgery Set

| Sl. No. | Catalogue No.       | Description   | Make                | Qty | Unit Price (INR) | Total Value (INR) |
|---------|---------------------|---|---------------------|-----|------------------|-------------------|
| 1       | <b>GASTROSCOPE</b>  |   |                     |     |                  |                   |
|         | 13821PKS            | Video Gastroscope SILVER SCOPE® Serie Color system PAL Working channel: Ø 2.8 mm Diameter: 9.3 mm Working length: 1100 mm Bending section: Up: 210° Down: 100° Left/Right: 120°/120° Following Accessories are included: 1x Transport Case 1x ETO Cap 1x Suction valve 1x Air-Water Valve 1x Leakage tester 1x Caps for biopsy channel (10 pcs.) 1x Irrigation tube 1x Y irrigation tube 1x Bite protector (single-use) 1x Biopsy forceps (single-use) 1x Cleaning brush (single-use) 1x Valve brush for video endoscopes 1x Cover for transportation of flex. endoscopes | Karl Storz, Germany | 1   | 1,216,000.00     | 1,216,000.00      |
| 2       | <b>UPPER GI CCU</b> |   |                     |     |                  |                   |
|         | 22203011-114        | GI Camera Control Unit, max. resolution 1920 x 1080 Pixel, with integrated ICM (Image Capture Module) and integrated SCB (KARL STORZ Communication Bus), power supply 100 - 240 VAC, 50/60 Hz consisting of: 22203020-114 GI Camera Control Unit 22200077 Videocapsule Adapter 400 A Mains Cord 20040089 DVI-D Connecting Cable 536 MK BNC/BNC Video Cable 547 S S-Video (Y/C) Connecting Cable 2x 20221070 Connecting Cable, for controlling peripheral units 20090170 SCB Connecting Cable 20040233 Silicone keyboard, german, PS/2 for use with GI video endoscopes    | Karl Storz, Germany | 1   | 939,550.00       | 939,550.00        |

Seen  
  
31/09/12  
Chairman  
Kon Nagar Municipality



# Vishal Surgical Equipment Co. Pvt. Ltd.

"Siddharth", 1st Floor  
 29, Dr. Rajendra Road, Kolkata - 700 020  
 Phone : +91 33 2454 3851/ 52, 2486 3755  
 Telefax : +91 33 2454 3850  
 E-mail : vishalk@vishalsurgical.co.in

| Sl. No.   | Catalogue No.             | Description   | Make                | Qty | Unit Price (INR) | Total Value (INR)      |
|---|---------------------------|---|---------------------|-----|------------------|------------------------|
| 3   | <b>19 INCH HD MONITOR</b> |   |                     |     |                  |                        |
|   | 9619NB                    | 19" HD Monitor, Resolution: 1280 x 1024 Video Inputs: DVI, VGA, S-Video, Composite Video Outputs: DVI, S-Video, Composite consisting of: 9619NG Monitor 9626 PS Monitor Power Supply 20040089 DVI-D Connecting Cable 536 MK BNC/BNC Video Cable   | Karl Storz, Germany | 1   | 317,300.00       | 317,300.00             |
|   | 9526SF                    | Stand compatible for Flat Screens 19" 23" 24" 26"   | Karl Storz, Germany | 1   | 27,930.00        | 27,930.00              |
| 4   | <b>XENON LIGHT SOURCE</b> |   |                     |     |                  |                        |
|   | 20132601-1                | KARL STORZ Cold Light Fountain XENON 100, with integrated KARL STORZ SCB, with integrated insufflation pump, for use with KARL STORZ Videoendoscopes, one 100Watt Xenon lamp, Power Supply: 100-240VAC, 50/60Hz consisting of: 20132620-1 Cold light fountain XENON 100 SCB 400A Mains cord 13992BS Water bottle 20100031 Bottle holder 13991SW Rinsing connector for water bottle System requirements for use with SCB-PC: SCB-R-UI-software-release V200900 01-28 and from V200900 01-41, but not usable with V200900 01-40 | Karl Storz, Germany | 1   | 332,975.00       | 332,975.00             |
| 5   | <b>UNIMAT</b>             |   |                     |     |                  |                        |
|   | 25320001                  | Unimat 30, Suction Pump set, power supply: 230 VAC, 50/60 Hz consists of: 25320020 Unimat 30 25320080 Bakterial filter 25320081 Suction bottle, 2l 25320082 Bottle cap with handle 25320083 connecting tube, short 25330084 Patient tube 25320085 Float 400A Power cord 031220-03 mtp promotion pack suction  | Karl Storz, Germany | 1   | 145,350.00       | 145,350.00             |
| CIF Value in INR  |                           |   |                     |     |                  | 2979105.00             |
| Add: VAT @ 4 %  |                           |   |                     |     |                  | 119164.20              |
| <b>TOTAL VALUE IN INR: RUPEES THIRTY LAKH NINETY EIGHT THOUSAND TWO HUNDRED SIXTY NINE ONLY</b> |                           |   |                     |     |                  | <b>Rs.3,098,269.00</b> |

Seen  
  
 2/10/12  
 Konnagar Municipality

# Vishal Surgical Equipment Co. Pvt. Ltd.

"Siddharth", 1st Floor

29, Dr. Rajendra Road, Kolkata - 700 020

Phone : +91 33 2454 3851/ 52, 2486 3755

Telefax : +91 33 2454 3850

E-mail : vishalkd@vishalsurgical.co.in



# Vishal

## TERMS AND CONDITIONS

**Payment:** 90 % Advance and balance 10% on proof of dispatch

**Duties:** The price quoted is inclusive of duties.

**Taxes:** VAT @ 4 % has been shown as extra.

**Installation:** Free of Cost by our engineer at hospital

**Delivery:** Within 10-12 weeks of confirmation of order

**Warranty:** Standard warranty for any manufacturing defects is for 12 months

Replacement of any item within the period of warranty is subject to the approval of Karl Storz only.

**After Sales:** Available from our Kolkata service centre at "Siddharth", 1st Floor, 29, Dr. Rajendra Road, Kol-20

**Validity:** Offer is valid for 30 days

**Origin:** Federal Republic of Germany

**Principal:** KARL STORZ GmbH & CO. KG

Mittelstrasse 8, D-78532,

Tuttlingen, Germany

**Force**

**Majeure:** Rates of the imported products subject to Force Majeure clause such as devaluation of Rupee, Increase in Price by principals, Change in Custom Tariff, Government Levies will be incorporated in our above Quote with your kind consent.

For Vishal Surgical Equipment Co. Pvt. Ltd.

Director

3/10/12  
Chairman  
Konnagar Municipality



# Konnagar Matrisadan-O-Sishu Mangal Pratisthan

(Managed by Konnagar Municipality)

1, C. S. Mukherjee Street, Konnagar (Hooghly)

Phone : 2674-7740

Ref. No. PND/14/GUDP III/1496

Date. 01/11/12

To,  
The Project Officer Health Wing (SVDA)  
ILAVS Bhavan, H.C. Block  
Bidhannagar, Sector-III, Salt Lake City  
KOL - 001

608  
3.11.12

Subj. Enhancement of ₹ 8000.00 (eight thousand only) for H.A.V and ₹ 10,000/- (ten thousand only) for ESOPD for C.V.D.P.-III

Sir/Madam,  
With due respect, this is to mention that enhancement amount of the medicines for HAV & ESOPD of C.V.D.P.-III (Konnagar Municipality) is not being issued - but excess amount of FPP-VIII of Konnagar Municipality has already supplied.

Previous amount per quarter for medicines was ₹ 30,000 (for HAV) & ₹ 60,000 (for ESOPD) respectively.

Please you do the needful and arrange for the sanction of the enhanced amount from the 2nd quarter (2012-13) - requisition has already been deposited.

Hope to be excused for the troubles.  
Thank you

yours faithfully  
Debkr. Ghosh

01/11/12  
Health Officer  
KONNAGAR MUNICIPALITY

Madam  
Pl. Patra no  
co-operation  
15  
Chairman  
Konnagar Municipality

**SUDA**

# STATE URBAN DEVELOPMENT AGENCY

HEALTH WING

"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. : SUDA-Health/124/08/209

Date : 17.10.2012

From : Director, SUDA

To : Sri B.C. Patra  
Jt. Secretary  
Department of Municipal Affairs  
Writers' Building

Sub. : Submission of DPR of one no. of Upper Endoscopy Machine.

Sir,

Enclosed kindly find herewith communication of the Chairman, Konnagar Municipality bearing no. PWD./14/Health/1242 dt. 24.09.2012, forwarding Detailed project Report ( DPR) and requesting for release of additional fund towards purchase of Endoscopy Machine for Konnagar Matrisadan-o-Sishumongal Pratisthan. The said DPR is self- explanatory.

This is to mention here that the said Maternity Home has been established by the Municipality at their own.

As there is no such fund available with Health Wing, SUDA, you are requested to look into the matter and consider release of fund from your end..


Thanking you.

Enclo. : As stated.

SUDA-Health/124/08/209/1(1)  
CC

Chairman, Konnagar Municipality

Yours faithfully,

  
Director, SUDA

17.10.2012

  
Director, SUDA



**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL**

● *Sri Bappaditya Chatterjee*  
Chairman

Phone Office: 2674-0210  
2674-2123

Fax: 2674-0210

Ref No: *Admin/13/2386*

Date: *28.03.2012*

From : Bappaditya Chatterjee  
Chairman,  
Konnagar Municipality



To : THE DIRECTOR,  
S.U.D.A,  
ILGUS BHAWAN,  
SALT LAKE,  
KOLKATA

**Sub: Procurement of machineries/Equipments for Konnagar Municipality**

**Ref: Your letter no.:244/MA/C-10/3S-40/2009 dt. 14<sup>th</sup> March, 2012**

Sir,

With reference to your abovementioned letter, this is to intimate that undersigned after discussion with concerned departmental officials and experts in the related field had gone through the present requirement analysis of 'Konnagar Matrisadan o Sishumongal Prathisthan' to provide better health service delivery.

Such analysis reveals the fact that we are of need of *One no. Anaesthesia Workstation and One no. Soundproof Generator* on urgent basis at present to support the workflow of this institution, a copy of detailed Project Report of the same is attached herewith for your consideration.

Please consider the same and do what is required in this regard.

Thanking you,

Yours faithfully,

  
(Chairman)  
Konnagar Municipality

Copy to:

1) Shri. B.C.Patra, Joint Secretary to the Govt. of West Bengal, Department of Municipal Affairs

To  
A.S. Mar  
28/3/12

GOVERNMENT OF WEST BENGAL  
DEPARTMENT OF MUNICIPAL AFFAIRS  
WRITERS' BUILDINGS, KOLKATA-1.


No.244/MA/C-10/3S-40/2009.

Dated, Kolkata, the 14<sup>th</sup> March, 2012.

From: Shri B.C. Patra,  
Joint Secretary to the  
Government of West Bengal.

To : The Chairman,  
Konnagar Municipality,  
73, G.T.Road(West),  
Konnagar, Hooghly,  
Pin -- 712 235.

RECEIVED  
Konnagar Municipality  
No. A.S. Mar / 28 / 8669  
Signature & Date

  
28/03/12

Sub : Procurement of machinerys/equipments for Konnagar Municipality.

Sir,


I am directed to refer to your letter No.PWD/14/Hospital/2086 dated 22.02.2012 on the subject stated above and to request you to send your views alongwith lists of equipments to be procured through SUDA & further action will be taken by this Department after SUDA certify the claim of the Municipality.

Yours faithfully,  
Sd/- B.C. Patra  
Joint Secretary  
to the Govt. of West Bengal

No.244/1/MA/C-10/3S-40/2009.

Dated, Kolkata, the 14<sup>th</sup> March, 2012.

Copy forwarded for information to the Director, SUDA with reference to his letter No.SUDA-Health/124/08/331/ dated 01.03.2012.

  
Joint Secretary  
to the Govt. of West Bengal

le

# Detailed Project Report (DPR)

On

Support to Health Sector

**Konnagar Municipality**

Budget Head: Incentive Fund

Sub component: Support to Health Sector

**Procurement  
of**


**One No. Anaesthesia Workstation**

**AND**

**One no. Soundproof CUMMINS make Generator**

**For**

**Konnagar Matrisadan-o-Sishumongal Pratisthan**

  
28/3/12  
DR. SOUMEN DAS  
CHAIRMAN  
KONNAGAR MUNICIPALITY

  
28/3/12  
Chairman  
Konnagar Municipality

  
28/3/12  
Sub-Assistant Engineer  
Konnagar Municipality


## CONTENTS

**Part A: Organisational Profile**

**Part B: About the Fact and Implementation Schedule**

**Part C: Tentative technical specification of the asset**

**Part D: Financial Estimates**

  
28/3/12  
Dr. Soumen Das  
MBBS, DGO

  
28/3/12  
Chairman  
Konnagar Municipality

  
28/3/12  
Sub-Assistant Engineer  
Konnagar Municipality

**PART "A": ORGANISATIONAL PROFILE**

|  |   |             |
|--|---|-------------|
| <b>Name of the ULB: KONNAGAR MUNICIPALITY</b>  |   |             |
| <b>Name of the key person (only 1) for the project :</b><br>1) Dr.Soumen Das<br>2) Mr.Abhijit Sarkar | <b>Designation: R.M.O. and S.A.E respectively</b> |             |
|  | <b>Tel No.:033-26742123</b>                       |             |
| <b>Any network partner to be involved:</b>   | <b>Yes</b>  | <b>✓ No</b> |

*[Handwritten signature]*  
28/3/12

*[Handwritten signature]*  
Dr. Soumen Das  
MBBS, DGO

*[Handwritten signature]*  
28/3/12

Sub-Assistant Engineer  
Konnagar Municipality

**PART B: About the fact and Implementation methodology**

**Duration of the Project: 2 months**

**Executive Summary:**

Konnagar Matrisadan-o-Sishumongal Pratisthan is very old health service provider under the jurisdiction of Konnagar Municipality, especially in the field of Maternity services and very recent well equipped I.C.C.U.

At present such institution are well supported by modern equipments like Colour Doppler, Laparoscopic Instruments, C-Arm machine etc.

The core objective behind procurement of such asset is to deliver health service in uninterrupted and eco-friendly environment.

**Objectives:**

(A) In order to undergo with surgery of such institution and to support well equipped Laparoscopic Surgical Instrument, procurement of Anaesthesia workstation becomes highly necessary.


(B) Power cut by C.E.S.C, due to huge un-reconciled arrear bill amount is common past bad experience in order to smooth running of I.C.C.U based Konnagar Matrisadan-o-Sishumongal Pratisthan, especially during O.T.Session.

In order to eliminate the abovementioned trouble during power failure and to comply the directives of Pollution control Board, installation of soundproof generator in this area is highly required, technical specification is attached herewith.

**Target group (including number of beneficiaries):** Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality will highly be benefited after procuring of the same.

  
28/3/12  
Dr. Soumen Das  
MBBS, DCO

  
28/3/12  
Chairman  
Konnagar Municipality

  
28/3/12  
Sub-Assistant Engineer  
Konnagar Municipality

|    | Activity                                 | Sub-Activity  | Responsibility                                 |  | Timeline |    |
|----|--|---|--|--|----------|----|
|    |  |   | ULB  |  | Q3       | Q4 |
| 1. | Programme Initiation                     | Govt. Order (G.O.) for procurement of the asset   | P.W.D and Health wing of Konnagar Municipality |  | Apr.12   |    |
|    |  | Application of Standard and prescribed Procurement norms (N-I-Q, Work order etc.)   | P.W.D and Health wing of Konnagar Municipality |  | May.12   |    |
|    |  | However, the authority keeps every right to reject or cancel the least quotation without assigning the reason thereof.  | Chairman, Konnagar Municipality                |  | May.12   |    |
| 2. | Execution of procurement work            | Procurement will be based on weighted average score of technical, financial and vendors credibility in the public sector in the ratio of (40:30:30) respectively. | P.W.D and Health wing of Konnagar Municipality |  | May.12   |    |
| 3. | Installation of the asset for put to use | After procurement of the same, installation along with required civil and mechanical work will be done at location AND U.C will be submitted to C.M.U             | P.W.D and Health wing of Konnagar Municipality |  | June12   |    |
|    |  | A.M.C with selected vendor for regular  | P.W.D and Health wing of Konnagar Municipality |  | June12   |    |

*[Handwritten Signature]*  
28/3/12  
Municipality


*[Handwritten Signature]*  
28/3/12  
Dr. Soumen  
MBBS, DGO

*[Handwritten Signature]*  
28/3/12


Sub-Assistant Engineer  
Konnagar Municipality

## Part C: Tentative Technical specification of the Generator

82.5 Kva, 66 Kw, Supply of Factory Assembled Silent D.G. Set comprising of above mentioned engine with microprocessor based genset controller, (Radiator cooled) Diesel Engine, 105 Bhp at 1500 RPM. Stamford / Crompton Greaves make 82.5 Kva alternators. AC 3 Phase, 115 volts, 50Hz, 49 Amps, Suitable manual control panel, fuel tank, base frame, first fill lub oil & coolant, Residential Silencer, batteries with leads. Acoustic Enclosure as per CPCB norms.

  
28/3/12  
Dr. Soumitra  
MBBS, DGO

  
28/3/12  
Chairman  
Konnagar Municipality

  
28/3/12  
Sub-Assistant Engineer  
Konnagar Municipality



## Part-D:

### Specification for Anaesthesia Workstation

1. Compact and modular, three gas Anaesthesia workstation with an integrated ventilator for adult to infants and integrated airway monitor for airway pressures and volume.
2. The machine should be suitable for low and minimal flow anesthesia application with compliance compensation of breathing ckt, fresh gas flow compensation/ decoupling.
3. The machine should have 3 drawers
4. The anaesthesia machine, vaporizer and patient monitor should be manufactured by same company.
5. The system should have upto 2 Hrs. battery backup
6. System should conform to EN 60601-2-13 (Requirement for safety and essential performance of anaesthesia system)

#### **7. Gas delivery system**

- Should have pin index yokes for Oxygen & Nitrous Oxide besides separate connection for Central gas supply for Oxygen, Nitrous Oxide and Air.
- The machine should have pressure gauges for cylinders & central supply lines mounted on front of Anaesthesia machine for better visibility. The gas connections should be non-interchangeable.
- Automatic cutoff of N<sub>2</sub>O by Oxygen pressure failure.
- Hypoxic guard for linear regulation of minimum oxygen concentration at 21% volume and must ensure a minimum Oxygen flow of 200 ml at low fresh gas flow settings even below total 500 ml fresh gas flow
- Audible visual oxygen failure alarm.
- Emergency Oxygen flush at 30 – 70 L/min bypassing the vaporizer.

#### **4. Flow meter**

- Dual Cascade type flow meter tubes for Oxygen & N<sub>2</sub>O. Range 20 ml / min to 10 Lit/min. Calibrated in multiple scales. Single tube for air 100 ml to 14 L/ min.

#### **5. Vaporizer**


- Machine should have possibility to mount two quick mount type vaporizer for easy interchangeability, and safety.
- Should be provided with a Temperature / pressure compensated and flow independent Vaporiser for Isoflourane & Sevoflourane.
- Vaporizer should have extended delivery range from 0 to 6 Vol. %
- The vaporiser design should be maintenance free.

#### **6. Breathing System**


- Should have fresh gas de-coupled semi closed circle absorber system.
- Should have adjustable pressure relief valve from 5 to 75 mbar.
- Should have change over from Spontaneous to Bag ventilation with single step.
- Should have optimised absorber canister approx 1.5 Ltr.
- Should have an external fresh gas outlet for connecting Magill or Bain's circuit

#### **7. Anaesthesia Ventilator**

- Electronically controlled electrically driven ventilator should not require any driving gas
- Should not require changing of bellows for adult & infants.
- Modes: Volume controlled, Manual/Spont.
- Tidal Volume : 20 ~ 1500 ml
- PEEP : 0 ~ 20 mbar
- Breathing Frequency : 4 to 60 BPM
- I:E Ratio : 4:1 to 1:4
- Inspiratory pause : 0 – 50% of T<sub>i</sub>
- Frequency 1 to 60 1/ min, I : E = 2:1 to 1:3.
- Should automatically compensate for Compliance of breathing system.

  
28/3/12  
Dr. Soumen Das  
MBBS, DGO

  
28/3/12  
Chairman  
Konanagar Municipality

  
28/3/12  
Sub-Assistant Engineer  
Konanagar Municipality

- Should have Desflurane compensation.
- Should be able to ventilate with atmospheric air, incase of missing gases.

**8. Airway monitoring**

- Integrated monitor for electronic monitoring and display of following parameters :
  - Expiratory Tidal Volume
  - Expiratory Minute volume
  - PEEP, Peak & Mean and Plaetau airway pressure
  - Frequency
  - Waveform display for Airway pressure.

**9. Alarm limits & alarms**

- Adjustable high / low limits with audio and visual alarms for the following :
  - Minute volume,
  - Airway pressure (incl stenosis and disconnect),
  - Insp oxygen concentration,
  - Audio power supply fail alarm,
  - Fail to cycle warning.


**15. Options (mention unit prices in price bid)**

- Color screen display
- Should be upgradable to PCV, SIMV and PS
- Breathing system warmer

16. Machine should have RS 232 connectivity port

**17. Scope of supply**

- 3 gas Anaesthesia machine
- Trolley with 3 drawers
- Writing surface
- Pin index yokes for O2 & N2O
- Pipeline connections for all three gases
- Ventilator & monitor
- Semiclosed breathing system
- Adult & Peadiatric autoclavable patient tubings
- Anaesthetic mask size – Adult & child
- Vaporisers for Isoflourane & Sevoflourane
- Central gas supply hoses (Color coded)
- Instruction for use

  
28/3/12  
Dr. S. S. Srinivasan  
MBBS, DCO

  
28/3/12  
Chairman  
Konnagar Municipality

AVAN  
28/3/12

Sub-Assistant Engineer  
Konnagar Municipality

**Part E:**

**Financial Estimate:**

**1) Anaesthesia Workstation:**

Estimated price is Rs.10.00/- Lac (Ten Lac only) which is inclusive of all applicable taxes and other incidental charges including installation.

**2) Generator Machine:**

Estimated price is Rs.11.58/- Lac (Eleven Lac fifty eight thousand only) which is inclusive of all applicable taxes and other incidental charges including installation.

*[Signature]*  
28/3/12

*[Signature]*  
28/3/12  
Chairman  
Konnagar Municipality

*[Signature]*  
28/3/12  
Sub-Assistant Engineer  
Konnagar Municipality

## TOUR REPORT OF KONNAGAR MATRISADAN

As per instruction, the undersigned visited Konnagar Matrisadan, 1 C.S. Mukherjee Road on 7/5/2012. The said Matrisadan is a composite building with Extended specialists out patient department, Diagnostic centre & Indoor facilities, catering a population of 76172 (approx). It was started in 1961, by the mpl itself. The said facility was not created under schemes like CUDP, IPP, etc. It does not get any O&M fund from SUDA, but some financial assistance was given through SUDA under strengthening of MH services by DHFW, Basic minimum services by Deptt of MA and also from KUSP for procuring different items towards strengthening of hospital services.

### IN-PATIENTS DEPTT

\*The indoor is having a number of beds and 3 nos of operation theatres which are well equipped, hygienic, spacious and airy. Out of the 3 OTs, 2 are major in which operations like hysterectomy, caesarean section, myomectomy, fissurectomy etc are done, and another 1 is a minor OT, where lap ligation is done. Both the two major operation theatres are equipped with all the necessary equipments including 2 anaesthesia machines (Boyles apparatus) in working. There is no central gas supply (oxygen) supply existing in the OTs.

\*Spacious baby room present.

\*No Neonatal Care Unit present.

\*Existing manpower of the indoor deptt - 1 Resident Medical Officer, Anaesthetist 3 (on call basis) and nursing staff - 5.

\*Performance of the operation theatre for the month of April 2012 = 14 operations conducted (11 caesarean sections, 2 hysterectomy, 1 fissurectomy)

### DIAGNOSTIC CENTRE

| Deptts.                 | Manpower                        | Performance in the month of April 2012 (No. of cases) |
|-------------------------|---------------------------------|---|
| Pathology & Haematology | Lab technician 3, pathologist 1 | 260   |
| Digital x ray           | Technician 2, radiologist 1     | 250   |
| USG WITH Color doppler  | Sonologist 1                    | 80  |
| ECG                     | ECG Technician 2                | 60  |

### ESOPD

The specialist clinics namely orthopaedics, Dental, ENT, Medicine, Dermatology, Eye, & G&O respectively.

The ESOPD also runs an Immunization clinic once in a week for pregnant mothers and children.



Dr. S. Basu  
A.P.O

Date, 17/5/2012

Report on the specification of Anaesthesia machine for  
Konnagar Matrisadan submitted by the chairman,  
Konnagar Mpi

After going through the said proposal regarding the Anaesthesia workstation, the following points were noted :-

- 1) The setup is with an integrated ventilator and is having a highly advanced technology, usually applicable in big setups like medical institutions and multi-disciplinary hospitals.
- 2) As regards gas delivery system, it is gathered that the teaching medical colleges and private hospitals are equipped with a central gas supply for oxygen only, not with other 2 gases i.e.  $N_2O$  and air. Hence, pipeline connections for all three gases may need clarification from the ULB.
- 3) The incidence of cardiac depression, bradycardia and arrhythmias are minimal during induction and maintenance of anaesthesia by sevoflurane, but the higher cost of sevoflurane restrains its use in all teaching and non-teaching govt. hospitals, and isoflurane is the drug of choice here.
- 4) The ULB is requested to provide a record of the number of surgical and non-surgical cases admitted in the Matrisadan and the type of operations done in the theatres (O.T) daily for this FY 2011-2012.

Dr S. Basu.  
A.P.O.

23/4/2012.

**GOVERNMENT OF WEST BENGAL  
DEPARTMENT OF MUNICIPAL AFFAIRS  
WRITERS' BUILDINGS, KOLKATA-1.**

No.244/MA/C-10/3S-40/2009.

Dated, Kolkata, the 14<sup>th</sup> March, 2012.

From: Shri B.C. Patra,  
Joint Secretary to the  
Government of West Bengal.



PO (H)  
19/3/12

To : The Chairman,  
Konnagar Municipality,  
73, G.T.Road(West),  
Konnagar, Hooghly,  
Pin - 712 235.

**Sub : Procurement of machineries/equipments for Konnagar Municipality.**

Sir,

I am directed to refer to your letter No.PWD/14/Hospital/2086 dated 22.02.2012 on the subject stated above and to request you to send your views alongwith lists of equipments to be procured through SUDA & further action will be taken by this Department after SUDA certify the claim of the Municipality.


Yours faithfully,

Sd/- B.C. Patra  
Joint Secretary  
to the Govt. of West Bengal

No.244/1/MA/C-10/3S-40/2009.

Dated, Kolkata, the 14<sup>th</sup> March, 2012.

Copy forwarded for information to the Director, SUDA with reference to his letter No.SUDA-Health/124/08/331/ dated 01.03.2012.

  
Joint Secretary  
to the Govt. of West Bengal

**SUDA**

**STATE URBAN DEVELOPMENT AGENCY**

**HEALTH WING**

**"ILGUS BHAVAN"**

**H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

**Ref No. SUDA-Health/124/08/331**

**Date .....01.03.2012**

**From : Director, SUDA**

**To : Sri B.C. Patra  
Jt. Secretary  
Department of Municipal Affairs  
Writers' Building.**

**Sub. : Procurement of X-ray Machine with motorised table and Datex Ohmada  
9100 Anaesthesia Machine for Konnagar Municipality.**

**Sir,**

With reference to your communication vide no. 32/MA/C-10/3S-40/2009 dt. 11.01.2012, on the subject mentioned above, I am to enclose further communication of the Chairman, Konnagar Municipality vide no. PWD/14/Hospital/2086 dt. 22.02.2012 which speaks for itself.

To get an idea on total requirement of equipment for Maternity Home and Diagnostic Centre, the ULB may be asked to submit the said requirement as well as the list of existing equipment including the items under procurement process, if any, for tracking the process regarding requirement vis-à-vis approval of the items.

Thanking you.

Yours faithfully,

**Encl. : As stated.**

  
**Director, SUDA**

**OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR**

**73, G.T.ROAD (W), KONNAGAR (Pin.712235), HOOGHLY, WEST BENGAL**

*Sri Bappaditya Chatterjee*

Chairman

Ref no :- PWD/14/Hospital/2086

Office :-2674-0210/2123

Fax :-2674-0210

Dated: - 22-02-2012

To  
Shri B.C.Patra  
Joint Secretary to the Govt. of West Bengal  
Kolkata

Sub:- Procurement of X-Ray machine with motorized table, Datex Ohmeda 9100 Anesthesia & Lilac made Lumax-ClIA ( Pathological ) machine for Konnagar Municipality

Ref:-Your letter no-32/MA/C-10/3S-40/2009 Dated 11.01.2012

Sir  
This is to bring your attention that a digital X-Ray machine had already been allotted by 'Directed' SUDA under BMS vide letter no SUDA-Health/547Pt/11/282 (124) Dt.10.01.12 for Konnagar Matrisadan-O-Sishumongal Pratisthan. Hence, further Procurement of Digital X-Ray machine will not be required at this stage.

Instead of procurement the same one no Lilac made Lumax-ClIA ( Pathological ) machine is urgently required as per requisition placed by concerned Doctor (Pathologist) in this regard, Photocopy of the same is attached here with consideration Estimate pries 6 (Six) Laths  
In this connection it may be intimated that one no of Anesthesia machine is very mach required for Konnagar Matrisadan-O-Sishumongal Pratisthan for smooth running 3 Nos. OTs  
This is also to inform you that there is only one Antithesis machine (Boyels Apparatus) which is not sufficient to run even 2 Nos.at a time

Under such circumstances, I would like to request to accord approval for procurement of the both machine.

Please consider the same and do what is necessary in this regard.

Thanking you,


Yours faithfully,



Chairman


Konnagar Municipality

Copy to:-Director, SUDA



Chairman

Konnagar Municipality





30/1/12

TO

the Chairman  
Konnagar Municipality.  
Konnagar District.

Sir,

Sub: Requirement of  
CLIA Instrument  
in Konnagar Matri  
Sudam - o - Sishu  
Mangal Pratishthan  
Laboratory.

For better performance of clinical laboratory tests, like hormone assays, Cancer marking test, & others, the above mentioned machine is need of the hour. If these tests are implemented people around Konnagar will be highly benefited.

I feel CLIA machine is best suited for this purpose and hereby recommend for the use of the same in our laboratory.

I have gone through the details specification of the same and the opinion is satisfactory.

Yours truly

Dr. M.L. Chatterjee  
MBBS, D.T.M&H, D.D.V  
Pathologist

Pathologist

Dr. M.L. Chatterjee

MBBS, D.T.M&amp;H, D.D.V, FIAP (Cat)



GOVERNMENT OF WEST BENGAL  
DEPARTMENT OF MUNICIPAL AFFAIRS  
WRITERS' BUILDINGS, KOLKATA-1.

No.32/MA/C-10/3S-40/2009

Dated, Kolkata, the 11<sup>th</sup> January, 2012.

From: Shri B.C. Patra,  
Joint Secretary to the  
Government of West Bengal.

PO (H)  
19/1/12

To : The Director, SUDA,  
ILGUS Bhavan, H.C. Block, 2nd Floor,  
Salt Lake City, Sector-III, Kolkata - 700 106.

Sub : Procurement of X-ray machine with motorized table and  
Datex Ohmeda 9100 Anesthesia for Konnagar Municipality.

Sir,

I am directed to enclose a copy of Memo. No.Admn/13/1401 dated 16.11.2011 alongwith its enclosures on the subject stated above and to inform you that in terms of this Department's G.O. No.188/MA/P/C-10/1G-9/2009(FS) dated 31.10.2011, an amount of Rs.18,99,000/- was sanctioned in favour of Konnagar Municipality for procurement of equipment & furniture which includes a Digital X-ray machine at an estimated cost of Rs.11,51,000/-.

Now the Chairman of the said Urban Local Bodies has again requested this Department for procurement of a siemens make 500 mA X-ray machine with motorized table under buy back of old machine & also for purchasing Datex Ohmeda 9100 Anesthesia system at a self estimated total cost of Rs.18,00,000/-.

In the circumstances, I am directed to request you to offer your opinion regarding exchange of old X-ray machine & procurement of motorized table including Datex Ohmeda 9100 Anesthesia system.

Yours faithfully,

The chairman vintw. 2 21/1/12  
on the issue. He will send  
clarification later on.  
13.2.12

  
Joint Secretary  
to the Govt. of West Bengal

33-48/09

K/741/1391/CMO  
23/11



**KONNAGAR MUNICIPALITY**  
**OFFICE OF THE MUNICIPAL COUNCILLORS**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL**

Phone Office: 2674-0210, 2674-2123  
2674-1250(IT Department)  
Residence : 2674-5300  
Ambulance : 2674-7545  
Hospital : 2674-7740

Fax: 2674-0210  
E-mail : [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com)  
Website : [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)

(K) 23.11.11

Memo no: -Admn/13/1401

Dated: - 16/11/2011

To  
The Hon'ble Chief Minister  
Government of West Bengal  
Writers Building  
Kolkata - 700 001



2-5 to MSU MA & VD  
..... May Kindly  
like to see 22/11  
TAPAS CHOWDHURY  
W.B.C.S.(Exe.)  
P.S to Hon'ble C.M.


Sub.- Submission of D.P.R. on Procurement of One no Siemens make 500 mA X-Ray Machine with Motorized Table & One no. Datex Ohmeda 9100 Anesthesia for Konnagar Matrisadan - O - Sishu Mongal Prathisthan.

Madam,

I am submitting herewith a D.P.R. (Detailed Project Report) on procurement of 01 (One) no. of Siemens makes 500 mA X-Ray Machine with Motorized Table & 01 (one) no. Datex Ohmed 9100 Anesthesia System for Konnagar Matrisadan - O - Sishumongal Prathisthan along with required technical specifications and financial estimates (Part - C & D) respectively. Please consider the same and do what is necessary in this regard.

With thanks

Yours faithfully

  
Chairman  
Konnagar Municipality  
- 16/11/11

# পৌর সদস্যগণের কার্যালয়, কোন্নগর

৭৩, জি.টি.রোড (ওয়েস্ট), কোন্নগর, (পিন: ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ

শ্রী বাপ্পাদিত্য চ্যাটার্জী

পৌরপ্রধান

অফিস : ২৬৭৪-০২১০/২১২৩

এ্যাম্বুলেন্স : ২৬৭৪-৭৫৪৫

হসপিটাল : ২৬৭৪-৭৭৪০


ফ্যাক্স : ২৬৭৪-০২১০(অফিস)

স্মারক সংখ্যা .....

তারিখ ২৭.০৫.২০১১


২৬শে মে ২০১১ তারিখ, বৃহস্পতিবার বিকাল ৪টায় পৌরভবনে অনুষ্ঠিত কোন্নগর পৌরসভার কাউন্সিলরগণের সাধারণ সভার কার্যবিবরণীর উদ্ধৃতাংশ।

৭। ডা: এন.কে.বর্মণের প্রতিবেদনের পরিপ্রেক্ষিতে পৌরপ্রধান জানান, সাংসদ যথাংশের অর্থে ক্রয় করা মাতৃসদনের এক্সরে মেসিনটি কিছুদিন যাবৎ সঠিকভাবে কাজ না করায় নতুন মেসিন ক্রয় করার প্রয়োজন হয়ে পড়েছে। সেই কারণে মাতৃসদনস্থ এক্সরে বিভাগের প্রয়োজনে পুরাতন মেসিনটি exchange করত: আধুনিক উচ্চক্ষমতা সম্পন্ন সিমেস কোম্পানীর এক্সরে মেসিন (৫০০ এমএ) ক্রয় করার সিদ্ধান্ত হয়।

  
স্বা: পৌরপ্রধান

কোন্নগর পৌরসভা।

এতদ্বারা শংসিত করা যাচ্ছে যে, উপরোক্ত উদ্ধৃতিটি গত ২৬/০৫/২০১১ তারিখে অনুষ্ঠিত কোন্নগর পৌরসভার কাউন্সিলরগণের সাধারণ সভার কার্যবিবরণীর যথার্থ উদ্ধৃতাংশ।

  
পৌরপ্রধান

কোন্নগর পৌরসভা।

**পৌর সদস্যগণের কার্যালয়, কোন্নগর**

৭৩, জি.টি. রোড (ওয়েস্ট), কোন্নগর (পিন : ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ

**বাস্পাদিত্য চ্যাটার্জী**  
পৌর প্রধান


অফিস : ২৬৭৪-০২১০/২১২৩/৯৫৯৮/৭৩৭৬  
এ্যাড্‌বেলেন্স : ২৬৭৪-৭৫৪৫  
হসপিটাল : ২৬৭৪-৭৭৪০  
ফ্যাক্স : ২৬৭৪-০২১০ (অফিস)

স্মারক সংখ্যা .....


তারিখ ২৫/৭/২০১১

২৫শে জুলাই ২০১১ সোমবার বিকাল ৪টায়  
পৌরভবনে অনুষ্ঠিত কোন্নগর পৌরসভার কাউন্সিলরগণের সাধারণ  
সভার কার্যবিবরণীর উদ্ধৃতাংশ।

.....  
পৌরপ্রধান বলেন, মাতৃসদনের প্রসূতি বিভাগের প্রয়োজনে  
ডেটেক্স ওমেডা কোম্পানীর নির্মিত গর্ভবতী মহিলাদের অজ্ঞান করার  
যন্ত্র ক্রয় করা হবে।

  
স্বাঃপৌরপ্রধান  
কোন্নগর পৌরসভা।

এতদ্বারা শংসিত করা যাচ্ছে যে, উপরোক্ত  
উদ্ধৃতিটি গত ২৫/০৭/২০১১ তারিখে  
অনুষ্ঠিত কোন্নগর পৌরসভার কাউন্সিলরগণের  
সাধারণ সভার কার্যবিবরণীর যথার্থ উদ্ধৃতাংশ।

  
পৌরপ্রধান  
কোন্নগর পৌরসভা

Detailed Project Report (DPR)

On

Support to Health Sector

*Konnagar Municipality*

*Component: Local Economic Development*

*Sub component: Support to Health Sector*

Procurement

of

One no. Siemens make 500mA X-Ray

Machine with Motorized Table

&

One no. Datex Ohmeda 9100

Anesthesia System

For

Konnagar Matrisadan-o-Sishumongal Pratisthan

*[Signature]*

*Dr. Soumen Das*  
MBBS (Cal., DSO)

*Secy,*

*[Signature]*  
Chairman  
Konnagar Municipality

*[Signature]*

**CONTENTS**

- Part A: Organisational Profile**
- Part B: About the Fact and Implementation Schedule**
- Part C: Tentative technical specification of the asset**
- Part D: Financial Estimates**

*[Handwritten mark]*

*Seen,*

*[Signature]*  
Chairman  
Konnagar Municipality

*[Handwritten mark]*

**PART "A": ORGANISATIONAL PROFILE**

|  |   |   |
|--|---|---|
| <i>Name of the ULB: KONNAGAR MUNICIPALITY</i>                                  |   |   |
| <i>Name of the key person (only 1) for the project</i><br><i>Dr.Soumen Das</i> | <i>Designation: R.M.O</i>                           |   |
|  | <i>Tel No.:033-26747740</i><br><i>9831633173(M)</i> |   |
| <i>Any network partner to be involved:</i>                                     | <i>Yes</i>  | <input checked="" type="checkbox"/> <i>No</i> |

*Dr*

*Sem,*

*[Signature]*  
Chairman  
Konnagar Municipality

*ll*



**PART B: About the fact and Implementation methodology**

Duration of the Project: 1 month

**Executive Summary:**

Konnagar Matrisadan-o-Sishumongal Pratisthan is very old health service provider under the jurisdiction of Konnagar Municipality, especially in the field of Maternity services and very recent well equipped I.C.C.U like Colour Doppler Machine, Diathermy Instrument, C-Arm Machine, Laparoscopic Surgical Instruments etc.

The core objective behind procurement of such assets are to deliver better and modernised health service in uninterrupted and eco-friendly environment.

**Target group (including number of beneficiaries):** Approximately 20 no. of Patients from various segments of the economy, especially those persons residing at the jurisdiction of Konnagar Municipality are got reported through such X-Ray Machine, whereas approximately 30 no. of maternity delivery cases are operated on a monthly basis and will directly be associated with such anaesthesia machine.

**Objectives:**

Part 1- Konnagar Matrisadan-o-Sishumongal Pratisthan, had Procured One no. X-Ray Machine in the F.Y.1997-98 out of MPLAD fund and such machine is being run till the date.

Due to normal wear and tear and scheduled obsolescence such fixed asset had been got depreciated @10% per annum fetching written down value(W.D.V.) at Re.1 based on generally accepted accounting principles, reflection of the same has been attached herewith as Abstract of Fixed Asset Schedule as required to prepare Balance Sheet of ULB each and every financial year, a copy of the details calculation is attached herewith.

Not only such X-Ray machines carry huge operation and maintenance cost but also fails to support e-mode (computerised) modern operation.

So keeping the view of the abovementioned fact Councillors of Konnagar Municipality had decided in the meeting dated 27.05.2011 to procure one no. digital with Advanced technology with high frequency X-Ray machine from Siemens Ltd. (Detailed technical specification is annexed in separate sheet) in exchange of the old existing X-ray Machine under the scheme of Buy Back option, a copy of resolution of Such Board meeting is attached herewith.

Being funded by Hon'ble the then M.P., it was required to get approved by Dist. Magistrate for such disposal and prayer letter for sanction has been already made on 15.06.2011 vide letter no. Admn/13/371 dt.15.06.2011 for concurrence.

*Dr. Sushanta Das*  
MBBS (Gen. DG)

*Chairman*  
Konnagar Municipality

*Lg*

**Part-2**

Konnagar Matrisadan is a premier Maternity Hospital for Antenatal care. During operation session it has been observed that over or under anaesthesia can cause a death to the mothers. Keeping in the view of the same and to maintain the required flow of Anaesthesia, procurement of one no. anaesthetic machine is highly required.

The anaesthetic machine (or anesthesia machine in America) is used by anaesthesiologists and nurse anaesthetists to support the administration of anaesthesia. The most common type of anaesthetic machine in use in the developed world is the continuous-flow anaesthetic machine, which is designed to provide an accurate and continuous supply of medical gases (such as oxygen and nitrous oxide), mixed with an accurate concentration of anaesthetic vapour (such as isoflurane), and deliver this to the patient at a safe pressure and flow. Modern machines incorporate a ventilator, suction unit, and patient-monitoring devices.

The original concept of Boyle's machine was invented by the British anaesthetist H.E.G. Boyle in 1917. Prior to this time, anaesthetists often carried all their equipment with them, but the development of heavy, bulky cylinder storage and increasingly elaborate airway equipment meant that this was no longer practical for most circumstances. The anaesthetic machine is usually mounted on anti-static wheels for convenient transportation.

*Dr.*

*Dr. Soumitra Das*  
MBBS (Cal), DGO.

*Seem*,  
Chairman  
Konnagar Municipality

*Jh*

|    | Activity                                 | Sub-Activity  | Responsibility                                 | Timeline |          |
|----|--|---|--|----------|----------|
|    |  |   | ULB  | Q2       | Q3       |
| 1. | Programme Initiation                     | Govt. Order (G.O.) for procurement of the asset   | P.W.D and Health wing of Konnagar Municipality | Aug. 11  |          |
|    |  | Application of Standard and prescribed Procurement norms (N-I-Q, Work order etc.)   | P.W.D and Health wing of Konnagar Municipality | Aug. 11  |          |
|    |  | However, the authority keeps every right to reject or cancel the least quotation without assigning the reason thereof.  | Chairman, Konnagar Municipality                | Aug. 11  |          |
| 2. | Execution of procurement work            | Procurement will be based on weighted average score of technical, financial and vendors credibility in the public sector in the ratio of (40:30:30) respectively. | P.W.D and Health wing of Konnagar Municipality | Aug. 11  |          |
| 3. | Installation of the asset for put to use | After procurement of the same, installation along with required civil and mechanical work will be done at location AND U.C will be                                | P.W.D and Health wing of Konnagar Municipality |          | Sept. 11 |

*Dr. Saurabh Das*  
 EAO (Gen. DG-2)

*Chairman*  
 Konnagar Municipality

*Handwritten mark*

Part C: (i) Technical Specification for one no. Siemens make  
500mA X-Ray Machine with Motorized Table

*X-Ray Generator:-*

1. 500mA Two-Pulse X-Ray Generator
2. Rating : 500mA at 125kV (40kW).
3. Fluoroscopic Voltage : Adjustable from 40kV to 90kV in steps.
4. Radiographic Voltage : 36kV to 125kV in steps.
5. Exposure Time : 10ms to 5secs in steps.
6. Serialography : 6 films per sec. max
7. X-Ray Tube : One No. Rotating Anode 20/40 kW BEL Tube.
8. Rapid breaking system for rotating anode tube should be provided for increasing X-Ray tube life.
9. LED Display of mA and kV and immediate compensation and display of mAs digitally must be there on the X-Ray control.
10. LED Display of mAs value must be provided.
11. Fluoroscopic time totaliser should be provided.
12. The machine must have 2 focal spots with minimum 1.2 mm.

*Diagnostic Table:-*

1. It should be a motor driven table of + 90° to -12° trendelenberg position and should be capable of taking an undertable tube and the mounting of a 9 inch Image Intensifier TV System without any ceiling attachment, with easy patient handling.
2. Fixed or optimally extra motor driven longitudinal excursion of



Dr. Somen Das  
MBBS (CMI), DGO

Secy,


  
Chairman  
Konnagar Municipality


table top (+40 cm)

3. Stain free laminated table top
4. Electromagnetic locking of spot film device.
5. Sliding diaphragm plate for 2:1 exposure
6. Snap on compression cone for 4:1 exposure
7. Right hand loading of cassette in spot film device
8. Efficient bucky with a superfine grid of 10:1 or 6:1 with 100 lines/inch to produce an excellent image quality.
9. Sliding chest guard
10. Fully counterbalanced bucky cabinet with electromagnetic brakes

Spot film device :-

1. Lateral parked position of spot film device
2. Semi-automatic Explorer H. Cassette loading on right, manual cone/diaphragm plate travel, stationary grid 6:1, 40 lines per cm (100 lines per inch) at 70 cm focus, motor driven collimator, full field beam indicator
3. Spot film device should be of 60 cm longitudinal, 25 cm transverse and 30 cm compression

*Sm*

Dr. Soumen Das  
MBBS (Gen), DGO

*Sen,*

Chairman  
Konnagar Municipality

*Se*

Part C: (ii) Datex Ohmeda 9100 Anaesthesia System

*Separately annexed along with concerned expert's recommendation*

*Seen*  
Chairman  
Konnagar Municipality

*J.S.*



# Konnagar Matrisadan-O-Sishu Mangal Pratisthan

(Managed by Konnagar Municipality)  
1, C. S. Mukherjee Street, Konnagar (Hooghly)  
Phone : 2674-7740

13

Ref. No. ....

Date 23/8/21

To whom it may concern

This is to inform that Datex Ahmed 9100 Anesthesia System is a well functioning anesthesia delivery machine which has no adverse report against it.

Debarika Bhar  
MD (Anesthesia)

Sena  
Chairman  
Konnagar Municipality

Jr.

# Datex-Ohmeda 9100 Anaesthesia System

From the Datex-Ohmeda family we now bring you the new 9100 Anaesthesia System, an affordable solution with uncompromising safety, proven technology, superior performance and unmatched reliability. Now you have a chance to migrate to greater level of clinical performance with low flow capability, superior ventilation and safer delivery of anaesthesia, ensuring higher standard of patient care.

## Features:

- Integrated Ventilator
- Volume Controlled Ventilation
- Integrated Compact breathing system
- Latex-free and autoclavable bellows
- Compact autoclavable sodalime canister
- Color LCD Display
- Twin Cascaded Flowmeters with mechanical hypoxic guard
- Audio Visual alarms
- Pressure, Volume & FiO<sub>2</sub>% Monitoring
- Airway Pressure Gauge
- Airway Pressure & Flow Waveforms
- Monitor shelf
- Quick changeover from mechanical to manual Ventilation
- Compatible with open and semi-closed circuits
- Three drawers
- Selectatec mounting of upto two vaporizers
- Pull Handle



*Sen,*  
Chairman  
Konnagar Municipality

*Se*



**Technical Specifications:**

**Name:**

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| Dimension                             | W808 X D729 x H1395 cms              |
| Weight                                | 120 Kgs                              |
| Oxygen Failure Supply Alarm           | O2 supply stops by less than 220 Kpa |
| O2 and N2O Flow Tubes                 | Dual Cascaded                        |
| O2 Flow range                         | 0.1 ~ 10 L/min                       |
| N2O Flow Range                        | 0.1 ~ 10 L/min                       |
| N2O Cut off system and alarm function | Yes                                  |
| Vaporizer positions                   | 2, Selectatec type                   |
| Number of Drawers                     | 3                                    |
| Pin Indexed Yoke                      | 1 x O2 , 1 X N2O                     |

**Ventilator:**

|                          |   |
|--------------------------|---|
| Type                     | Integrated  |
| Drive method             | Proportional solenoid valve by electronic control |
| Vent type                | Rising bellows                                    |
| Vent mode                | Volume Controlled/Manual                          |
| Tidal Volume             | 50 ml ~ 1500 ml                                   |
| Rate                     | 4 ~ 60/min  |
| I:E Ratio                | 2:1 to 1:5  |
| Inspiratory flow( l/min) | 2 ~ 70L/min, mechanically adjusted                |
| Backup battery           | Yes, (8 hr)                                       |
| Type of Display          | Color LCD   |

**Monitoring**

Tidal Volume, Minute Volume, Respiratory Rate, Airway pressure, FiO2%, Flow Curve, Pressure Curve

**Carbon dioxide absorbent canister**

800mL

**Safety function**

Mechanical Hypoxic Guard to ensure 25% O2 Concentration

**Sterilization of respiratory circuit**

Yes

GE Healthcare - South Asia:  
 4, Kadugodi Industrial Area,  
 Bangalore 560 067, India  
 Tel: 91-80-2845 2923/25/26  
 Fax: 91-80-2845 3369  
 e-mail: munta.sureshbabu@med.ge.com

[www.gehealthcare.com](http://www.gehealthcare.com)



GE imagination at work

*[Handwritten signature]*

*[Handwritten signature]*  
 Chairman  
 Kannagar Municipality

*[Handwritten signature]*

Part D:

Financial Estimates:

| Sl.No | Particulars   | Unit Required | Amount(Rs. in Lac)                |
|-------|---|---------------|-----------------------------------|
| 1.    | Siemens make 500mA X-Ray Machine with Motorized Table | 1 (One)       | 7.00                              |
| 2.    | Datex Ohmeda 9100 Anaesthesia System                  | 1 (One)       | 11.00                             |
|       | TOTAL   |               | 18.00 Lac<br>(Eighteen Lac appx.) |

*[Handwritten mark]*

*[Faint stamp: Dr. Suman Das]*

*[Signature]*  
Chairman  
Konnagar Municipality

*[Handwritten mark]*

Fixed Asset Schedule to Balance Sheet

**Konnagar Municipality**  
**Medical Equipment as on 31.03.2010**

| Date         | Area       | Asset                          | Fund     | Amount/(Rs.)   | Age as on 31.03.2010(Years) | Depreciation Rate | Accumulated Depreciation as on 31.03.2010 (Rs.) | W.D.V as on 31.03.2010 (Rs.) |
|--------------|------------|--------------------------------|----------|----------------|-----------------------------|-------------------|---|------------------------------|
| 25.3.01      | Martisadan | Volras A.C.-2pcs               | BEUP     | 49660          | 9.5                         | 10%               | 47177   | 2483                         |
| 21.1.97      | Martisadan | X-ray                          | IPPVIII  | 700000         | 13.5                        | 10%               | 699999  | 1                            |
| 26.6.97      | Martisadan | X-ray, Sonolite*****           | IPPVIII  | 1000000        | 13                          | 10%               | 999999  | 1                            |
| 18.11.99     | Martisadan | Defibulator                    | IPPVIII  | 85000          | 10.5                        | 10%               | 84999   | 1                            |
| 22.6.01      | Martisadan | Infusion pump                  | IPPVIII  | 346007         | 9                           | 10%               | 311406  | 34601                        |
| 17.2.98      | Martisadan | X-ray camera                   | KMSMF    | 100000         | 12.5                        | 10%               | 99999   | 1                            |
| 14.3.01      | Martisadan | Small ventilator               | KMSMF    | 84150          | 9.5                         | 10%               | 79943   | 4208                         |
| 24.3.01      | Martisadan | Defibulator                    | KMSMF    | 1200137        | 9.5                         | 10%               | 1140130   | 60007                        |
| 23.9.00      | Martisadan | Diathermy Phototherapy         | MPLAD    | 739500         | 10                          | 10%               | 739499  | 1                            |
| 22.10.00     | Martisadan | Medical Equipment / Jr Matress | MPLAD    | 50310          | 9.5                         | 10%               | 47795   | 2516                         |
| 22.10.90     | Martisadan | Medical Equipment              | MPLAD    | 60220          | 9.5                         | 10%               | 57209   | 3011                         |
| 11.3.01      | Martisadan | Medical Equipment              | MPLAD    | 248194         | 9.5                         | 10%               | 235784  | 12410                        |
| 2.2.01       | Martisadan | Elect Equip.                   | MPLAD    | 48470          | 9.5                         | 10%               | 46047   | 2424                         |
| 1.2.01       | Martisadan | E.C.G. Machine                 | MPLAD    | 41600          | 9.5                         | 10%               | 39520   | 2080                         |
| 2.2.01       | Martisadan | Big Ventilator                 | MPLAD    | 240240         | 9.5                         | 10%               | 228228  | 12012                        |
| 1.8.01       | Martisadan | ICCU Bed with Saline Stand     | MPLAD    | 195830         | 9.5                         | 10%               | 186039  | 9792                         |
| 22.5.01      | Martisadan | Oxygen concentrator            | MPLAD    | 370600         | 9                           | 10%               | 333540  | 37060                        |
| 31.8.01      | Martisadan | Maternity Equipment            | MPLAD    | 8667           | 9                           | 10%               | 7800  | 867                          |
|              |            | Volras A.C.-2pcs               | MPLAD    | 62900          | 9                           | 10%               | 56610   | 6290                         |
| 11.06.2005   | Martisadan | Health Equipment               | KUSP     | 26706          | 5                           | 10%               | 13350   | 13350                        |
| 11.06.2005   | Martisadan | Health Equipment               | KUSP     | 22932          | 5                           | 10%               | 11466   | 11466                        |
| 01.03.2006   | Martisadan | Health Equipment               | KUSP     | 81348          | 4.5                         | 10%               | 36607   | 44741                        |
| 02.03.2007   | Martisadan | Colour Dopler                  | MPLAD    | 300000         | 3.5                         | 10%               | 105000  | 195000                       |
| 19.12.2006   | Martisadan | Colour Dopler                  | 11TH FC  | 1000000        | 4                           | 10%               | 400000  | 600000                       |
| 25.07.2007   | Hospital   | Equipment                      | Hospital | 10000          | 3                           | 10%               | 3000  | 7000                         |
| 27.12.2007   | Maternity  | Equipment                      | Hospital | 39000          | 2.5                         | 10%               | 9750  | 29250                        |
| <b>Total</b> |            |                                |          | <b>6211465</b> |                             |                   | <b>5120895</b>                                  | <b>1090570</b>               |

Dr. Chaitanya Kumar  
 MBBS (C.M.B.)

Chairman  
 Konnagar Municipality

Handwritten signature

**SUDA****STATE URBAN DEVELOPMENT AGENCY****HEALTH WING  
"ILGUS BHAVAN"****H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

Ref No. ...SUDA-Health/124/08/409

Date .....11.02.2011

**From : Director, SUDA****To : Dr. Kallol Kr. Mukherjee  
Jt. Secretary  
Dept. of Municipal Affairs  
Writers' Building.****Sub. : Policy decision regarding retirement age of Health functionaries under  
different Urban Health Programmes.**

Sir,

Enclosed kindly find herewith a copy of letter of the Chairman, Konnagar Municipality bearing no. Admn/28/1949 dt. 05.02.2011.

The Chairman in his letter has stated that some of Health Workers of his Municipality working under CUDP III and IPP-VIII are not performing assigned duties satisfactorily due to over age or ill health and short direction in this regard.

Incidentally it may be mentioned that policy decision on the issue of retirement age of Health functionaries has already been forwarded vide this office memo no. SUDA-Health/107/08/86 dt. 18.06.2010 to the Dept. of Municipal Affairs, a copy of which enclosed for ready reference.

An early decision on the above mentioned issue may kindly be communicated so as to enable us to take further action.

**Enclo. : As stated.**


Yours faithfully,

  
**Director, SUDA**

Dt. .. 11.02.2011

SUDA-Health/124/08/409/1(1)

CC

**Chairman, Konnagar Municipality**  
**Director, SUDA**

**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL.**

**Sri Bappaditya Chatterjee**  
**Chairman**

Ref.No. AMM/28/1949

Date :05.02.2011

To  
The Director,  
State Urban Development Agency  
Health Wing,  
ILGUS BHABAN,  
H.C. Block, Sector-III,  
Bidhannagar, Kolkata-91.



Sir,

This is bring to your kind notice that some Health Workers of our Municipality both in CUDP-III & IPP-VIII are not working satisfactory due to their over age or ill health.

As a result the Health programme of our Municipality has been suffering. In this circumstances may I request you kindly give us proper direction in this matter.

It will be better if you kindly allow us to replace those Health Workers as per your directive.

A line in confirmation is solicited.

Thanking you,

Yours sincerely,

  
Chairman  
Konnagar Municipality

Phone Office: 2674-0210, 2674-2123  
Phone Hospital: 2674-7740  
E-Mail [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com)

Fax: 033-2674-0210  
Phone Ambulance & Water Works: 2674-7545  
Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)

Enclosed kindly find herewith copy of  
the Chitama, Kenyan Mpe Beauty no  
Admn /28/A49 dt. 05.02.11, which speaks  
for itself.

This is to state that guideline  
for fixing retiring age of health  
workers had been sought for from  
the Dept. of MA, vide this office  
earlier comm. bearing no. . . .  
dt. . . . Copy enclosed for  
ready reference.

You are requested to look into  
this matter at the earliest.

Y. S.

D. . .

জাননী  
 সৌখিন  
 গুজলী মুখা সৌখিন  
 পিছুলাতি, গুজলী  
 তার - 08/01/2011



Approved  
 C.E.M  
 10/1/11  
 Approved 25/1/11  
 B.O.C. No. 31/1/11

22  
 10/1/11

বিষয় - আমাকে নতুন মাদ সড়ার জন্য আবেদন করা

জাননী মহাশয়,

আপনার সঙ্গে আমার বিনীত মিত্রের এই যে আমি  
 কুমারী সীমা সার পিতা শ্রী বিজয় মুখা সার, ১ নং কাপাসাওয়া কলোনি,  
 গুজলী মুখা সৌখিনের ওয়ার্ড ৮ নং ওয়ার্ডে বসবাস করি, তাই আমি আমার  
 সৌখিনের I.P.P. VIII (H.P) এর একজন GDA হিসাবে অবদান  
 ESOPD এর কাজে নিয়োজিত হইলাম, এক GDA এরই বেতন পেয়েছিলাম,  
 পরবর্তীকালে আমাকে GDA থেকে সরিয়ে Sweeper হিসাবে রাখা হয়  
 এক Sweeper এর বেতন দেওয়া হয় কোনো কারণে বন্ধ হইল, তাই  
 মহাশয় আপনার সঙ্গে আমার বিয়ের অনুষ্ঠান আমাকে-মু. গোলাপওয়াল  
 দেওয়া হইল।

আমাকে মহাশয় আমার অনুষ্ঠানটিকে বাদিয়া আমায়

উপকৃত করিবেন।

স্বাক্ষর - Mina Das

এই মর্মে  
 GDA এর  
 ২৫/১/১১  
 মিনা দাস  
 ২৫/১/১১

**SUDA**

**STATE URBAN DEVELOPMENT AGENCY**

**HEALTH WING  
"ILGUS BHAVAN"**

**H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

**Ref No. SUDA-Health/109/08/395**

**Date .....28:01:2011**

**From : Director, SUDA**


**To : The Chairman  
Konnagar Municipality**

**Sub. : Filling up of vacant posts under CUDP III & IPP-VIII,  
Konnagar Municipality.**

**Sir,**

With reference to your communication bearing no. Admn/28/SUDA/1761 dt. 05.01.2011, this is to inform you that the matter has already been referred to the Dept. of Municipal Affairs for issuance of necessary guidelines in this regard.

Yours faithfully,



**Director, SUDA**



**SUDA**

# STATE URBAN DEVELOPMENT AGENCY

HEALTH WING

"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. ~~SUDA-Health/538/09/392~~

Date .....28.01:2011

From : Director, SUDA

To : Shri M.N. Pradhan  
Joint Secretary to the  
Govt. of West Bengal,  
Department of Municipal Affairs.

Sub. : Filling up of vacant posts under IPP-VIII,  
Bhadreswar, Bhatpara and Konnagar Municipality.

Sir,

Enclosed kindly find herewith communications of the Chairman, Bhadreswar Municipality vide no. Health/9314 dt. 31.12.2010, of the Chairman, Bhatpara Municipality vide no. U-5/6081 dt. 22.01.2011 and of the Chairman, Konnagar Municipality vide no. Admn/28/SUDA/1761 dt. 05.01.2011, which speaks for itself.


This is to mention here that guideline for filling up the vacancies for different posts under different Health Programmes had been sought for from the Department vide the office memo no. SUDA-Health/538/09/533 dt. 29.12.2009 and SUDA-Health/538/09/696 dt. 15.03.2010. The guidelines are yet to be received.

You are requested to look into the matter for issuance of necessary guidelines in this regard.

Thanking you.

Encl. : As stated.

Yours faithfully,



Director, SUDA

OFFICE OF THE MUNICIPAL COUNCILLORS  
BHADRESWAR, HOOGHLY

Memo No. Health- 9314

Dated: 30.12.2010

31

From: Sri Dipak Chakrabartty  
Chairman, Bhadreswar Municipality.

To,  
The Director.  
State Urban Development Agency  
H C Block, Sector III, Salt Lake City  
Kolkata - 91

10 (H)

Urban  
✓ 317  
10 JAN 2011

Sub: Prayer for permission of filling up of the approved vacant  
Post under IPP-VIII Health Programme.

Ref: This office memo no Health - 7108 Dated on 04.10.2010


Sir,

With reference to above, I am to request you to kindly accord necessary permission  
for filling up of the posts at an early date.

1. Administrative Manager RDC.IPPVIII.
2. Urban Health Improvement Organizer (UHIO) M.Office, IPP-VIII.
3. HHW in place of FTS at Digra, Health Administrative Unit, IPP-VIII.


Thanking you,

Yours faithfully

  
Chairman  
Bhadreswar Municipality

Copy- forwarded to the Health Officer, Bhadreswar Municipality for information and  
necessary action.

Chairman  
Bhadreswar Municipality



01e

OFFICE OF THE MUNICIPAL COUNCILLORS  
BHADRESWAR, HOOGHLY

Memo No. Health-7108.

Dated: 04.10.2010

From: Sri Dipak Chakrabartty  
Chairman, Bhadreswar Municipality.

To,  
The Director.  
State Urban Development Agency  
H C Block, Sector III, Bidhannagare  
Kolkata - 91

Sub: Prayer for permission of filling up of the approved vacant  
Post under of IPP-VIII scheme.

Sir,

With reference to above, I am to request you to kindly accord approval and forward  
the Guideline for filling up of the following vacant posts under IPP-VIII scheme at an  
early date.

1. Administrative Manager RDC.IPPVIII.
2. Urban Health Improvement Officer (UHIO) M.Office, IPP-VIII.
3. HHW in place of FTS at Digra, Health Administrative Unit, IPP-VIII.


Thanking you,

Yours faithfully

*Chakrabartty* 04/10/10

Chairman

Bhadreswar Municipality



S

**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL.**

**Sri Bappaditya Chatterjee**  
**Chairman**

Ref.No. PWD 114/I.P.P-VIII/1842

Date: 17/1/11

To  
The Director, SUDA,  
ILGUS BHABAN, H.C. Block,  
Sector-III, Bidhannagar,  
Kolkata-700106.



Sub : Engagement of Staff Nurse under IPP-VIII.

Ref : Your No.SUDA-Health/124/08/276 dt.20.10.2010.

Sir,

In pursuance of the above reference this is to inform you that we have already appointed a Staff Nurse on & from 01.12.2010 under IPP-VIII according to your instruction mentioned.

In this connection please release her honorarium on & from 01.12.2010 @ Rs. 5500/- per month.

Hope this will be arranged & oblige.

ULS 1064 → PHN - Rs. 5,500/-

Yours faithfully,

  
Chairman  
Konnagar Municipality

Phone Office: 2674-0210, 2674-2123  
Phone Hospital: 2674-7740  
E-Mail [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com)

Fax: 033-2674-0210  
Phone Ambulance & Water Works: 2674-7545  
Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)

Reporting Format for Growth Monitoring of Under-Five Children

| Total No. of U-5 Children | No. of U-5 Children Weighed | No. of U-5 Children with |         |          |           | No. of Mal-nutrition cases |          |              |
|---------------------------|-----------------------------|--------------------------|---------|----------|-----------|----------------------------|----------|--------------|
|                           |                             | Normal Weight            | Gr. - I | Gr. - II | Gr. - III | Gr. - IV                   | Referred | Hospitalised |
| 3573                      | 759                         | 573                      | 118     | 55       | 11        | 2                          | -        | -            |

- Report to be submitted at two (2) monthly interval as detailed below :

| Period of Reporting    | Report to be sent by         |
|------------------------|------------------------------|
| For April - May        | 15 <sup>th</sup> of June     |
| For June - July        | 15 <sup>th</sup> of August   |
| For August - September | 15 <sup>th</sup> of October  |
| For October - November | 15 <sup>th</sup> of December |
| For December - January | 15 <sup>th</sup> of February |
| For February - March   | 15 <sup>th</sup> of April    |

- Report to be prepared at Sub-Centre Level by FTS.
- All the Under - Five children are to be weighed at two monthly interval.
- For Gr. - I & Gr. - II Mal-nutrition, necessary counselling on nutrition is to be given at Sub-Centre level and other social factors be addressed.
- Gr. III & Gr. IV Mal-nutrition cases are to be referred immediately to the specialist / hospital for taking corrective measures.

Reporting Format for Growth Monitoring of Under-Five Children

| Total No. of U-5 Children | No. of U-5 Children Weighed | No. of U-5 Children with |         |          |           | No. of Mal-nutrition cases |          |              |
|---------------------------|-----------------------------|--------------------------|---------|----------|-----------|----------------------------|----------|--------------|
|                           |                             | Normal Weight            | Gr. - I | Gr. - II | Gr. - III | Gr. - IV                   | Referred | Hospitalised |
| 3573                      | 1044                        | 820                      | 203     | 46       | 17        | 2                          | -        |              |

• Report to be submitted at two (2) monthly interval as detailed below :

| Period of Reporting    | Report to be sent by              |
|------------------------|-----------------------------------|
| For April - May        | 15 <sup>th</sup> of June          |
| For June - July        | 15 <sup>th</sup> of August        |
| For August - September | 15 <sup>th</sup> of October       |
| For October - November | 15 <sup>th</sup> of December 2010 |
| For December - January | 15 <sup>th</sup> of February      |
| For February - March   | 15 <sup>th</sup> of April         |

- Report to be prepared at Sub-Centre Level by FTS.
- All the Under - Five children are to be weighed at two monthly interval.
- For Gr. - I & Gr. - II Mal-nutrition, necessary counselling on nutrition is to be given at Sub-Centre level and other social factors be addressed.
- Gr. III & Gr. IV Mal-nutrition cases are to be referred immediately to the specialist / hospital for taking corrective measures.

**SUDA****STATE URBAN DEVELOPMENT AGENCY****HEALTH WING****"ILGUS BHAVAN"****H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091****West Bengal**

Ref No. ....SUDA-Health/124/08/324

Date .....06:12.2010

From : Director, SUDA

To : The Chairman  
Konnagar Municipality

Sub. : Filling up of vacant post of HHW.

Ref. : Your communication bearing no. Admn./28/SUDA/1553 dt. 04.12.2010.

Sir,

With reference to your communication mentioned above, you are requested to furnish the following information :

| Programme | HHW                    |                        |                |                               |
|-----------|------------------------|------------------------|----------------|-------------------------------|
|           | No. of Sanctioned Post | Actual No. in Position | No. of Vacancy | Date of occurrence of vacancy |
| CUDP III  |                        |                        |                |                               |
| IPP-VIII  |                        |                        |                |                               |

On receipt of the said information, necessary action will be taken by this end.

Thanking you.

Yours faithfully,

  
Director, SUDA

**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL.**

**Sri Bappaditya Chatterjee**  
**Chairman**

Ref No: *Adm/08/SUDA/1553*

Date:-04-12-2010

To  
The Director, SUDA,  
ILGUS BHABAN, H.C. Block,  
Sector-III, Bidhannagar,  
Kolkata-700106.

*PO (#2)  
SIL*

Sub : Filling up of vacant posts of HHW's.

Sir,

With due respect, this is to inform you that we are facing much problems in our areas due to 6(Six) posts of HHW's laying vacant.

It is decided to fill up that posts as early as possible.

Please issue orders from your ends for that posts to be filled up freshly.

Hope to be excused for the troubles.

Thanking you, .

Yours faithfully,

*S*  
Chairman

Konnagar Municipality

Phone Office: 2674-0210, 2674-2123  
Phone Hospital: 2674-7740  
E-Mail [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com)

Fax: 033-2674-0210  
Phone Ambulance & Water Works: 2674-7545  
Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)



# পৌর সদস্যগণের কার্যালয়, কোমলগর

৭৩, জি.টি. রোড (ওয়েস্ট), কোমলগর (পিন : ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ

বাপ্পাদিত্য চ্যাটার্জী

পৌর প্রধান

অফিস : ২৬৭৪-০২১০/২১২৩/৯৫৯৮/৭৩৭৬

এ্যাম্বুলেন্স : ২৬৭৪-৭৫৪৫

হসপিটাল : ২৬৭৪-৭৭৪০

ফ্যাক্স : ২৬৭৪-০২১০ (অফিস)

শ্রীমতী সীমা ঘোষ,

প্রযুক্তি: রঞ্জিত ঘোষ,

৭৬, সর্দার কৈলাশ চন্দ্র স্ট্রীট,  
কোমলগর, হুগলী।

১৫/১২/১০ তারিখ ১৩/১২/১০ তারিখ

বিষয়: আইপিপি-৮-এর স্টাফ নার্স

মহাশয়া,



এতদ্বারা আপনাকে গত ২৯/১১/২০১০ তারিখে অনুষ্ঠিত সাধারণ সভার সিদ্ধান্তের পরিপ্রেক্ষিতে আগামী ১লা ডিসেম্বর ২০১০ তারিখ থেকে কোমলগর মাতৃসদনের আইপিপি-৮ বিভাগের স্টাফ নার্স হিসাবে মাসিক ৫৫০০/- হারে সাম্মানিক প্রদানের ভিত্তিতে নিয়োগ করা হ'ল। এই প্রসঙ্গে স্মৃতব্য, উক্ত দিবস বেলা ১টায় কোমলগর মাতৃসদনস্থ আইপিপি-৮ ভবনে উপস্থিতি জ্ঞাপনের নির্দেশ প্রদান করা হচ্ছে।

পৌরপ্রধান  
কোমলগর পৌরসভা

অনুলিপি:

- ১। উপ-পৌরপ্রধান, কোমলগর পৌরসভা।
- ২। কার্যনির্বাহী আধিকারিক, এ
- ৩। অর্থ আধিকারিক, এ
- ৪। গাণনিক, এ
- ৫। চিকিৎসা আধিকারিক, মাতৃসদন
- ৬। স্বাস্থ্য আধিকারিক, এ
- ৭। উপ-স্বাস্থ্য আধিকারিক, এ
- ৮। অধিকর্তা, সুডা, ইলগাস ভবন, বিধাননগর, কোলকাতা  
মহাশয়গণের জ্ঞাতার্থে ও যথাযথ পদক্ষেপ গ্রহণার্থে।

পৌরপ্রধান।

.....**Kemmagarh**..... Municipal Corporation / Municipality

Reporting Format for Growth Monitoring of Under-Five Children

| Total No. of U-5 Children | No. of U-5 Children Weighed | No. of U-5 Children with |         |          |           |          | No. of Mal-nutrition cases |              |  |
|---------------------------|-----------------------------|--------------------------|---------|----------|-----------|----------|----------------------------|--------------|--|
|                           |                             | Normal Weight            | Gr. - I | Gr. - II | Gr. - III | Gr. - IV | Referred                   | Hospitalised |  |
| 2578                      | 884                         | 584                      | 164     | 71       | 15        | -        | -                          | -            |  |

- Report to be submitted at two (2) monthly interval as detailed below :

| Period of Reporting    | Report to be sent by                   |
|------------------------|--|
| For April - May        | 15 <sup>th</sup> of June               |
| For June - July        | 15 <sup>th</sup> of August <b>2016</b> |
| For August - September | 15 <sup>th</sup> of October            |
| For October - November | 15 <sup>th</sup> of December           |
| For December - January | 15 <sup>th</sup> of February           |
| For February - March   | 15 <sup>th</sup> of April              |

- Report to be prepared at Sub-Centre Level by FTS.
- All the Under - Five children are to be weighed at two monthly interval.
- For Gr. - I & Gr. - II Mal-nutrition, necessary counselling on nutrition is to be given at Sub-Centre level and other social factors be addressed.
- Gr. III & Gr. IV Mal-nutrition cases are to be referred immediately to the specialist / hospital for taking corrective measures.

**SUDA**

**STATE URBAN DEVELOPMENT AGENCY**

**HEALTH WING**

**"ILGUS BHAVAN"**

**H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

**Ref No. ....SUDA-Health/124/08/276**

**Date .....20.10.2010**

**From : Director, SUDA**

**To : The Chairman  
Konnagar Municipality**

**Sub. : Engagement of Staff Nurse under IPP-VIII.**

**Ref. : Your communication bearing no. PWD/14-IPP-VIII/1016 dt. 22.09.2010.**

**Sir,**

This is to intimate you that approval of SUDA is not required for engagement of the personnel to the sanctioned vacant post (1 no.) of Staff Nurse under IPP-VIII.

Selection of manpower for sanctioned post is to be done by the Municipal level Health & Family Welfare Committee (MHFWC) with approval of Board of Councillors (BOC) in its meeting. Engagement is to be made by the Chairman of the Municipality.

Information in respect of positioning of manpower is however to be forwarded to SUDA for keeping office record.

Thanking you.

Yours faithfully,



**Director, SUDA**

**OFFICE OF THE MUNICIPAL COUNCILLOR, KONNAGAR**  
**73, G.T.ROAD (WEST), KONNAGAR, HOOGHLY, WEST BENGAL.**

Sri Bappaditya Chatterjee  
Chairman

Ref No: PND/14-9PP-VIII/1016



Date 21-09-2010  
22

To  
The Director, SUDA,  
ILGUS BHABAN, H.C. Block,  
Sector-III, Bidhannagar,  
Kolkata.

Sub : Engagement of Staff Nurse of IPP-VIII.

Sir,

It is informed that the post of a Staff Nurse of IPP-VIII is lying vacant for about 6(Six) years. I want to engage a Staff Nurse in IPP-VIII immediately.

I, therefore, request to give your consent to this matter.

Thanking you,

Yours faithfully,

  
Chairman  
Konnagar Municipality

Enclo : Memorandum.

Phone Office: 2674-0210, 2674-2123  
Phone Hospital: 2674-7740  
E-Mail [konnagar.municipality@gmail.com](mailto:konnagar.municipality@gmail.com)

Fax: 033-2674-0210  
Phone Ambulance & Water Works: 2674-7545  
Website: [www.konnagarmunicipality.org](http://www.konnagarmunicipality.org)



To H.O. P. A. C. S. 24/7

IPP - VIII. **CMDA**

**FAMILY WELFARE (US) PROJECT**

Unnayan Bhavan, Bidhan Nagar 'G' Block, 3rd Floor, Calcutta - 700 091 Phone : 334-5257 / 358-6771 / 337-0697 Fax : 358-3931

Sent for  
36/7

**MEMORANDUM**

pp/14/IPP-VIII/1228  
26/7

No. 1023(39) CMDA/IPP-VIII/FW(US)/A-25/99

Dated : 5/7/2000

The World Bank in their Aide-Memoire dt. 29.12.99 against component one of the Benchmark advised appointment of at least one Staff Nurse and one Medical Officer (preferably Lady Doctor) per municipality to provide quality outreach services and supportive supervision including on the job training for the Honorary Health Workers. The target date for finalisation of the issue was fixed on 31<sup>st</sup> March, 2000.

In consideration of the fact that 23 posts of Assistant Health Officer for manning one each of equal number of local bodies were already created by the State Municipal Affairs Deptt. to look after the works of IPP-VIII, a proposal for creation of the remaining 17 posts of Assistant Health Officer/ Medical Officer (preferably Lady Doctor) and 40 posts of Staff Nurse was sent to the aforementioned Deptt. for doing the needful. The proposal was placed before the Apex Committee of Family Welfare (Urban Slums) Project - IPP-VIII in its 7<sup>th</sup> meeting held on 16.2.2000. The Committee directed the Municipal Affairs Deptt. to act upon the proposal so as to enable the State Govt. to take a decision in this regard. Thereafter the decision would be forwarded to the Ministry of Health & Family Welfare, Govt. of India, for their consideration. No decision has, however, been communicated by the State Govt. as yet.

In meantime, during the further Review Mission of Family Welfare (US) Project and a corresponding Aide-Memoire dated 22.5.2000 the World Bank has again advised to complete appointment of at least one Staff Nurse and one Full-time Medical Officer per municipality on contract basis (including daily wage) to ensure quality care by the target date of June 30, 2000.



IPP - VIII. **CMDA**

## FAMILY WELFARE (US) PROJECT

Unnayan Bhavan, Bidhan Nagar 'G' Block, 3rd Floor, Calcutta - 700 091 Phone : 334-5257 / 358-6771 / 337-0697 Fax : 358-3931

-2-

Since no decision has yet been communicated by the State Government, it is imperative to act upon the recommendation of the World Bank in the interest of the Project. In this view of the matter the project has decided to the engagement of 17 Asst. Health Officer/Medical Officer and 39 Staff Nurses on contract basis on daily wages in the local bodies indicated against each – in Annexure – I and Annexure – II respectively.

The Chairpersons of the local bodies mentioned in Annexure- I & II shall engage the personnel on daily wage basis in terms of this order. The engagement of the doctors (preferably Lady doctors) and the nurses should be made as per guideline enclosed.

The expenditure on this account will be borne by the IPP-VIII during the project period from the head of account "Operation & Maintenance" in the Budget of IPP-VIII, Calcutta.

The concerned Chairperson of the local bodies are being informed.

Sd/- D. Sen, 26/6/2000  
Project Director, IPP-VIII  
& Secretary, CMDA

1(3)

No. 1023(39) CMDA/IPP-VIII/FW(US)/A-25/99

Dated : 5/7/2000

**Copy forwarded for favour of information to :-**

1. The Chairpersons ( as per list attached ) \_\_\_\_\_
2. Dr. S.K. Bhattacharjee, Dy. Chief of Health, IPP-VIII, CMDA
3. The Accounts Officer – I, IPP-VIII, CMDA

*S.K. Bhattacharjee*  
Chief of Health  
IPP-VIII, Calcutta  
CMDA

4.7.2000

## ANNEXURE – I

| Sl. No. | Name of Local Body           | Name of the Post          | Daily Wage |
|---------|------------------------------|---------------------------|------------|
| 1.      | Budge Budge Municipality     | Assistant Health Officer  | Rs. 125/-  |
| 2.      | Barrackpore Municipality     | -do-                      | -do-       |
| 3.      | Bally Municipality           | -do-                      | -do-       |
| 4.      | Chamdpani Municipality       | -do-                      | -do-       |
| 5.      | Kanchrapara Municipality     | -do-                      | -do-       |
| 6.      | Khardah Municipality         | -do-                      | -do-       |
| 7.      | Madhyamgram Municipality     | -do-                      | -do-       |
| 8.      | New Barrackpore Municipality | -do-                      | -do-       |
| 9.      | Baranagar Municipality       | Full time Medical Officer | -do-       |
| 10.     | Bidhannagar Municipality     | -do-                      | -do-       |
| 11.     | Kalyani Municipality         | -do-                      | -do-       |
| 12.     | Konnagar Municipality        | -do-                      | -do-       |
| 13.     | Pujali Municipality          | -do-                      | -do-       |
| 14.     | Dum Dum Municipality         | -do-                      | -do-       |
| 15.     | Gayeshpur Municipality       | -do-                      | -do-       |

## ANNEXURE - II

| Sl. No. | Name of Local Body             | Name of the Post | Daily Wage |
|---------|--------------------------------|------------------|------------|
| 1.      | Budge Budge Municipality       | Staff Nurse      | Rs. 100/-  |
| 2.      | Barrackpore Municipality       | -do-             | -do-       |
| 3.      | Bally Municipality             | -do-             | -do-       |
| 4.      | Champdani Municipality         | -do-             | -do-       |
| 5.      | Kanchrapara Municipality       | -do-             | -do-       |
| 6.      | Khardah Municipality           | -do-             | -do-       |
| 7.      | Madhyamgram Municipality       | -do-             | -do-       |
| 8.      | New Barrackpore Municipality   | -do-             | -do-       |
| 9.      | Baranagar Municipality         | -do-             | -do-       |
| 10.     | Bidhannagar Municipality       | -do-             | -do-       |
| 11.     | Kalyani Municipality           | -do-             | -do-       |
| 12.     | Konnagar Municipality          | -do-             | -do-       |
| 13.     | Pujali Municipality            | -do-             | -do-       |
| 14.     | Dum Dum Municipality           | -do-             | -do-       |
| 15.     | Gayeshpur Municipality         | -do-             | -do-       |
| 16.     | Barasat Municipality           | -do-             | -do-       |
| 17.     | Chandannagar Municipal Corpn.  | -do-             | -do-       |
| 18.     | Bhadreswar Municipality        | -do-             | -do-       |
| 19.     | Garulia Municipality           | -do-             | -do-       |
| 20.     | Halisahar Municipality         | -do-             | -do-       |
| 21.     | Hooghly-Chinsurah Municipality | -do-             | -do-       |
| 22.     | Howrah Municipal Corporation   | -do-             | -do-       |
| 23.     | Panihati Municipality          | -do-             | -do-       |
| 24.     | Bhatpara Municipality          | -do-             | -do-       |
| 25.     | Maheshtala Municipality        | -do-             | -do-       |
| 26.     | North Barrackpore Municipality | -do-             | -do-       |
| 27.     | Rajarhat Gopalpur Municipality | -do-             | -do-       |
| 28.     | Naihati Municipality           | -do-             | -do-       |
| 29.     | Kamarhati Municipality         | -do-             | -do-       |
| 30.     | Titagarh Municipality          | -do-             | -do-       |
| 31.     | Serampore Municipality         | -do-             | -do-       |
| 32.     | Rajpur Sonarpur Municipality   | -do-             | -do-       |
| 33.     | South Dum Dum Municipality     | -do-             | -do-       |
| 34.     | Rishra Municipality            | -do-             | -do-       |
| 35.     | Bansberia Municipality         | -do-             | -do-       |
| 36.     | Uttarpara-Kotrung Municipality | -do-             | -do-       |
| 37.     | North Dum Dum Municipality     | -do-             | -do-       |
| 38.     | Baidyabati Municipality        | -do-             | -do-       |
| 39.     | Uluberia Municipality          | -do-             | -do-       |



Guidelines for engagement of Assistant Health Officers/ Full – time Medical Officers and Staff Nurses under local bodies on daily wage basis.

**1. Assistant Health Officer/ Medical Officer (preferably Lady Doctors).**

**Essential qualification :** Passed MBBS examination and registered under West Bengal Medical Council. Preference will be given to those with experience in gynecology/obstetrics.

**Age :** Between 30 and 60 years. Age is relaxable in case of meritorious as well as S.T. & S.C. candidates.

**Duties :** As per guidelines prescribed/ to be prescribed by IPP-VIII, CMDA, from time to time.

**2. Staff Nurse**

**Essential qualification :** Passed GNM/PHN/ANM examination from recognised Institutions of the State Govt./ Govt. of India and registered under the West Bengal Nursing Council.

**Age :** Between 30 and 60 years. Relaxable under conditions mentioned in case of Asst. Health Officer/ Medical Officers.

**Duties :** As per guidelines prescribed/ to be prescribed by IPP-VIII, CMDA, from time to time.

Preliminary selection of the Medical Officers (preferably Lady Doctors ) and Staff Nurses shall be made by the Chairpersons of local bodies and list of selected candidates forwarded to the Chief of Health, IPP-VIII, CMDA, for approval.

The method of selection of the Assistant Health Officers for subsequent engagement under the local bodies shall be the same as laid-down under Municipal Affairs Department's G.O. No. 111/MA/O/C-9/2A-19/97 dated 13<sup>th</sup> May, 1999.

# OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR

73, G. T. ROAD (W), KONNAGAR, (Pin - 712235), HOOGHLY, West Bengal

*Sri Samir Banerjee*  
Chairman

Office : 2674-0210/2123  
Residence : 2674-5300  
Ambulance : 2674-7545  
Hospital : 2674-7740  
Fax : 2674-0210 (Office)

Ref. No. ....



Dated .....

To  
The Joint Secretary,  
Municipal Affairs Department,  
Govt. of West Bengal,  
Writers' Buildings,  
Kolkata-700001.

*A.O. (H)*  
*24/12*

Sub : Upgradation of Maternity Ward in Konnagar  
Matrisadan-O-Sisu Mongal Pratisthan.

Sir,

I like to draw a reference to your letter No. 1063/MA/C-10/3S-30/08 dt.06.11.2008 on the above subject and to send herewith a list containing 32 items towards upgradation of Maternity Ward in Konnagar Matrisadan-O-Sisu Mongal Pratisthan.

An early action in the matter will help us to provide better treatment to the ailing patients.

Yours faithfully,

*Sd/-*  
Chairman  
Konnagar Municipality

No. *A0mm/28/1564 (2)*

Dt. 19.12.08

Copy forwarded to :

- 1) The Director, SUDA, ILGUS BHABAN, H.C. Block, Sector-III, Bidhannagar, Kolkata-700106.
- 2) The Health Director, SUDA, ILGUS BHABAN, H.C. Block, Sector-III, Bidhannagar, Kolkata-700106.

*May keep - pending.*  
*Will letter forwarded*  
*by MA Dept.*  
*1.1.08.*  
*Chairman*

| Sl.No. | Item   | Qun. | Sl.No. | Item                         | Qun.                         |
|--------|--|------|--------|------------------------------|------------------------------|
| 1)     | Hysteroscopic set<br>(With Resecto<br>Scope) | 1    | 29)    | Medicines                    | 6.00 lakh approx<br>per year |
| 2)     | Laparo scopic set<br>with camera             | 1    | 30)    | Computer                     | 2                            |
| 3)     | Operation theatre<br>Light(Twin Light)       | 1    | 31)    | Printer                      | 2                            |
| 4)     | Labour table(Hydra-<br>ulic Control)         | 1    | 32)    | A.C.machine(Best<br>quality) | 2                            |
| 5)     | O.T. table                                   | 1    |        |                              |                              |
| 6)     | Strillizing Drums                            | 6    |        |                              |                              |
| 7)     | Cardiac monitor<br>with NIBP                 | 2    |        |                              |                              |
| 8)     | Pulse Oxymeter                               | 2    |        |                              |                              |
| 9)     | Hysterectomy Clamps                          | 12   |        |                              |                              |
| 10)    | C.T.G. machine                               | 2    |        |                              |                              |
| 11)    | BP Instruments                               | 4    |        |                              |                              |
| 12)    | Fetal portable<br>Doppler                    | 2    |        |                              |                              |
| 13)    | Scissors                                     | 4    |        |                              |                              |
| 14)    | Formaline Chamber                            | 1    |        |                              |                              |
| 15)    | Cidex Chamber with<br>solution               | 1    |        |                              |                              |
| 16)    | Spot Light                                   | 4    |        |                              |                              |
| 17)    | sucker set                                   | 4    |        |                              |                              |
| 18)    | Instrument Trolley                           | 4    |        |                              |                              |
| 19)    | surgical stool<br>(Variable height)          | 4    |        |                              |                              |
| 20)    | IV Infusion pole                             | 6    |        |                              |                              |
| 21)    | wheeled chair                                | 2    |        |                              |                              |
| 22)    | Birthing bed                                 | 1    |        |                              |                              |
| 23)    | TV moniter                                   | 1    |        |                              |                              |
| 24)    | Artery forceps                               | 12   |        |                              |                              |
| 25)    | Allis's tissue<br>forceps                    | 12   |        |                              |                              |
| 26)    | Stethoscope                                  | 4    |        |                              |                              |
| 27)    | Nasal Oxygen<br>Catheter                     | 12   |        |                              |                              |
| 28)    | Boyel's apparetus<br>with Ventelator         | 1    |        |                              |                              |

*[Signature]*  
Chairman

Kannagar Municipality

# পৌর সদস্যগণের কার্যালয়, কোন্নগর

৭৩, জি.টি.রোড (ওয়েস্ট), কোন্নগর, (পিন : ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ

শ্রী সমীর ব্যানার্জী

পৌরপ্রধান

স্মারক সংখ্যা : পি,ডবলু,ডি./ ১৩/

তারিখ - ০৯ - ২০০৮

মাননীয় শ্রী অশোক ভট্টাচার্য্য সমীপেষু,  
পৌর নগর উন্নয়ন মন্ত্রী, পশ্চিমবঙ্গ সরকার,  
মহাকরণ, কোলকাতা - ৭০০০০১

মহাশয়,


আপনি নিশ্চয় অবগত আছেন যে, কোন্নগর পৌরসভা পরিচালিত মাতৃসদনটি অত্যন্ত যোগ্যতার সঙ্গে চলছে। কোন্নগর শহরের বাহিরের প্রায় ৪ মাইল ব্যাসার্ধ জুড়ে রোগিণীরা এই হাসপাতালের সুবিধা ভোগ করেন। এছাড়াও এই মাতৃসদন প্রাঙ্গণে সি.ইউ.ডিপি.-৩, প্রকল্পে ই.এস.ও.পি.ডি. এবং আই.পি.পি.-৮ প্রকল্পের অ্যাডমিনিস্ট্রেটিভ ইউনিট দুটি ভালোভাবে চলছে। এই দুটি প্রকল্পের স্বাস্থ্যকর্মীদের সুপারিশক্রমে প্রসূতি মায়েরা মাতৃসদনে চিকিৎসার জন্যে আসেন। তাঁদের সামান্য অর্থের বিনিময়ে এবং অধিকাংশ রোগিণীদের বিনাব্যয়ে চিকিৎসা ও প্রসবের ব্যবস্থা করা হয়।

এই প্রসঙ্গে আপনাকে বিশেষভাবে অনুরোধ করা যাচ্ছে যে, পৌরসভা পরিচালিত মাতৃসদনটিকে সি.ইউ.ডিপি.-৩ এবং আই.পি.পি.-৮ প্রকল্পের নিয়ন্ত্রনে আনা হোক অর্থাৎ মাতৃসদনটিকে আরও উন্নততর (Up gradation of Maternity) করা হোক এবং প্রকল্পের নিয়মানুযায়ী অর্থ ও ঔষধপত্র বরাদ্দ করা হোক।

আশা করি এই বিষয়টি আপনি সহানুভূতির সঙ্গে বিবেচনা করবেন।

ধন্যবাদান্তে :

ভবদীয়,


  
পৌরপ্রধান

কোন্নগর পৌরসভা

অনুলিপি : ১। শিবাণী গোস্বামী, স্বাস্থ্য অধিকর্তা, সুডা।

২। ডঃ কল্লোল কুমার মুখার্জী,

প্রজেক্ট ম্যানেজার, সি.এম. ইউ।

  
পৌরপ্রধান

কোন্নগর পৌরসভা

# Government of West Bengal

Department of Municipal Affairs  
Writers' Buildings  
Kolkata - 700 001

From : The Joint Secretary to the Government of West Bengal.

To : The Chairman,  
Konnagar Municipality,  
Konnagar, Hooghly.

RECEIVED  
Konnagar Municipality  
No. A. J. / B. 431.8  
Signature & Date... 29/11/08

No. : 1063/MA/C-10/3s-30/08


Dated, Kolkata the ...6th...November...2008.

Subject: Ref. ADMN/28/547 dated 29.7.08.

Sir,

In inviting a reference to the above, I am directed to request you to kindly come up with a concrete proposal detailing the existing facilities as well as the proposed upgradation of Matrisadan through SUDA.

Yours faithfully,

  
Joint Secretary.

Sud k m  
29/11/08

**SUDA**

**STATE URBAN DEVELOPMENT AGENCY**

**HEALTH WING  
"ILGUS BHAVAN"**

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. **SUDA-Health/129/08/396**

Date ..... **12.10.2009**

**From : Director, SUDA**

**To : The Chairman  
Konnagar Municipality**

**Sub. : Performance Report on functioning of ESOPD and CUDP III - reminder  
1.**

**Ref. : This earlier communication bearing no. SUDA-Health/124/08/141 dt.  
24.06.09 - copy enclosed for reference.**

**Sir,**

I am to refer to this office earlier communication bearing no. SUDA-Health/124/08/141 dt. 24.06.09 (copy enclosed for ready reference).

The report on functioning of ESOPD under CUDP III is still awaited from you. Hence, you are requested to look into the matter personally so the said report be made available to this office by 30<sup>th</sup> October, 2009.

Thanking you.

EnclO: AS stated

Yours faithfully,

*Sd/-*

**Director, SUDA**

**12.10.2009**

**SUDA-Health/129/08/396**

**CC**

**1. Health Officer, Konnagar Municipality**

*f*

**Director, SUDA**

..... Municipality

For the period ..... to .....

**Speciality-wise cases treated in ESOPD**

| Obstetrics & Gynaecology | Paediatrics |     | Medicine |     | Others |     |     |     |         |     |        |     |             |     |
|--------------------------|-------------|-----|----------|-----|--------|-----|-----|-----|---------|-----|--------|-----|-------------|-----|
|                          | B           | N-B | B        | N-B | EYE    |     | ENT |     | Surgery |     | Dental |     | Dermatology |     |
|                          |             |     |          |     | B      | N-B | B   | N-B | B       | N-B | B      | N-B | B           | N-B |
|                          |             |     |          |     |        |     |     |     |         |     |        |     |             |     |

Signature of HO / AHO

**SUDA**

# STATE URBAN DEVELOPMENT AGENCY

HEALTH WING  
"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. SUDA-Health/124/08/141

Date ...24.06.2009

From : Director, SUDA

To : The Chairman  
Konnagar Municipality

Sub. : Performance Report on functioning of ESOPD under CUDP III.

Sir,

It is revealed from this office record that performance report on functioning of ESOPD under CUDP III has not been submitted by your ULB for the period April, 2008 to May, 2009. You are requested kindly to instruct your office to submit the said report for the period April, 2008 to March, 2009 as per format enclosed herewith.

Furthermore, you are requested to take necessary action so that quarterly report be sent to the undersigned by 10<sup>th</sup> of following month of each quarter w.e.f. April, 2009. For further clarification if any, Dr. Shibani Goswami, Project Officer, Health, SUDA (Telephone No. 2359 3184) may be contacted.

Thanking you

Encl. : As stated.

SUDA-Health/124/08/141/1(2)

CC

1. Asstt. Health Officer, Konnagar Municipality
2. Project Officer, Health SUDA

Yours faithfully,

Director, SUDA

Dt. .. 24.06.2009

Director, SUDA



**SUDA**

**STATE URBAN DEVELOPMENT AGENCY**

**HEALTH WING**

**"ILGUS BHAVAN"**

**H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

Ref No. **SUDA-Health/129/08/396**

Date ..... **12.10.2009**

**From : Director, SUDA**

**To : The Chairman  
Konnagar Municipality**

**Sub. : Performance Report on functioning of ESOPD and CUDP III - reminder  
1.**

**Ref. : This earlier communication bearing no. SUDA-Health/124/08/141 dt.  
24.06.09 - copy enclosed for reference.**

**Sir,**

I am to refer to this office earlier communication bearing no. SUDA-Health/124/08/141 dt. 24.06.09 (copy enclosed for ready reference).

The report on functioning of ESOPD under CUDP III is still awaited from you. Hence, you are requested to look into the matter personally so the said report be made available to this office by 30<sup>th</sup> October, 2009.

Thanking you.

Yours faithfully,

Encl: As stated

*O/C*

**Director, SUDA**

**SUDA-Health/129/08/396**

**12.10.2009**

**CC**

**1. Health Officer, Konnagar Municipality**

**Director, SUDA**

**SUDA**

# STATE URBAN DEVELOPMENT AGENCY

HEALTH WING

"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. ~~SUDA-Health/124/08/345~~

Date .....16.09.2009

From : Director, SUDA

To : The Jt. Secretary  
Municipal Affairs Dept.  
Govt. of West Bengal

Sub. : Up-gradation of Maternity Home at Konnagar Municipality.

Sir,

Enclosed kindly find herewith communication of the Chairman, Konnagar Municipality bearing no. Admn./28/SUDA/687 dt. 02.09.2009, requesting for release of additional fund towards strengthening of Maternity Home.

This is to mention here that the said Maternity Home has been established by the Municipality at their own.

As there is no such fund available with Health Wing, SUDA, you are requested to look into the matter and consider release of fund ~~for~~ your end for strengthening of Maternity Home.

Thanking you.

Encl. : As stated.

SUDA-Health/124/08/345/1(1)


CC

Chairman, Konnagar Municipality

Yours faithfully,

  
Director, SUDA

Dt. .. 16.09.2009

  
Director, SUDA

# পৌর সদস্যগণের কার্যালয়, কোন্নগর

৭৩, জি.টি. রোড (ওয়েস্ট), কোন্নগর, (পিন : ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ


**শ্রী সমীর ব্যানার্জী**  
পৌরপ্রধান

অফিস : ২৬৭৪ - ০২১০  
বাড়ী : ২৬৭৪ - ১০৭০  
এ্যাং.লল : ২৬৭৪ - ৭৫৪৫  
হসপিটাল : ২৬৭৪ - ৭৭৪০  
ফ্যাক্স : ২৬৭৪ - ০২১০ (অফিস)

স্মারক সংখ্যা ১৬৩৬৭৪/২৮/২২/৬৮৭

তারিখ ২/৯/০২

মাননীয় শ্রীমতী ছন্দা সরকার, অধিকর্তা, সুডা  
ইলগাস ভবন,  
বিধান নগর, কোলকাতা।  
মহাশয়া,



M(H)  
4/9



আপনি নিশ্চয় অবগত আছেন, কোন্নগর পৌরসভা পরিচালিত মাতৃসদন ও শিশুমঙ্গল প্রতিষ্ঠানে প্রসূতি বিভাগ ছাড়াও, মেডিসিন, অস্থি, দন্ত, চক্ষু, একস-রে, প্যাথলজি, ই.এন.টি বহির্বিভাগ সহ মেডিসিন ও চক্ষু অন্তর্বিভাগ যথেষ্ট সুনামের সঙ্গে চলছে। আই.পি.পি.-৮ ও সি.ইউ.ডি.পি.-৩ স্বাস্থ্যকর্মীদের সুপারিশে বহু গরীব মানুষ এই হাসপাতালে স্বল্পব্যয়ে চিকিৎসার সুযোগ পেয়ে থাকেন। প্রবীণ নাগরিক ও বিপিএলদেরও চিকিৎসার ক্ষেত্রে বিশেষ সুবিধা দেওয়া হয়। এক্ষণে আপনাকে সমগ্র বিষয়টি বিবেচনা করে কোন্নগর মাতৃসদন ও শিশুমঙ্গল প্রতিষ্ঠানকে উন্নতীকরণ (up-gradation) করতে স্বাস্থ্যখাত থেকে বিশেষ আর্থিক সাহায্য প্রদান করতে অনুরোধ করছি।

ভবদীয়,  
*M. Samir Banerjee*  
পৌরপ্রধান,  
কোন্নগর পৌরসভা। ২/৯/০২

অনুলিপি:

- ১। মাননীয় পৌর ও নগর উন্নয়ন মন্ত্রী, পশ্চিমবঙ্গ সরকার, মহাকরণ, কোলকাতা-৭০০০০১
- ২। মাননীয় শ্রুতিনাথ প্রহরাজ, বিধায়ক, উত্তরপাড়া বিধানসভা কেন্দ্র।

*M. Samir Banerjee*  
পৌরপ্রধান। ২/৯/০২

**SUDA**

**STATE URBAN DEVELOPMENT AGENCY**

**HEALTH WING  
"ILGUS BHAVAN"**

**H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal**

Ref No. **SUDA-Health/124/08/141**

Date ...**24.06.2009**

**From : Director, SUDA**

**To : The Chairman  
Konnagar Municipality**

**Sub. : Performance Report on functioning of ESOPD under CUDP III.**

**Sir,**

It is revealed from this office record that performance report on functioning of ESOPD under CUDP III has not been submitted by your ULB for the period April, 2008 to May, 2009. You are requested kindly to instruct your office to submit the said report for the period April, 2008 to March, 2009 as per format enclosed herewith.

Furthermore, you are requested to take necessary action so that quarterly report be sent to the undersigned by 10<sup>th</sup> of following month of each quarter w.e.f. April, 2009. For further clarification if any, Dr. Shibani Goswami, Project Officer, Health, SUDA (Telephone No. 2359 3184) may be contacted.

Thanking you

**Encl. : As stated.**

*o/c*

Yours faithfully,



**Director, SUDA**

**Dt. .. 24.06.2009**

**SUDA-Health/124/08/141/1(2)**

**CC**

- 1. Asstt. Health Officer, Konnagar Municipality**
- 2. Project Officer, Health SUDA**



**Director, SUDA**

RESULT


Konnagar Municipality -

Training of Health functionaries (HAD - CUDP-III)


on Water Borne Diseases held on 17.12.2008 & 18.12.2008.



| Sl. No. | Name                | Pre-Evaluation<br>Full Marks | Post Evaluation<br>Full Marks |
|---------|---------------------|------------------------------|-------------------------------|
| 1.      | Monoara Khatoon     | 18                           | 18 1/2                        |
| 2.      | Papia Das           | 18                           | 19 1/2                        |
| 3.      | Gita Saha           | 17                           | 19                            |
| 4.      | Basanti Dey         | 17                           | 19                            |
| 5.      | Deepa Maitra        | 17                           | 18 1/2                        |
| 6.      | Padma Ganguli       | 17                           | 18 1/2                        |
| 7.      | Padma Roy Chowdhury | 17                           | 19                            |
| 8.      | Tutul Routh         | 16                           | 19                            |
| 9.      | Pratima Das         | 16                           | 19                            |
| 10.     | Chandona Ghosh      | 16                           | 19                            |
| 11.     | Chhanda Mukherjee   | 16                           | 19                            |
| 12.     | Soli Mukherjee      | 15                           | 18                            |
| 13.     | Rita Biswas         | 15                           | 18 1/2                        |
| 14.     | Bela Roy            | 15                           | 18 1/2                        |
| 15.     | Kalpana Chakraborty | 15                           | 16                            |
| 16.     | Vma Bose            | 15                           | 18                            |
| 17.     | Sarbani Ghosal      | 15                           | 16                            |
| 18.     | Jitika Chatterjee   | 15                           | 18 1/2                        |
| 19.     | Chandona Banerjee   | 15                           | 18 1/2                        |
| 20.     | Sumitra Banerjee    | 14                           | 18                            |
| 21.     | Chandona Mukherjee  | 14                           | 19                            |
| 22.     | Lipali Kar          | 14                           | 18                            |
| 23.     | Lipika Mitra        | 14                           | 17                            |
| 24.     | Shifali Chatterjee  | 14                           | 15                            |
| 25.     | Krishna Halder      | 14                           | 18 1/2                        |

  
 Dr. B. Chatterjee  
 Health Officer  
 Konnagar Municipality

| Sl. No. | Name                | Pre-Evaluation | Post-Evaluation |
|---------|---------------------|----------------|-----------------|
| 26.     | Mamota Rudra        | 14             | 18½             |
| 27.     | Malati Mukherjee    | 14             | 19              |
| 28.     | Bina Bhattacharya   | 11             | 15              |
| 29.     | Rita Kongsabonik    | 11             | 18½             |
| 30.     | Roma Chakraborty    | 9              | 17              |
| 31.     | Mala Biswas         | 0              | 19½             |
| 32.     | Indrani Saha        | 0              | 19½             |
| 33.     | Namita Chakraborty  | 0              | 18              |
| 34.     | Kalyani Chakraborty | 0              | Absent          |
| 35.     | Sua Biswas          | 0              | 16½             |
| 36.     |                     |                |                 |
| 37.     |                     |                |                 |
| 38.     |                     |                |                 |
| 39.     |                     |                |                 |

  
 27/1/2009  
 Dr. B. Bhattacharya  
 Asst. Health Officer  
 Manager Municipal

Result Municipality  
Konnagar Training of Health Functionaries (HAF - I, P, P - VIII)  
on Water Borne Diseases held on 26.12.2008 to 30.12.2008.



| Sl. No. | Name                     | Pre-Evaluation   | Post-Evaluation  |
|---------|--------------------------|------------------|------------------|
| 1.      | Gouranga Ch. Chakraborty | 20               | 16               |
| 2.      | Sabita Ghosh             | 20               | 18               |
| 3.      | Sikha Das                | 19 $\frac{1}{2}$ | 16               |
| 4.      | Kanan Ray                | 19 $\frac{1}{2}$ | 15               |
| 5.      | Asima Paul               | 19 $\frac{1}{2}$ | 17               |
| 6.      | Purnalaxmi Das           | 19 $\frac{1}{2}$ | 16               |
| 7.      | Malati Hazra             | 19 $\frac{1}{2}$ | 15               |
| 8.      | Mala Bhattacharya        | 19 $\frac{1}{2}$ | 18               |
| 9.      | Sipali Roy Choudhury     | 19 $\frac{1}{2}$ | 17               |
| 10.     | Sudipta Das              | 19 $\frac{1}{2}$ | 16               |
| 11.     | Anjali Bhattacharya (2)  | 19 $\frac{1}{2}$ | 16               |
| 12.     | Puspa Sen Sharma         | 19 $\frac{1}{2}$ | 16               |
| 13.     | Purnima Kundu            | 19 $\frac{1}{2}$ | 15               |
| 14.     | Biti Sutta               | 19               | 17 $\frac{1}{2}$ |
| 15.     | Chhabi Bhattacharya      | 19               | 15               |
| 16.     | Jhumur Biswas            | 19               | 15               |
| 17.     | Hena Mukherjee           | 19               | 15               |
| 18.     | Aroti Paul               | 19               | 17               |
| 19.     | Rina Das                 | 19               | 17               |
| 20.     | Ara Ghosh                | 19               | 14               |
| 21.     | Reba Ghosh               | 19               | 16               |
| 22.     | Mrinal Rani Samaddar     | 19               | 16               |
| 23.     | Suchitra Das             | 19               | 16               |

27/1/2009  
M. S. Chatterjee  
M. S. Chatterjee  
Municipal Officer  
Konnagar Municipality

|     |                         |                  |    |
|-----|-------------------------|------------------|----|
| 24. | Kalpama Chatterjee      | 18 $\frac{1}{2}$ | 15 |
| 25. | Bula Sen                | 18 $\frac{1}{2}$ | 16 |
| 26. | Kiran Paul              | 18               | 16 |
| 27. | Smriti Kana Bardhan     | 18               | 14 |
| 28. | Rita Chakraborty        | 17 $\frac{1}{2}$ | 15 |
| 29. | Krishna-mayee Roy       | 17               | 16 |
| 30. | Saraswati Roy           | 16 $\frac{1}{2}$ | 17 |
| 31. | Bijali Kar              | 16 $\frac{1}{2}$ | 16 |
| 32. | Sakita Mitra            | 15               | 14 |
| 33. | Anjali Bhattacharya (1) | 14 $\frac{1}{2}$ | 16 |
| 34. | Binapani Sarkar         | 14               | 15 |
| 35. | Gita Hore               | 14               | 15 |
| 36. | Soli Roy                | 13 $\frac{1}{2}$ | 14 |
| 37. | Ashoka Chatterjee       | 9                | 11 |
| 38. | Putul Chakraborty       | Absent           | 16 |
| 39. | Sittha Sen              | Absent           | 13 |

1907  
27/1/2009  
Dr. B. Chattopadhyaya  
Asst. Health Officer  
Kannagar Municipality




Konnagar Municipality  
 Training of Health Functionaries (HAU-I CUDP-III)  
 on Anaemia - Held on 12.1.09 & 13.1.09  
 Result

| SL NO | Name of the trainee -<br>Health workers | Pre Evaluation<br>Full Marks - 20 | Post Evaluation<br>Full Marks - 20 |
|-------|---|-----------------------------------|------------------------------------|
| 1.    | Indrani Deb                             | 18                                | 19 $\frac{1}{2}$                   |
| 2.    | Papia Das                               | 15                                | 19 $\frac{1}{2}$                   |
| 3.    | Prolima Das                             | 14                                | 19                                 |
| 4.    | Akhanda Mukherjee                       | 14                                | 19 $\frac{1}{2}$                   |
| 5.    | Padma Ganguli                           | 13                                | 18 $\frac{1}{2}$                   |
| 6.    | Bela Roy                                | 13                                | 18 $\frac{1}{2}$                   |
| 7.    | Baranti Dey                             | 13                                | 19                                 |
| 8.    | Padma Roy Chowdhury                     | 13                                | 19                                 |
| 9.    | Mala Biswas                             | 13                                | 19 $\frac{1}{2}$                   |
| 10.   | Juthika Chatterjee                      | 13                                | 19                                 |
| 11.   | Manoara Khatun                          | 12                                | 17 $\frac{1}{2}$                   |
| 12.   | Rita Kansabonik                         | 12                                | 18                                 |
| 13.   | Mamota Rudra                            | 12                                | 18                                 |
| 14.   | Sumitra Banerjee                        | 12                                | 19                                 |
| 15.   | Chandona Mukherjee                      | 12                                | 17                                 |
| 16.   | Sua Biswas                              | 11                                | 17 $\frac{1}{2}$                   |
| 17.   | Namita Chakraborty                      | 11                                | 10                                 |
| 18.   | Soli Mukherjee                          | 11                                | 18                                 |
| 19.   | Gita Saha                               | 11                                | 19 $\frac{1}{2}$                   |
| 20.   | Chandona Banerjee                       | 11                                | 19                                 |
| 21.   | Kalpana Chakraborty                     | 11                                | 18 $\frac{1}{2}$                   |


18/1/2009

| SL NO | Name of the trainee -<br>Health workers | Pre Evaluation<br>Full Marks - 20 | Post Evaluation<br>Full Marks - 20 |
|-------|---|-----------------------------------|------------------------------------|
| 22.   | Kalyani Chakraborty                     | 11                                | 19                                 |
| 23.   | Deepa Maitra                            | 11                                | 19                                 |
| 24.   | Rita Biswas                             | 11                                | 19                                 |
| 25.   | Roma Chakraborty                        | 10                                | 18                                 |
| 26.   | Putul Routh                             | 10                                | 18                                 |
| 27.   | Vma Basu                                | 10                                | 19                                 |
| 28.   | Malati Mukherjee                        | 10                                | 19                                 |
| 29.   | Chandona Ghosh                          | 10                                | 18 $\frac{1}{2}$                   |
| 30.   | Sarbani Ghosal                          | 8                                 | 19                                 |
| 31.   | Sipali Kar                              | 8                                 | 18 $\frac{1}{2}$                   |
| 32.   | Bina Bhattacharya                       | 7                                 | 11 $\frac{1}{2}$                   |
| 33.   | Shefali Chatterjee                      | 7                                 | 16 $\frac{1}{2}$                   |
| 34.   | Lipika Mitra                            | 5                                 | 16                                 |
| 35.   | Krishna Halder                          | Absent                            | 19                                 |
|       |   |                                   |                                    |
|       |   |                                   |                                    |

  
 17/2/2009  
 Asst. Health Officer  
 Gannagar Manikpalle


Konnagar Municipality  
 Training of Health Functionaries (HAF-1, PP-VIII)  
 on Anaemia - Held on 14.1.09 & 15.1.09  
 Result

| SL NO | Name of the trainee (Healthworkers) | Pre Evaluation Full Marks - 20 | Post Evaluation Full Marks - 20 |
|-------|-------------------------------------|--------------------------------|---------------------------------|
| 1     | Gouranga Ch. Chakraborty            | 20                             | 15                              |
| 2     | Sabita Ghosh                        | 20                             | 20                              |
| 3     | Haranan Ray                         | 20                             | 16                              |
| 4     | Puspa Sen Sharma                    | 19½                            | 16                              |
| 5     | Sikha Das                           | 19½                            | 17                              |
| 6     | Krishna moyee Ray                   | 19½                            | 19½                             |
| 7     | Sichitra Das                        | 19½                            | 15                              |
| 8     | Hena Mukherjee                      | 19½                            | 19½                             |
| 9     | Anjali Bhattacharya (2)             | 19½                            | 19½                             |
| 10    | Reba Ghosh                          | 19½                            | 15                              |
| 11    | Sipali Roy Choudhury                | 19½                            | 16                              |
| 12    | Biti Lutta                          | 19                             | 19½                             |
| 13    | Purnalexmi Das                      | 19                             | 16                              |
| 14    | Mala Bhattacharya                   | 19                             | 16                              |
| 15    | Mrinal Rani Samaddar                | 19                             | 16                              |
| 16    | Kalpana Chatterjee                  | 19                             | 15                              |
| 17    | Asima Paul                          | 19                             | 15                              |
| 18    | Aroti Paul                          | 19                             | 15                              |
| 19    | Bula Sen                            | 18½                            | 19½                             |
| 20    | Sudipta Das                         | 18½                            | 19½                             |

  
 17/1/2009  
 Health Officer  
 Konnagar Municipality

Training - Held on 14.1.09 & 15.1.09  
 - JPP-VIII -  
 - Result -

| SL NO | Name of the trainee      | Pre Evaluation<br>Full Marks - 20 | Post Evaluation<br>Full Marks - 20 |
|-------|--------------------------|-----------------------------------|------------------------------------|
| 21    | Chhabi Bhattacharya      | 18 $\frac{1}{2}$                  | 19                                 |
| 22    | Anjali Bhattacharya (II) | 18                                | 16                                 |
| 23    | Smeritika Bardhan        | 18                                | 12                                 |
| 24    | Rita Chakraborty         | 18                                | 15                                 |
| 25    | Bijali Kar               | 18                                | 19                                 |
| 26    | Rina Das                 | 18                                | 19 $\frac{1}{2}$                   |
| 27    | Sabita Mitra             | 17 $\frac{1}{2}$                  | 18                                 |
| 28    | Purnima Kundu            | 17 $\frac{1}{2}$                  | 19 $\frac{1}{2}$                   |
| 29    | Jhumur Biswas            | 17                                | 18 $\frac{1}{2}$                   |
| 30    | Putul Chakraborty        | 17                                | 19                                 |
| 31    | Ashoka Chatterjee        | 16 $\frac{1}{2}$                  | 16                                 |
| 32    | Malati Hazra             | 16                                | 19                                 |
| 33    | Ara Ghosh                | 16                                | 19                                 |
| 34    | Geeta Hore               | 16                                | 15                                 |
| 35    | Soli Ray                 | 15 $\frac{1}{2}$                  | 16                                 |
| 36    | Saraswati Ray            | 15 $\frac{1}{2}$                  | 13                                 |
| 37    | Kiran Paul               | 15                                | 18 $\frac{1}{2}$                   |
| 38    | Binapani Sarkar          | 13 $\frac{1}{2}$                  | 18                                 |
| 39    | Sikha Dey                | Absent                            | 18                                 |

  
 G. S. Chatterjee  
 Asst. Health Officer  
 Kamarpur, Midnapore



# STATE URBAN DEVELOPMENT AGENCY

HEALTH WING  
"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091  
West Bengal

Ref No. ....SUDA-Health/124/08/78

Date ..18.02.2009

From : Director, SUDA

To : The Chairman  
Konnagar Municipality

Sub. : Proposal for approval of engagement of Smt. Rupam Biswas as Staff Nurse under IPP-VIII Scheme, Konnagar Municipality.

Sir,

With reference to your communication bearing no. PWD/14/IPP-VIII/1699 dt. 21.01.2009, this is to intimate you that as per this office record neither ESOPD nor MH has been sanctioned under IPP-VIII in respect of your Municipality.

Hence, you are requested to forward the copy of sanctioned post for Staff Nurse issued by KMDA, if there be any.

Thanking you.

Yours faithfully,

Director, SUDA

Received.  
Santana Saha  
S.K. cum Clerk. 20/02/09  
I.P.P.-VIII

# OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR

73, G. T. ROAD (W), KONNAGAR, (Pin - 712235), HOOGHLY, West Bengal


*Sri Samir Banerjee*  
Chairman

Office : 2674-0210/2123  
Residence : 2674-5300  
Ambulance : 2674-7545  
Hospital : 2674-7740  
Fax : 2674-0210 (Office)

Ref. No. PMD/14/IPP-VIII/1699

Dated 21.01.2009

To  
The Director, SUDA  
ILGUS BHABAN,  
Sector-III, H.C. Block,  
Bidhannagar, Kolkata.




sub : Proposal for approval of engagement of Smt. Rupam Biswas as Staff Nurse under IPP-VIII Scheme under Konnagar Municipality.

Madam,

This is to inform you that Smt. Rupam Biswas of 94, Sastrinagar, P.O. Barabahera, Dist. Hooghly has been engaged on contract basis as Staff Nurse under IPP-VIII scheme w.e.f. 1.1.2009 on a consolidated monthly emoluments of Rs.5250/- only. She has joined the post on 1.1.2009.

I am now to request you kindly to take necessary action so that her engagement on contract basis as Staff Nurse under IPP-VIII scheme under Konnagar Municipality on a consolidated monthly emoluments of Rs.5250/- is approved.


Yours faithfully,

  
Chairman  
Konnagar Municipality

# পৌর সদস্যগণের কার্যালয়, কোন্নগর

৭৩, জি.টি.রোড (ওয়েস্ট), কোন্নগর, (পিন : ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ

শ্রী সমীর ব্যানার্জী  
পৌরপ্রধান



স্মারক সংখ্যা : পি.ডবলু.ডি./ ১৩/৭০৭ (২)

তারিখ ২৩.০৯ - ২০০৮

মাননীয় শ্রী অশোক ভট্টাচার্য্য সমীপেষু,  
পৌর নগর উন্নয়ন মন্ত্রী, পশ্চিমবঙ্গ সরকার,  
মহাকরণ, কোলকাতা - ৭০০০০১

মহাশয়,

আপনি নিশ্চয় অবগত আছেন যে, কোন্নগর পৌরসভা পরিচালিত মাতৃসদনটি অত্যন্ত যোগ্যতার সঙ্গে চলছে। কোন্নগর শহরের বাহিরের প্রায় ৪ মাইল ব্যাসার্ধ জুড়ে রোগিণীরা এই হাসপাতালের সুবিধা ভোগ করেন। এছাড়াও এই মাতৃসদন প্রাঙ্গণে সি.ইউ.ডিপি.-৩, প্রকল্পে ই.এস.ও.পি.ডি. এবং আই.পি.পি.-৮ প্রকল্পের অ্যাডমিনিস্ট্রেটিভ ইউনিট দুটি ভালোভাবে চলছে। এই দুটি প্রকল্পের স্বাস্থ্যকর্মীদের সুপারিশক্রমে প্রসূতি মায়েরা মাতৃসদনে চিকিৎসার জন্যে আসেন। তাঁদের সামান্য অর্থের বিনিময়ে এবং অধিকাংশ রোগিণীদের বিনাব্যয়ে চিকিৎসা ও প্রসবের ব্যবস্থা করা হয়।

এই প্রসঙ্গে আপনাকে বিশেষভাবে অনুরোধ করা যাচ্ছে যে, পৌরসভা পরিচালিত মাতৃসদনটিকে সি.ইউ.ডিপি.-৩ এবং আই.পি.পি.-৮ প্রকল্পের নিয়ন্ত্রনে আনা হোক অর্থাৎ মাতৃসদনটিকে আরও উন্নততর (Up gradation of Maternity) করা হোক এবং প্রকল্পের নিয়মানুযায়ী অর্থ ও ঔষধপত্র বরাদ্দ করা হোক।

আশা করি এই বিষয়টি আপনি সহানুভূতির সঙ্গে বিবেচনা করবেন।

ধন্যবাদান্তে :

ভবদীয়,

পৌরপ্রধান

কোন্নগর পৌরসভা

অনুলিপি: ১। শিবাণী গোস্বামী, স্বাস্থ্য অধিকর্তা, সুডা।

২। ডঃ কল্লোল কুমার মুখার্জী,

প্রজেক্ট ম্যানেজার, সি.এম. ইউ।

পৌরপ্রধান

কোন্নগর পৌরসভা

# পৌর সদস্যগণের কার্যালয়, কোন্নগর

৭৩, জি.টি.রোড (ওয়েস্ট), কোন্নগর, (পিন : ৭১২২৩৫), হুগলী, পশ্চিমবঙ্গ

শ্রী সমীর ব্যানার্জী  
পৌরপ্রধান



৭০(H)  
২/৭

স্মারক সংখ্যা : পি.ডবলু.ডি./ ১৩/৭২৭(২)

তারিখ ২৩ ০৯ - ২০০৮

মাননীয় শ্রী অশোক ভট্টাচার্য্য সমীপেষু,  
পৌর নগর উন্নয়ন মন্ত্রী, পশ্চিমবঙ্গ সরকার,  
মহাকরণ, কোলকাতা - ৭০০০০১

5089



মহাশয়,

আপনি নিশ্চয় অবগত আছেন যে, কোন্নগর পৌরসভা পরিচালিত মাতৃসদনটি অত্যন্ত যোগ্যতার সঙ্গে চলছে। কোন্নগর শহরের বাহিরের প্রায় ৪ মাইল ব্যাসার্ধ জুড়ে রোগিণীরা এই হাসপাতালের সুবিধা ভোগ করেন। এছাড়াও এই মাতৃসদন প্রাঙ্গণে সি.ইউ.ডিপি.-৩, প্রকল্পে ই.এস.ও.পি.ডি. এবং আই.পি.পি.-৮ প্রকল্পের অ্যাডমিনিস্ট্রেটিভ ইউনিট দুটি ভালোভাবে চলছে। এই দুটি প্রকল্পের স্বাস্থ্যকর্মীদের সুপারিশক্রমে প্রসূতি মায়েরা মাতৃসদনে চিকিৎসার জন্যে আসেন। তাঁদের সামান্য অর্থের বিনিময়ে এবং অধিকাংশ রোগিণীদের বিনাব্যয়ে চিকিৎসা ও প্রসবের ব্যবস্থা করা হয়।

এই প্রসঙ্গে আপনাকে বিশেষভাবে অনুরোধ করা যাচ্ছে যে, পৌরসভা পরিচালিত মাতৃসদনটিকে সি.ইউ.ডিপি.-৩ এবং আই.পি.পি.-৮ প্রকল্পের নিয়ন্ত্রনে আনা হোক অর্থাৎ মাতৃসদনটিকে আরও উন্নততর (Up gradation of Maternity) করা হোক এবং প্রকল্পের নিয়মানুযায়ী অর্থ ও ঔষধপত্র বরাদ্দ করা হোক।

আশা করি এই বিষয়টি আপনি সহানুভূতির সঙ্গে বিবেচনা করবেন।

ধন্যবাদান্তে :

ভবদীয়,

*(Signature)*  
পৌরপ্রধান

কোন্নগর পৌরসভা

অনুলিপি : ১। শিবানী গোস্বামী, স্বাস্থ্য অধিকর্তা, সুডা।

২। ডঃ কল্লোল কুমার মুখার্জী,

প্রজেক্ট ম্যানেজার, সি.এম. ইউ।

*(Signature)*  
পৌরপ্রধান

কোন্নগর পৌরসভা



# পৌর সদস্যগণের কার্যালয়, কৌলগর

৭৩, জি.টি. রোড (ওয়েস্ট), কৌলগর, (পিন : ৭১ ২৩৫), হুগলী, পশ্চিমবঙ্গ

## শ্রী সমীর ব্যানার্জী

পৌরপ্রধান


|           |   |                    |
|-----------|---|--------------------|
| অফিস      | : | ২৬৭৪ - ০২১০        |
| বাড়ী     | : | ২৬৭৪ - ১০৭০        |
| গ্র্যা লস | : | ২৬৭৪ - ৭৫৪৫        |
| হসপিটাল   | : | ২৬৭৪ - ৭৭৪০        |
| ফ্যাক্স   | : | ২৬৭৪ - ০২১০ (অফিস) |

স্মারক সংখ্যা এডিএমএন। ২৬। ৫৪৭

তারিখ ১১.০৭.২০০৬

মাননীয় শ্রী অশোক ভট্টাচার্য সমীপে,  
পৌর ও নগর উন্নয়ন মন্ত্রী,  
পঃবর্গ সরকার,

মহাশয়,



আপনাকে বিশেষভাবে অবগত করতে চাই যে, কৌলগর পৌরসভার সিইউডিপি-৩ ও আইপিপি-৬ প্রকল্পগুলি অত্যন্ত সুচারুভাবে চলছে। সিইউডিপি ৩-এর ৩টি উপ-স্বাস্থ্যকেন্দ্র, ১টি অ্যাডমিনিস্ট্রেটিভ ইউনিট ও ইএমওপিডি চালু আছে এবং আইপিপি-৬ -এর ৭টি উপ-স্বাস্থ্যকেন্দ্র ও একটি অ্যাডমিনিস্ট্রেটিভ ইউনিট চালু আছে। বহু পরীক্ষা মানুস এই প্রকল্প দুটির মাধ্যমে স্বাস্থ্য বিষয় উপকৃত হন।

এই প্রসঙ্গে উল্লেখ করতে চাই যে, কৌলগর পৌরসভা একটি আধুনিক যাতৃসদন পরিচালনা করে। সিইউডিপি-৩ ও আইপিপি-৬-এর স্বাস্থ্যকর্মীরা এই প্রকল্পের চিকিৎসকদের মাধ্যমে প্রসূতি মায়েদের ভর্তি করান। পৌরসভা তাদের ক্ষেত্রে পৌরপ্রধানের সুপারিশে প্রায় বিনা ব্যয়ে চিকিৎসা করান।

আপনার কাছে বিশেষ অনুরোধ, আমাদের পৌরসভা পরিচালিত যাতৃসদনটিকে সিইউডিপি-৩ ও আইপিপি-৬ প্রকল্পের মাধ্যমে আপ-গ্রেডেশন করলে পৌরসভার পক্ষে বিশেষ সুবিধা হয়।

আশাকরি এই বিষয়টি রূপায়নে আপনি ব্যক্তিগতভাবে উদ্যোগী হবেন।

ভ ব দী যু,

*(Handwritten Signature)*  
পৌরপ্রধান।

পৃষ্ঠা : ২

অনুলিপি: প্রতিস্বরসম 24/৫৪৭(৩) ০৬ ২৯.০৭.৫৮

১। ডা: শিবানী গোস্বামী, স্বাস্থ্য অধিকর্তা, সিএমইউ, বিধাননগর।

২। ড: কল্লোল মুনোপাধ্যায়, প্রজেক্ট ম্যানেজার, সিএমইউ, বিধাননগর।



*Handwritten signature*

পৌরপ্রধান,

কৌনুলুর পৌরসভা।

স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
২৯.০৭.৫৮

স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।

স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।

স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।

স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।  
স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।

স্বাস্থ্য অধিকর্তার কার্যালয়, সিএমইউ, বিধাননগর।

# OFFICE OF THE MUNICIPAL COUNCILLORS, KONNAGAR

73, G. T. ROAD (W), KONNAGAR, (Pin - 712235), HOOGHLY, West Bengal

*Sri Samir Banerjee*  
Chairman

Office : 2674-0210/2123  
Residence : 2674-5300  
Ambulance : 2674-7545  
Hospital : 2674-7740  
Fax : 2674-0210 (Office)

Ref. No. ....

Dated .....

To  
The Joint Secretary,  
Municipal Affairs Department,  
Govt. of West Bengal,  
Writers' Buildings,  
Kolkata-700001.

sub # Upgradation of Maternity Ward in Konnagar  
Matrisadan-O-Sisu Mongal Pratisthan.

Sir,

I like to draw a reference to your letter No. 1063/MA/C-10/3s-30/08 dt.06.11.2008 on the above subject and to send herewith a list containing 32 items towards upgradation of Maternity Ward in Konnagar Matrisadan-O-Sisu Mongal Pratisthan.

An early action in the matter will help us to provide better treatment to the ailing patients.

Yours faithfully,

*sd/*  
Chairman  
Konnagar Municipality


No. Admn/28/1564 (2)  
Copy forwarded to :

Dt. 19.12.08

- 1) The Director, SUDA, ILGUS BHABAN, H.C. Block, Sector-III, Bidhannagar, Kolkata-700106.
- 2) The Health Director, SUDA, ILGUS BHABAN, H.C. Block, Sector-III, Bidhannagar, Kolkata-700106.

*[Signature]*  
Chairman

| Sl.No. | Item   | Qun. | Sl.No. | Item                           | Qun.                         |
|--------|--|------|--------|--------------------------------|------------------------------|
| 1)     | Hysteroscopic set<br>(With Resecto<br>scope) | 1    | 29)    | Medicines                      | 6.00 lakh approx<br>per year |
| 2)     | Laparo scopic set<br>with camera             | 1    | 30)    | Computer                       | 2                            |
| 3)     | Operation theatre<br>Light (Twin Light)      | 1    | 31)    | Printer                        | 2                            |
| 4)     | Labour table (Hydra-<br>ulic Control)        | 1    | 32)    | A.C. machine (Best<br>quality) | 2                            |
| 5)     | O.T. table                                   | 1    |        |                                |                              |
| 6)     | Strillizing Drums                            | 6    |        |                                |                              |
| 7)     | Cardiac monitor<br>with NIBP                 | 2    |        |                                |                              |
| 8)     | Pulse Oxymeter                               | 2    |        |                                |                              |
| 9)     | Hysterectomy Clamps                          | 12   |        |                                |                              |
| 10)    | C.T.G. machine                               | 2    |        |                                |                              |
| 11)    | BP Instruments                               | 4    |        |                                |                              |
| 12)    | Fetal portable<br>Doppler                    | 2    |        |                                |                              |
| 13)    | scissors                                     | 4    |        |                                |                              |
| 14)    | Formaline Chamber                            | 1    |        |                                |                              |
| 15)    | Cidex Chamber with<br>solution               | 1    |        |                                |                              |
| 16)    | Spot Light                                   | 4    |        |                                |                              |
| 17)    | Sucker set                                   | 4    |        |                                |                              |
| 18)    | Instrument Trolley                           | 4    |        |                                |                              |
| 19)    | surgical stool<br>(Variable height)          | 4    |        |                                |                              |
| 20)    | IV Infusion pole                             | 6    |        |                                |                              |
| 21)    | wheeled chair                                | 2    |        |                                |                              |
| 22)    | Birthing bed                                 | 1    |        |                                |                              |
| 23)    | TV moniter                                   | 1    |        |                                |                              |
| 24)    | Artery forceps                               | 12   |        |                                |                              |
| 25)    | Allis's tissue<br>forceps                    | 12   |        |                                |                              |
| 26)    | Stethoscope                                  | 4    |        |                                |                              |
| 27)    | Nasal Oxygen<br>Catheter                     | 12   |        |                                |                              |
| 28)    | Boyel's apparetus<br>with Ventelator         | 1    |        |                                |                              |



Chairman  
Kannagar Municipal

# পৌর সদস্যগণের কার্যালয়, কোন্নগর

৭৩, জি.টি.রোড (ওয়েস্ট), কোন্নগর, (পিন : ৭১২২৩৫), ছগলী, পশ্চিমবঙ্গ

শ্রী সমীর ব্যানার্জী

পৌরপ্রধান

স্মারক সংখ্যা : পি.ডবলু.ডি./ ১৩/

তারিখ - ০৯ - ২০০৮

মাননীয় শ্রী অশোক ভট্টাচার্য সমীপে,  
পৌর নগর উন্নয়ন মন্ত্রী, পশ্চিমবঙ্গ সরকার,  
মহাকরণ, কোলকাতা - ৭০০০০১

মহাশয়,


আপনি নিশ্চয় অবগত আছেন যে, কোন্নগর পৌরসভা পরিচালিত মাতৃসদনটি অত্যন্ত যোগ্যতার সঙ্গে চলছে। কোন্নগর শহরের বাহিরের প্রায় ৪ মাইল ব্যাসার্ধ জুড়ে রোগিণীরা এই হাসপাতালের সুবিধা ভোগ করেন। এছাড়াও এই মাতৃসদন প্রাঙ্গণে সি.ইউ.ডিপি.-৩, প্রকল্পে ই.এস.ও.পি.ডি. এবং আই.পি.পি.-৮ প্রকল্পের অ্যাডমিনিস্ট্রেটিভ ইউনিট দুটি ভালোভাবে চলছে। এই দুটি প্রকল্পের স্বাস্থ্যকর্মীদের সুপারিশক্রমে প্রসূতি মায়েরা মাতৃসদনে চিকিৎসার জন্যে আসেন। তাঁদের সামান্য অর্থের বিনিময়ে এবং অধিকাংশ রোগিণীদের বিনাব্যয়ে চিকিৎসা ও প্রসবের ব্যবস্থা করা হয়।

এই প্রসঙ্গে আপনাকে বিশেষভাবে অনুরোধ করা যাচ্ছে যে, পৌরসভা পরিচালিত মাতৃসদনটিকে সি.ইউ.ডিপি.-৩ এবং আই.পি.পি.-৮ প্রকল্পের নিয়ন্ত্রনে আনা হোক অর্থাৎ মাতৃসদনটিকে আরও উন্নততর (Up gradation of Maternity) করা হোক এবং প্রকল্পের নিয়মানুযায়ী অর্থ ও ঔষধপত্র বরাদ্দ করা হোক।

আশা করি এই বিষয়টি আপনি সহানুভূতির সঙ্গে বিবেচনা করবেন।

ধন্যবাদান্তে :

ভবদীয়,




পৌরপ্রধান

কোন্নগর পৌরসভা

অনুলিপি : ১। শিবাণী গোস্বামী, স্বাস্থ্য অধিকর্তা, সুডা।

২। ডঃ কল্লোল কুমার মুখার্জী,

প্রজেক্ট ম্যানেজার, সি.এম. ইউ।



পৌরপ্রধান

কোন্নগর পৌরসভা

# Government of West Bengal

Department of Municipal Affairs

Writers' Buildings

Kolkata - 700 001

From : The Joint Secretary to the Government of West Bengal.

To : The Chairman,  
Konnagar Municipality,  
Konnagar, Hooghly.

RECEIVED  
Konnagar Municipality  
No. A. J. / 13 / 43 / 8  
Signature & Date... 29/11/08

No. : 1063/MA/C-10/3S-30/08


Dated, Kolkata the ...6th...November...2008.

Subject : Ref. ADMN/28/547 dated 29.7.08.

Sir,

In inviting a reference to the above, I am directed to request you to kindly come up with a concrete proposal detailing the existing facilities as well as the proposed upgradation of Matrisadan through SUDA.

Yours faithfully,

  
Joint Secretary.

Sud to m.  
29/11/08