

Sub: Proposal for release of fund towards SMS charge of House to House Survey for the month of November, 2017.

Placed herewith communication bearing no. NUHM/AMC/118 dt. 22.11.2017, 1911/NAL/Muni dt. 11.12.2017 & 2394/A-106 dt. 11.1.2018 of Asansol MC, Nalhati and Baidyabati Municipality respectively (at Flag "A") on the subject mentioned above.

In this connection this is to state that a fund of Rs. 12,20,000/- had been received from DHFW vide memo no. 423 (Sanction)/HF/P/P&B/PHP/2m-05/2012 dt. 12.06.2017 towards SMS charges for the period from May to October, 2017. Subsequently, a sum of Rs. 11,65,728/- have already been released to the ULBs concerned vide this office memo no. SUDA-Health/65 Part-IV/13/71 (89) dt. 03.07.2017 (at Flag "B"), leaving a balance of Rs. 54,272/-. The house to House activity had been extended in the month of November, 2017 for which no fund had been released by DHFW in this regard.

The above mentioned three ULBs requested for release of fund towards SMS charges for the month of November, 2017 as detailed below:

Sl. No.	Name of ULB	Amount (Rs.)
1	Asansol MC	7,168/-
2	Nalhati	1,728/-
3	Baidyabati	1,312/-
TOTAL		10,208/-

12/11
A

Rs. 10,208/- may be released out of the available balance of Rs. 54,272/-.

Submitted.

28/06/2018

Director

Where is the endorsement of PCH?

28/6/18

Sorry for inconvenience.

05.07.18

Dy. Director

DD

proposal

11/7/18

may be approved

9/11/18

File received from CPHO on 25.09.18.

[Signature]

Please note the Demand of fund for procurement of large spray / fogging machines mounted on a vehicle for control of VBD's in North Dum Dum Municipality from the Chairman, North Dum Dum Municipality vide memo no. NDDM/PH/4849 dated 25.11.19.

Fogging is not routine procedure. It is usually in practice for the areas where Dengue Cases are being detected, ~~at~~ so keeping a vehicle throughout the year is not necessary.

It is also not clear the requirement of battery operated spray machine.

However, the nodal person, VBD of the ULB may be requested to discuss the matter or to submit the clarification regarding the matter, if approved by the authority.

Instruction is sought from the higher authority.

Joint Director

[Signature]
2/12/19

Pl. put-up view

[Signature]

FO.

सूडा

NOTE SHEET

SUDA

CPHO, SUDA has noted some reservations about the necessity of the equipments, the ULB, North Dumdum municipality intends to procure. As proposed, the nodal person of VBD at the ULB may be requested to clear the issues raised here.

~~SD.~~

Y. K. S. 05.12.19.


ULB may be requested for detail estimate.

~~CPHO~~



Shrinagar
Barn

Pl submit the draft letter for signature of the Director, SUDA


29/12/19